

Supplementary information

Manganese catalyzed acceptorless dehydrogenative borylation of styrenes

Kuhali Das,^{1,4} Abhishek Kundu,^{2,4} Debashis Adhikari,^{2,3*} and Biplab Maji^{1,3*}

¹Department of Chemical Sciences, Indian Institute of Science Education and Research
Kolkata, Mohanpur 741246, India

²Department of Chemical Sciences, Indian Institute of Science Education and Research
Mohali, SAS Nagar 140306, India

³Lead contact

⁴These authors contributed equally

*Correspondence: adhikari@iisermohali.ac.in, bm@iiserkol.ac.in

Table of Contents

1. General Information	S1
2. Synthesis of ligands and Mn(I)-complexes	S1-S6
3. Synthesis of starting materials	S6-S8
4. Detailed optimization of the Mn(I)-catalyzed dehydrogenative borylation of styrene	S8-S9
5. General procedure for the dehydrogenative borylation of alkenes	S9
6. Analytical data for the products	S9-S13
7. Synthetic applications	S14-18
8. Mechanistic studies	S18-S26
9. Computational details	S27-S30
10. Cartesian Coordinates for Optimized geometries of intermediates and Transition States	S31-S49
11. IR spectra of manganese complexes	S50-S51
12. ¹ H, ¹³ C, and ¹¹ B spectra of synthesized compounds	S52-S117
13. References	S118

1. General Information

All the reactions were conducted under the Ar and N₂ atmosphere unless otherwise mentioned. The glassware was dried in an oven. Solvents were dried under the standard protocol. All the solvents were degassed and stored over activated molecular sieves (4 Å). The chemicals were purchased from Avra Synthesis, Sigma-Aldrich, TCI, Alfa Aesar, Spectrochem, BLDpharm, and Combi-Blocks and used without further purification unless otherwise mentioned. Ligands and metal complexes were prepared according to our published procedures. ¹H, ¹³C NMR spectra were collected using BRUKER (¹H: 500 MHz, ¹³C: 126 MHz, ¹¹B: 161 MHz, and ¹⁹F{¹H}:471 MHz) and JEOL (¹H: 400 MHz, ¹³C{¹H}: 100 MHz) instrument. NMR data was taken in the ppm unit and referenced against the solvent residual peaks. Coupling constants (*J*) are reported in Hertz (Hz). Coupling patterns are indicated as s (singlet), d (doublet), t (triplet), dd (doublet of doublet), td (triplet of doublet), or m (multiplet). FT-IR spectra were recorded by BRUKER FT-IR Spectrometer. GS-MS was performed on a Thermo Scientific ISQ QD Mass Spectrometer attached with Thermo Scientific TRACE 1300 gas chromatograph using an DB-5 ms capillary column (30 m × 0.25 mm × 0.25 μm, Agilent Technologies) with helium as the carrier gas. Mass spectral analyses were done in Bruker micrOTOF-Q II Spectrometer. For thin-layer chromatography (TLC) analysis, Merck precoated TLC plates (silica gel 60 F254/ 0.25 mm) were used. Visualization was accomplished by UV light (254 nm) and an aqueous KMnO₄ stain. All the kinetics study has been done by GC-MS analysis using an appropriate internal standard.

2. Synthesis of ligands and Mn(I)-complexes




Fig. S1. Ligands **L1-5** and Mn complexes **Mn1-5**.

The ligands **L1-5** and the complexes **Mn1-5** were prepared following a modified procedure known in the literature.^[1]

2.1. Synthesis of the ligands

N-(2-(methylthio)benzyl)-1-(pyridin-2-yl)methanamine (L1) and **1-(pyridin-2-yl)-N-(thiophen-2-ylmethyl)methanamine (L2)**:^{1,2} The ligands were prepared according to the following modified procedures. Aldehyde (2.0 mmol) and 2-(aminomethyl)pyridine (2.1 mmol) are mixed in methanol, and then sodium sulfate (4.0 mmol) was added. The reaction mixture

was stirred at 35 °C for 12 h and then filtered. To the filtrate was added NaBH₄ (4.0 mmol) and heated at 45 °C for 1 h. The solvent was removed under a vacuum resulting in a white paste. The organic part was extracted with DCM and purified using flash column chromatography. The ligands were obtained as yellow oil. The spectral data resembles that reported in the literature.

N-(2-(methylthio)benzyl)-1-(pyridin-2-yl)methanamine (L1):² Yield: 85% (1.70 mmol, 415.4 mg). ¹H NMR (400 MHz, CDCl₃) δ 8.55 (d, J = 3.8 Hz, 1H), 7.67 - 7.60 (m, 1H), 7.36 (t, J = 8.1 Hz, 2H), 7.26 - 7.20 (m, 2H), 7.18 - 7.08 (m, 2H), 3.95 (s, 2H), 3.92 (s, 2H), 2.47 (s, 3H), 2.04 (br s, 1H).

1-(pyridin-2-yl)-N-(thiophen-2-ylmethyl)methanamine (L2):¹ Yield: 88% (1.76 mmol, 360.0 mg). ¹H NMR (400 MHz, CDCl₃) δ 8.52 (d, J = 4.3 Hz, 1H), 7.61 (td, J = 7.7, 1.6 Hz, 1H), 7.29 (d, J = 7.7 Hz, 1H), 7.18 (dd, J = 4.4, 2.1 Hz, 1H), 7.13 (dd, J = 7.4, 4.8 Hz, 1H), 6.95 - 6.89 (m, 2H), 4.01 (s, 2H), 3.92 (s, 2H), 2.13 (s, 1H).

1-(quinolin-2-yl)-N-(thiophen-2-ylmethyl)methanamine (L3): Quinoline-2-carbaldehyde (2.0 mmol) and thiophen-2-ylmethanamine (2.1 mmol) are mixed in methanol, and then sodium sulfate (2.5 mmol) was added. The reaction mixture was stirred at 35 °C for 12 h and then filtered. To the filtrate was added NaBH₄ (4.0 mmol) and heated at 45 °C for 1 h. The solvent was removed under a vacuum resulting in a white paste. The organic part was extracted with DCM and purified using flash column chromatography. The ligands were obtained as yellow oil. Yield: 87%. ¹H NMR (500 MHz, CDCl₃) δ 8.12 (d, J = 8.5 Hz, 1H), 8.06 (d, J = 8.5 Hz, 1H), 7.80 (d, J = 8.2 Hz, 1H), 7.70 (t, J = 7.6 Hz, 1H), 7.52 (t, J = 7.5 Hz, 1H), 7.46 (d, J = 8.4 Hz, 1H), 7.24 (d, J = 4.9 Hz, 1H), 7.01 - 6.93 (m, 2H), 4.16 (s, 2H), 4.13 (s, 2H), 2.41 (br s, 1H). ¹³C NMR (126 MHz, CDCl₃) δ 159.7, 147.9, 143.7, 136.6, 129.7, 129.1, 127.7, 127.5, 126.8, 126.3, 125.5, 124.8, 120.7, 54.7, 48.2. **Selected IR** (ATR, cm⁻¹): 3062, 2918, 2835, 1614, 1598, 1501, 1423, 1110, 826, 745, 694. **HRMS (ESI) m/z:** [M+H]⁺ Calculated for [C₁₅H₁₅N₂S⁺] 255.0950, found 255.0956.

N-methyl-1-(quinolin-2-yl)-N-(thiophen-2-ylmethyl)methanamine (L4): A solution of 1-(quinolin-2-yl)-N-(thiophen-2-ylmethyl)methanamine (L3) (0.5 mmol) in dry THF (3 ml) was cooled to 0 °C and NaH (1.5 equiv.) was added in one portion. The resulting mixture was stirred at that temperature for 30 min, and methyl iodide (1.5 equiv.) was added dropwise. The solution was warmed to room temperature and stirred overnight. The reaction was quenched with water. The organic part was extracted with EtOAc and purified using flash column chromatography. Yield: 75%. ¹H NMR (500 MHz, CDCl₃) δ 8.15 (d, J = 8.4 Hz, 1H), 8.07 (d, J = 8.4 Hz, 1H), 7.80 (d, J = 8.0 Hz, 1H), 7.75 (d, J = 8.4 Hz, 1H), 7.69 (t, J = 7.6 Hz, 1H), 7.51 (t, J = 7.5 Hz, 1H), 7.25 (s, 1H), 7.03 - 6.91 (m, 2H), 3.89 (d, J = 7.0 Hz, 4H), 2.35 (s, 3H). ¹³C NMR (126 MHz, CDCl₃) δ 147.7, 136.6, 129.5, 129.1, 127.7, 127.6, 126.6, 126.3, 126.2, 125.2, 121.1, 63.5, 56.6, 42.6. **Selected IR** (ATR, cm⁻¹): 2919, 2835, 1613, 1590, 1410, 1100, 810, 682. **GC-MS (ESI) m/z:** [M] Calculated for [C₁₆H₁₆N₂S] 268.10, found 268.24.

1-(furan-2-yl)-N-(quinolin-2-ylmethyl)methanamine (L5): Quinoline-2-carbaldehyde (2.0 mmol) and furan-2-ylmethanamine (2.1 mmol) are mixed in methanol, and then sodium sulfate (2.5 mmol) was added. The reaction mixture was stirred at 35 °C for 12 h and then filtered. To the filtrate was added NaBH₄ (4.0 mmol) and heated at 45 °C for 1 h. The solvent was removed under a vacuum resulting in a white paste. The organic part was extracted with DCM and

purified using flash column chromatography. The ligands were obtained as a yellow oil. Yield: 83%. **¹H NMR** (500 MHz, CDCl₃) δ 8.13 – 8.03 (m, 2H), 7.78 (d, *J* = 8.2 Hz, 1H), 7.75 – 7.57 (m, 2H), 7.50 (t, *J* = 7.5 Hz, 1H), 7.42 (s, 1H), 7.38 – 7.24 (m, 1H), 6.34 – 6.20 (m, 1H), 4.11 (s, 2H), 3.91 (s, 2H), 3.00 (br s, 1H). **¹³C NMR** (126 MHz, CDCl₃) δ 159.8, 153.7, 147.8, 142.1, 136.6, 129.6, 129.1, 127.7, 127.4, 126.2, 120.7, 110.3, 107.4, 54.6, 45.9. **Selected IR** (ATR, cm⁻¹): 3051, 2924, 2850, 2364, 1618, 1598, 1505, 1425, 1147, 1011, 826, 729. **HRMS (ESI) *m/z***: [M+H]⁺ Calculated for [C₁₅H₁₅N₂O⁺] 239.1179, found 239.1188.

2.2. Synthesis of the Mn(I)-complexes

To a solution of the ligand (0.20 mmol) in dry THF (0.05 M) was added Mn(CO)₅Br (0.21 mmol, 57.7 mg) under argon atmosphere. The resulting yellow-colored solution was heated at 90 °C for 3h, during which time the color changed to dark orange or brown. The solution was cooled to ambient temperature, and the solvent was removed under a vacuum. The resulting orange or yellow residue was washed with hexane and dried under vacuum to yield the complexes as orange or yellow-colored solid. The crystal suitable for the single crystal XRD was obtained by the slow diffusion of Et₂O into a saturated solution of **Mn3** in THF.

Mn1:² Yield: 90% (0.18 mmol, 83.4 mg). **¹H NMR** (500 MHz, CDCl₃) δ 9.00 (s, 1H), 7.73 (br s, 1H), 7.53 – 6.93 (m, 6H), 5.10 – 4.72 (m, 1H), 4.69 – 4.35 (m, 1H), 4.17 (br s, 1H), 3.97 (s, 1H), 2.53 (s, 3H). **¹³C NMR** (126 MHz, CDCl₃) δ 222.9, 221.4, 221.1, 158.9, 153.8, 138.4, 138.2, 133.6, 130.8, 129.8, 127.1, 125.7, 124.7, 121.3, 58.6, 56.9, 16.2.

Mn2:¹ Yield: 96% (0.19 mmol, 81.2 mg). **¹H NMR** (500 MHz, CDCl₃) δ 9.02 (s, 1H), 8.10 – 7.60 (s, 1H), 7.56 – 6.69 (m, 5H), 4.94 (s, 1H), 4.58 – 3.46 (m, 4H). **¹³C NMR** (126 MHz, CDCl₃) δ 222.7, 221.2, 221.0, 158.4, 154.0, 138.3, 137.7, 128.8, 127.7, 126.9, 124.9, 121.4, 57.3, 53.6

Mn3: Yield: 90% (85 mg, 0.18 mmol). **¹H NMR** (500 MHz, CDCl₃) δ 9.18 (d, *J* = 8.7 Hz, 1H), 8.19 (d, *J* = 8.1 Hz, 1H), 7.91 (t, *J* = 7.8 Hz, 1H), 7.84 (d, *J* = 8.2 Hz, 1H), 7.64 (t, *J* = 7.4 Hz, 1H), 7.38 (br s, 1H), 7.25 (br s, 1H), 7.20 – 7.14 (m, 1H), 7.08 (br s, 1H), 5.04 (d, *J* = 14.5 Hz, 1H), 4.45 (dd, *J* = 16.4, 3.9 Hz, 1H), 4.34 (t, *J* = 13.2 Hz, 2H), 4.00 (m, *J* = 12.1 Hz, 1H). **¹³C NMR** (126 MHz, CDCl₃) δ 222.3, 221.3, 220.4, 160.6, 148.6, 139.6, 137.8, 131.8, 130.0, 128.9, 128.8, 128.6, 127.9, 127.9, 127.1, 117.9, 59.3, 53.1. **Selected IR** (ATR, cm⁻¹): 3212 (s, ν_{NH}), 2018 (s, ν_{CO}), 1936 (s, ν_{CO}), 1907 (s, ν_{CO}), 1602, 1513, 1433, 1005, 951, 830. **HRMS (ESI) *m/z***: Calculated for [C₁₈H₁₄MnN₂O₃S; [M – Br]⁺] 393.0106, found 393.0105.

Mn4: Yield: 80% (78 mg, 0.16 mmol). (mixture of neutral and cationic complex: 2.3:1) **¹H NMR** (500 MHz, CDCl₃) δ 8.92 – 8.78 (m, 1.47H), 8.34 – 8.17 (m, 1.49H), 8.01 – 7.84 (m, 3H), 7.75 – 7.63 (m, 1.54H), 7.46 – 7.34 (m, 2H), 7.28 (s, 0.74H), 7.19 – 7.05 (m, 2.54H), 6.93 – 6.83 (m, 0.60H), 5.57 – 5.46 (m, 1.77H), 5.16 (d, *J* = 16.1 Hz, 1H), 4.64 – 4.49 (m, 1.49H), 4.26 – 4.04 (m, 1H), 3.52 (d, *J* = 15.5 Hz, 1H), 3.15 (s, 1H), 2.86 (s, 3H). **¹³C NMR** (126 MHz, CDCl₃) δ 222.5, 163.1, 162.8, 149.2, 149.0, 140.0, 139.7, 133.4, 132.4, 132.2, 132.1, 131.6, 131.5, 129.3, 129.2, 128.6, 128.4, 128.3, 127.9, 127.8, 127.7, 127.6, 127.5, 119.5, 119.3, 66.3, 63.1, 60.9, 60.4, 50.6, 48.18. **Selected IR** (ATR, cm⁻¹): 2014 (ν_{CO}), 1917 (ν_{CO}), 1905 (ν_{CO}), 1598, 1513, 1038, 844, 782, 684. **HRMS (ESI) *m/z***: Calculated for [C₁₉H₁₆MnN₂O₃S; [M – Br]⁺] 407.0262, found 407.0253.

Mn5: Yield: 88% (80.5 mg, 0.17 mmol). **¹H NMR** (500 MHz, CDCl₃) δ 9.17 (d, *J* = 8.7 Hz, 1H), 8.21 (d, *J* = 7.6 Hz, 1H), 7.98 – 7.81 (m, 2H), 7.65 (t, *J* = 7.1 Hz, 1H), 7.49 (s, 1H), 7.29 (d, *J*

= 7.6 Hz, 1H), 6.61 – 6.34 (m, 2H), 4.69 (d, J = 10.9 Hz, 1H), 4.47 (s, 2H), 4.23 (d, J = 9.0 Hz, 2H). ^{13}C NMR (126 MHz, CDCl_3) δ 222.4, 221.2, 220.5, 160.8, 149.5, 148.6, 143.6, 139.6, 131.8, 129.9, 128.8, 128.7, 127.8, 117.8, 111.2, 110.9, 59.8, 51.1. Selected IR (ATR, cm^{-1}): 2020 (s, ν_{CO}), 1931 (s, ν_{CO}), 1892 (s, ν_{CO}), 1604, 1513, 1433, 1147, 820 747, 630. HRMS (ESI) m/z : Calculated for $[\text{C}_{18}\text{H}_{14}\text{MnN}_2\text{O}_4; [\text{M} - \text{Br}]^+]$ 377.0334, found 377.0305.

2.3 Crystal data for Mn3.




Fig. S2. ORTEP diagram of **Mn3** (50% probability ellipsoids).³

Table S1. Crystal data and structure refinement for **Mn3**.

Empirical formula	$\text{C}_{18}\text{H}_{14}\text{BrMnN}_2\text{O}_3\text{S}$
Formula weight	473.22
Temperature/K	100.00(13)
Crystal system	triclinic
Space group	P-1
$a/\text{\AA}$	7.6734(2)
$b/\text{\AA}$	11.8500(3)
$c/\text{\AA}$	13.3321(3)
$\alpha/^\circ$	104.364(2)
$\beta/^\circ$	97.514(2)
$\gamma/^\circ$	93.655(2)
Volume/ $\text{\AA}^3$	1158.45(5)
Z	2
$\rho_{\text{calc}}/\text{g cm}^{-3}$	1.357
μ/mm^{-1}	7.640
$F(000)$	472.0
Crystal size/ mm^3	$0.1 \times 0.05 \times 0.03$
Radiation	Cu $K\alpha$ ($\lambda = 1.54184$)
2θ range for data collection/ $^\circ$	6.924 to 136.522
Index ranges	$-9 \leq h \leq 9, -12 \leq k \leq 14, -16 \leq l \leq 15$
Reflections collected	16706
Independent reflections	4196 [$R_{\text{int}} = 0.0582$, $R_{\text{sigma}} = 0.0413$]
Data/restraints/parameters	4196/0/235
Goodness-of-fit on F^2	1.065
Final R indexes [$ I \geq 2\sigma(I)$]	$R_1 = 0.0398$, $wR_2 = 0.1099$
Final R indexes [all data]	$R_1 = 0.0426$, $wR_2 = 0.1128$
Largest diff. peak/hole / $e \text{\AA}^{-3}$	1.23/-0.66

Table S2. Selected bond lengths and bond angles of **Mn3**.


Interatomic distances (Å)			
Mn(1)-Br(1)	2.5397(5)	Mn(1)-C(18)	1.799(3)
Mn(1)-N(1)	2.138(2)	Mn(1)-C(17)	1.812(3)
Mn(1)-N(2)	2.082(2)	Mn(1)-C(16)	1.802(3)
Bond angles(°)			
N(1)-Mn(1)-Br(1)	89.19(6)	C(17)-Mn(1)-Br(1)	90.15(9)
N(2)-Mn(1)-Br(1)	84.86(6)	C(17)-Mn(1)-N(1)	103.43(11)
N(1)-Mn(1)-N(2)	77.11(8)	C(17)-Mn(1)-N(2)	174.97(11)
C(18)-Mn(1)-Br(1)	87.94(9)	C(16)-Mn(1)-Br(1)	178.89(9)
C(18)-Mn(1)-N(1)	170.47(11)	C(16)-Mn(1)-N(1)	91.87(11)
C(18)-Mn(1)-N(2)	93.58(11)	C(16)-Mn(1)-N(2)	95.71(10)
C(18)-Mn(1)-C(17)	85.66(13)	C(16)-Mn(1)-C(17)	89.27(12)
C(18)-Mn(1)-C(16)	91.07(13)		

3. Synthesis of starting materials


3.1. General procedure A

In an oven-dried 25 mL Schlenk tube was added Pd(OAc)₂ (0.15 mmol, 34 mg), PPh₃ (0.30 mmol, 79.0 mg), boronic acid (6 mmol), 4-bromostyrene (3 mmol, 393 µL), Na₂CO₃ (12 mmol, 1.9 g), PhMe (15 mL), EtOH (4.5 mL), H₂O (4.5 mL) under nitrogen atmosphere and the tube was sealed. The mixture was transferred to a pre-heated oil bath at 100 °C. After 24 h, the reaction mixture was cooled, and water (2.0 mL) was added. The mixture was filtered and extracted with EtOAc. The combined organic layer was dried over Na₂SO₄, and the solvent was evaporated under reduced pressure. The crude mixture was purified by silica gel column chromatography with hexane/EtOAc as eluent.


3-(trifluoromethyl)-4'-vinyl-1,1'-biphenyl: Yield: 80% (2.40 mmol, 596 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.86 (s, 1H), 7.78 (d, *J* = 7.8 Hz, 1H), 7.66 – 7.45 (m, 6H), 6.78 (dd, *J* = 17.6, 10.9 Hz, 1H), 5.84 (d, *J* = 17.5 Hz, 1H), 5.33 (d, *J* = 11.0 Hz, 1H). ¹³C NMR (126 MHz, CDCl₃) δ 141.7, 139.2, 137.5, 136.3, 131.4 (q, *J* = 31.9 Hz), 130.3, 129.4, 127.4, 127.0, 124.4 (q, *J* = 272.2 Hz), 124.1 (q, *J* = 4.0 Hz), 123.8 (q, *J* = 4.2 Hz), 114.62. ¹⁹F NMR (471 MHz, CDCl₃) δ -62.59. Selected IR (ATR, cm⁻¹): 3037, 2932, 1630, 1485, 1441, 1326, 1253, 1155, 1114, 914, 799. **GC-MS (ESI) m/z:** [M] Calculated for [C₁₅H₁₁F₃] 248.08, found 247.95.



2-(4-vinylphenyl)furan: Yield: 75% (2.25 mmol, 383 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.64 (d, *J* = 8.2 Hz, 2H), 7.50 – 7.38 (m, 3H), 6.72 (dd, *J* = 17.5, 10.8 Hz, 1H), 6.66 (d, *J* = 3.7 Hz, 1H), 6.48 (dd, *J* = 3.4, 1.8 Hz, 1H), 5.77 (d, *J* = 17.7 Hz, 1H), 5.26 (d, *J* = 11.0 Hz, 1H). ¹³C NMR (126 MHz, CDCl₃) δ 154.0, 142.3, 136.7, 136.6, 130.4, 126.7, 124.0, 113.9, 111.9, 105.3. Selected IR (ATR, cm⁻¹): 2924, 1622, 1600, 1406, 1151, 1120, 1007, 900, 842, 799. **HRMS (ESI) m/z:** [M+H]⁺ Calculated for [C₁₂H₁₁O]⁺ 171.0804, found 171.0785.




3-(4-vinylphenyl)pyridine: Yield: 60% (1.80 mmol, 326 mg). $^1\text{H NMR}$ (500 MHz, CDCl_3) δ 8.86 (d, $J = 2.7$ Hz, 1H), 8.58 (dd, $J = 4.9, 1.5$ Hz, 1H), 7.90 – 7.82 (m, 1H), 7.60 – 7.44 (m, 4H), 7.35 (dd, $J = 7.9, 4.9$ Hz, 1H), 6.76 (dd, $J = 17.7, 11.0$ Hz, 1H), 5.81 (d, $J = 17.7$ Hz, 1H), 5.31 (d, $J = 11.0$ Hz, 1H). $^{13}\text{C NMR}$ (126 MHz, CDCl_3) δ 148.6, 148.3, 137.6, 137.2, 136.3, 136.3, 134.2, 127.4, 127.0, 123.7, 114.7. Selected IR (ATR, cm^{-1}): 3031, 2924, 1629, 1575, 1474, 1394, 992, 908, 846, 803. **GC-MS (ESI) m/z:** [M] Calculated for $[\text{C}_{13}\text{H}_{11}\text{N}]$ 181.09, found 181.02.




3.2. General procedure B

To an oven-dried 25 mL Schlenk round-bottomed flask was added 4-hydroxystyrene (3 mmol, 360 mg), alcohol (3 mmol), PPh_3 (3 mmol, 787 mg), and THF (12 mL) under N_2 atmosphere. The mixture was cooled at 0°C , and to this, diisopropyl azodicarboxylate (DIAD, 3 mmol, 590 μL) was added. The reaction was allowed to warm to room temperature and stirred for 30 h. The resulting solution was diluted with H_2O (15 mL) and extracted with CH_2Cl_2 . The combined organic layers were dried over Na_2SO_4 and purified by silica gel column chromatography with hexane/EtOAc (98:2) as eluent.


1-(((1R,2S,5R)-2-isopropyl-5-methylcyclohexyl)oxy)-4-vinylbenzene: Yield: 30% (0.90 mmol, 233 mg). $^1\text{H NMR}$ (500 MHz, CDCl_3) δ 7.33 (d, $J = 8.5$ Hz, 2H), 6.86 (d, $J = 8.2$ Hz, 2H), 6.66 (dd, $J = 17.7, 10.7$ Hz, 1H), 5.60 (d, $J = 17.7$ Hz, 1H), 5.11 (d, $J = 11.0$ Hz, 1H), 4.63 (s, 1H), 2.09 (d, $J = 14.0$ Hz, 1H), 1.82 – 1.56 (m, 5H), 1.09 – 0.97 (m, 2H), 0.93 (d, $J = 6.7$ Hz, 3H), 0.86 (d, $J = 6.7$ Hz, 3H), 0.82 (d, $J = 6.7$ Hz, 3H). $^{13}\text{C NMR}$ (126 MHz, CDCl_3) δ 158.3, 136.5, 130.0, 127.6, 115.7, 111.3, 73.5, 48.0, 37.8, 35.2, 29.4, 26.3, 25.00, 22.4, 21.2, 21.0. Selected IR (ATR, cm^{-1}): 2958, 2870, 1604, 1507, 1456, 1242, 1172, 1015, 829, 789. **GC-MS (ESI) m/z:** [M] Calculated for $[\text{C}_{18}\text{H}_{26}\text{O}]$ 258.20, found 258.48.



(1S,2R,4S)-1,7,7-trimethyl-2-(4-vinylphenoxy)bicyclo[2.2.1]heptane: Yield: 32% (0.96 mmol, 246 mg). $^1\text{H NMR}$ (500 MHz, CDCl_3) δ 7.31 (d, $J = 8.6$ Hz, 2H), 6.81 (d, $J = 8.5$ Hz, 2H), 6.65 (dd, $J = 17.6, 10.8$ Hz, 1H), 5.59 (d, $J = 17.6$ Hz, 1H), 5.10 (d, $J = 10.9$ Hz, 1H), 4.09 – 4.02 (m, 1H), 1.87 – 1.80 (m, 2H), 1.78 – 1.72 (m, 2H), 1.64 – 1.58 (m, 1H), 1.15 – 1.10 (m, 2H), 1.06 (s, 3H), 0.99 (s, 3H), 0.88 (s, 3H). $^{13}\text{C NMR}$ (126 MHz, CDCl_3) δ 157.9, 136.5, 130.0, 127.4, 115.5, 111.2, 84.7, 49.3, 47.1, 45.4, 39.6, 34.3, 27.5, 20.4, 20.2, 11.9. Selected IR (ATR, cm^{-1}): 2950, 2925, 2876, 1629, 1606, 1507, 1453, 1244, 1062, 1009, 831. **GC-MS (ESI) m/z:** [M] Calculated for $[\text{C}_{18}\text{H}_{24}\text{O}]$ 256.18, found 255.91.




1-(((3,7-dimethyloct-6-en-1-yl)oxy)-4-vinylbenzene: Yield: 40% (1.20 mmol, 310 mg). $^1\text{H NMR}$ (500 MHz, CDCl_3) δ 7.34 (d, $J = 8.3$ Hz, 2H), 6.86 (d, $J = 8.3$ Hz, 2H), 6.66 (dd, $J = 17.5, 10.9$ Hz, 1H), 5.60 (d, $J = 17.6$ Hz, 1H), 5.12 (d, $J = 10.5$ Hz, 2H), 4.06 – 3.93 (m, 2H), 2.09 – 1.94 (m, 2H), 1.90 – 1.79 (m, 1H), 1.69 (s, 3H), 1.62 (s, 3H), 1.61 – 1.56 (m, 1H), 1.46 – 1.36 (m, 1H), 1.33 – 1.15 (m, 2H), 0.96 (d, $J = 6.6$ Hz, 3H). $^{13}\text{C NMR}$ (126 MHz, CDCl_3) δ 159.1, 136.4, 131.4, 130.4, 127.5, 124.8, 114.7, 111.5, 66.5, 37.3, 36.3, 29.7, 25.9, 25.6, 19.7, 17.8. Selected IR (ATR, cm^{-1}): 2961, 2916, 1740, 1606, 1509, 1246, 1174, 988, 898, 832. **GC-MS (ESI) m/z:** [M] Calculated for $[\text{C}_{18}\text{H}_{26}\text{O}]$ 258.20, found 258.48.



(S)-2-methoxy-6-(1-(4-vinylphenoxy)ethyl)naphthalene: Yield: 80% (2.40 mmol, 764 mg).

¹H NMR (500 MHz, CDCl₃) δ 7.66 (d, *J* = 8.4 Hz, 2H), 7.60 (s, 1H), 7.35 (d, *J* = 8.5 Hz, 1H), 7.27 (d, *J* = 8.9 Hz, 2H), 7.13 – 7.05 (m, 2H), 6.80 (d, *J* = 8.6 Hz, 2H), 6.60 (dd, *J* = 17.6, 10.9 Hz, 1H), 5.55 (d, *J* = 17.5 Hz, 1H), 5.06 (d, *J* = 10.9 Hz, 1H), 4.12 (dd, *J* = 9.2, 5.9 Hz, 1H), 3.98 (dd, *J* = 9.2, 7.8 Hz, 1H), 3.86 (s, 3H), 3.37 – 3.27 (m, 1H), 1.44 (d, *J* = 6.9 Hz, 3H). ¹³C NMR (126 MHz, CDCl₃) δ 159.0, 157.6, 138.9, 136.4, 133.6, 130.6, 129.3, 129.2, 127.5, 127.1, 126.6, 125.7, 119.0, 114.8, 111.6, 105.8, 73.7, 55.4, 39.6, 18.4. Selected IR (ATR, cm⁻¹): 2961, 2909, 2858, 1629, 1602, 1507, 1482, 1388, 1237, 1165, 1023, 836. HRMS (ESI) *m/z*: [M+H]⁺ Calculated for [C₂₂H₂₃O₂]⁺ 319.1693, found 319.1690.



4. Detailed optimization of the Mn(I)-catalyzed dehydrogenative borylation of styrene

General procedure: In an argon-filled glovebox, to a 15 mL oven-dried reaction tube equipped with a magnetic stirrer bar, [Mn] (0.006 mmol), base (0.01 mmol), solvent (3.0 M), alkene (0.1 mmol) and HBpin (0.15 mmol) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at 65 °C in a preheated oil bath. After 24 h the reaction was cooled to room temperature 1 mL of CHCl₃ was added. The mixture was filtered through a short plug of silica. The combined organic layer was evaporated, and mesitylene (0.1 mmol, 14 μL) was added. The yield and selectivity of the products were measured by ¹H NMR analysis.

Table S3. Screening of Mn(I)-catalyst and base^a

Entry	[Mn]	Activator	Yield of 2 (%)	Yield of 3 (%)	Selectivity 2:3
1	Mn1	KO ^t Bu	30	5	86:14
2	Mn2	KO ^t Bu	37	8	83:17
3	Mn3	KO ^t Bu	46	7	88:12
4	Mn3	KHMDS	76	6	93:7
5	Mn4	KHMDS	30	7	81:19
6	Mn5	KHMDS	37	7	84:16
7	Mn3	LiHMDS	62	6	91:9
8	Mn3	LiEt ₃ BH	29	19	60:40
9	Mn3	KOMe	23	8	74:26
10	Mn3	KH	33	7	82:18

^aReaction conditions: **1** (0.1 mmol), HBpin (0.15 mmol), [Mn] (6 mol%), activator (10 mol%), THF (3 M), 65 °C, 24 h, Ar. Yields were determined by ¹H NMR using mesitylene as the internal standard.

Table S4. Screening of solvent^a

Entry	Solvent	Yield of 2 (%)	Yield of 3 (%)	Selectivity 2:3
1	THF	76	6	93:7
2	1,4-dioxane	40	10	80:20
3	CH ₂ Cl ₂	<10	<10	-
4	PhMe	<10	<10	-
5	Benzene	<10	<10	-
6	CH ₃ CN	41	10	80:20


^aReaction conditions: **1** (0.1 mmol), HBpin (0.15 mmol), **Mn3** (6 mol%), KHMDS (10 mol%), solvent (3 M), 65 °C, 24 h, Ar. Yields were determined by ¹H NMR using mesitylene as the internal standard.

5. General procedure for the dehydrogenative borylation of alkenes

In an argon-filled glovebox, to a 15 mL oven-dried reaction tube equipped with a magnetic stirrer bar **Mn3** (0.006 mmol, 5.7 mg), KHMDS (0.02 mmol, 4 mg), THF (66 μL), alkene (0.2 mmol) and HBpin (0.3 mmol, 43.6 μL) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at 65 °C in a preheated oil bath. After 24 h the reaction was cooled to room temperature and diluted with 1 mL of CH₂Cl₂. The selectivity of the products was measured by ¹H NMR analysis. The crude mixture was then purified by silica gel column chromatography using hexane/EtOAc as eluent.


6. Analytical data for the products

(E)-4,4,5,5-tetramethyl-2-styryl-1,3,2-dioxaborolane (2):⁴ Yield: 72% (0.144 mmol, 33.0




mg). ¹H NMR (400 MHz, CDCl₃) δ 7.49 (d, *J* = 7.2 Hz, 2H), 7.40 (d, *J* = 18.4 Hz, 1H), 7.37 – 7.27 (m, 3H), 6.17 (d, *J* = 18.4 Hz, 1H), 1.32 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 149.7, 137.7, 129.0, 128.7, 127.2, 83.5, 25.0.

(E)-4,4,5,5-tetramethyl-2-(4-methylstyryl)-1,3,2-dioxaborolane (4):⁴




Yield: 64% (0.128 mmol, 31.2 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.42 – 7.33 (m, 3H), 7.14 (d, *J* = 7.9 Hz, 2H), 6.12 (d, *J* = 18.4 Hz, 1H), 2.35 (s, 3H), 1.32 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 149.6, 139.1, 134.9, 129.4, 127.2, 83.4, 24.9, 21.5. ¹¹B NMR (161 MHz, CDCl₃) δ 30.0.

(E)-2-(4-(tert-butyl)styryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (5):⁴ Yield: 78% (0.156




mmol, 44.6 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.47 – 7.35 (m, 5H), 6.13 (d, *J* = 18.4 Hz, 1H), 1.32 (s, 21H). ¹³C NMR (126 MHz, CDCl₃) δ 152.3, 149.5, 134.9, 127.0, 125.6, 83.4, 34.8, 31.4, 25.0. ¹¹B NMR (161 MHz, CDCl₃) δ 30.1.

(E)-2-(4-isopropylstyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (6):⁵ Yield: 60% (0.120 mmol, 32.6 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.45 – 7.34 (m, 3H), 7.20 (d, *J* = 8.0 Hz, 2H),




6.12 (d, *J* = 18.4 Hz, 1H), 2.94 – 2.86 (m, 1H), 1.31 (s, 12H), 1.25 (d, *J* = 6.9 Hz, 6H). ¹³C NMR (126 MHz, CDCl₃) δ 150.0, 149.6, 135.3, 127.2, 126.8, 83.4, 34.1, 25.0, 24.00. ¹¹B NMR (161 MHz, CDCl₃) δ 30.2.

(E)-2-(4-methoxystyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (7):⁶ Yield: 75% (0.150 mmol, 39.0 mg). ¹H NMR (400 MHz, CDCl₃)



δ 7.46 – 7.40 (m, 2H), 7.39 – 7.31 (m, 1H), 6.86 (d, *J* = 8.6 Hz, 2H), 6.06 – 5.95 (m, 1H), 3.81 (s, 3H), 1.31 (s, 12H). ¹³C NMR (101 MHz, CDCl₃) δ 160.43, 149.20, 130.55, 128.60, 114.10, 83.35, 55.41, 24.94. ¹¹B NMR (161 MHz, CDCl₃) δ 30.0.


(E)-2-(2-([1,1'-biphenyl]-4-yl)vinyl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (8):⁴ Yield:



78% (0.156 mmol, 47.8 mg). ¹H NMR (400 MHz, CDCl₃) δ 7.62 – 7.56 (m, 6H), 7.48 – 7.42 (m, 3H), 7.38 – 7.32 (m, 1H), 6.22 (d, *J* = 18.4 Hz, 1H), 1.33 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 149.1, 141.8, 140.7, 136.7, 128.9, 127.7, 127.6, 127.4, 127.1, 83.5, 25.0. ¹¹B NMR (161

MHz, CDCl₃) δ 30.4.


(E)-2-(4-fluorostyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (9):⁴ Yield: 70% (0.140 mmol, 35 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.49 – 7.42 (m, 2H), 7.35



(d, *J* = 18.4 Hz, 1H), 7.02 (t, *J* = 8.5 Hz, 2H), 6.07 (d, *J* = 18.4 Hz, 1H), 1.31 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 163.3 (d, *J* = 248.2 Hz), 148.3, 133.9, 128.9 (d, *J* = 8.3 Hz), 115.7 (d, *J* = 21.4 Hz), 83.5, 24.9.


¹¹B NMR (161 MHz, CDCl₃) δ 30.5. ¹⁹F NMR (471 MHz, CDCl₃) δ -112.41.

(E)-2-(4-chlorostyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (10):⁴ Yield: 61% (0.122 mmol, 32.0 mg). ¹H NMR (400 MHz, CDCl₃) δ 7.41 (d, *J* = 8.4 Hz, 2H),




7.32 (t, *J* = 13.4 Hz, 3H), 6.13 (d, *J* = 18.4 Hz, 1H), 1.31 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 148.2, 136.1, 134.8, 128.9, 128.4, 83.6, 25.0. ¹¹B NMR (161 MHz, CDCl₃) δ 29.8.

(E)-2-(4-bromostyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (11):⁴ Yield: 63% (0.126 mmol, 39.0 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.49 (d, *J* = 7.9 Hz, 2H),



7.37 (d, *J* = 7.0 Hz, 2H), 7.31 (d, *J* = 19.5 Hz, 1H), 6.17 (d, *J* = 18.4 Hz, 1H), 1.34 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 148.2, 136.6, 131.9, 128.7, 123.1, 83.6, 25.0. ¹¹B NMR (161 MHz, CDCl₃) δ 30.2.


(E)-4,4,5,5-tetramethyl-2-(4-(trifluoromethyl)styryl)-1,3,2-dioxaborolane (12):⁴ Yield: 50% (0.10 mmol, 30 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.61 – 7.54 (m, 4H),




7.40 (d, *J* = 18.4 Hz, 1H), 6.26 (d, *J* = 18.5 Hz, 1H), 1.32 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 147.8, 141.0, 130.6 (q, *J* = 32.2 Hz), 127.3, 125.7 (q, *J* = 4.1 Hz), 125.3, 123.1, 83.8, 25.0. ¹¹B NMR (161 MHz,

CDCl₃) δ 29.9. ¹⁹F NMR (471 MHz, CDCl₃) δ -62.65.


(E)-4,4,5,5-tetramethyl-2-(3-methylstyryl)-1,3,2-dioxaborolane (13):⁶ Yield: 60% (0.12 mmol, 29 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.38 (d, *J* = 18.4 Hz, 1H), 7.30 (d, *J* = 6.2 Hz, 2H), 7.23 (t, *J* = 7.8 Hz, 1H), 7.11 (d, *J* = 7.4 Hz, 1H), 6.16 (d, *J* = 18.4 Hz, 1H), 2.35 (s, 3H), 1.32 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 149.8, 138.2, 137.6, 129.8, 128.6, 127.9, 124.4, 83.4, 24.9, 21.5. ¹¹B NMR (161 MHz, CDCl₃) δ 30.2.




(E)-2-(3-methoxystyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (14):⁶ Yield: 71% (0.142 mmol, 37.0 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.39 (d, *J* = 18.3 Hz, 1H), 7.27 (t, *J* = 6.9 Hz, 1H), 7.11 (d, *J* = 7.6 Hz, 1H), 7.06 (s, 1H), 6.87 (d, *J* = 7.9 Hz, 1H), 6.18 (d, *J* = 18.3 Hz, 1H), 3.83 (s, 3H), 1.34 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 159.9, 149.5, 139.1, 129.7, 120.0, 114.9, 112.1, 83.5, 55.3, 24.9. ¹¹B NMR (161 MHz, CDCl₃) δ 30.3.




(E)-2-(3-fluorostyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (15):⁴ Yield: 66% (0.132 mmol, 32.7 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.41 – 7.34 (m, 1H), 7.33 – 7.25 (m, 2H), 7.20 (d, *J* = 10.0 Hz, 1H), 7.04 – 6.97 (m, 1H), 6.19 (d, *J* = 18.4 Hz, 1H), 1.34 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 163.2 (d, *J* = 245.7 Hz), 148.20 (d, *J* = 2.1 Hz), 140.02 (d, *J* = 7.2 Hz), 130.16 (d, *J* = 8.3 Hz), 123.13 (d, *J* = 2.6 Hz), 115.8 (d, *J* = 21.4 Hz), 113.4 (d, *J* = 21.4 Hz), 83.6, 25.0. ¹¹B NMR (161 MHz, CDCl₃) δ 30.3. ¹⁹F NMR (471 MHz, CDCl₃) δ -113.5.




(E)-2-(3-chlorostyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (16):⁴ Yield: 50% (0.10 mmol, 26.4 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.51 (s, 1H), 7.42 – 7.34 (m, 2H), 7.31 (d, *J* = 5.2 Hz, 2H), 6.22 (d, *J* = 18.4 Hz, 1H), 1.37 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 148.0, 139.5, 134.7, 129.9, 128.9, 127.1, 125.3, 83.6, 24.9. ¹¹B NMR (161 MHz, CDCl₃) δ 29.9.




(E)-2-(3,5-dimethoxystyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (17):⁷ Yield: 74% (0.148 mmol, 43.0 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.32 (d, *J* = 18.4 Hz, 1H), 6.65 (d, *J* = 2.2 Hz, 2H), 6.42 (t, *J* = 2.2 Hz, 1H), 6.14 (d, *J* = 18.4 Hz, 1H), 3.78 (s, 6H), 1.31 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 161.0, 149.5, 139.7, 105.1, 101.5, 83.5, 55.4, 24.9. ¹¹B NMR (161 MHz, CDCl₃) δ 30.2.




(E)-4,4,5,5-tetramethyl-2-(3,4,5-trimethoxystyryl)-1,3,2-dioxaborolane (18):⁸ Yield: 78% (0.156 mmol, 50 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.30 (d, *J* = 18.3 Hz, 1H), 6.72 (s, 2H), 6.05 (d, *J* = 18.3 Hz, 1H), 3.84 (s, 9H), 1.29 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 153.4, 149.4, 139.0, 133.3, 104.2, 83.5, 61.0, 56.1, 24.9. ¹¹B NMR (161 MHz, CDCl₃) δ 30.0.




(E)-4,4,5,5-tetramethyl-2-(2-(naphthalen-2-yl)vinyl)-1,3,2-dioxaborolane (19):⁴ Yield: 50% (0.10 mmol, 28.0 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.86 – 7.79 (m, 4H), 7.70 (d, *J* = 8.4 Hz, 1H), 7.57 (d, *J* = 18.4 Hz, 1H), 7.50 – 7.44 (m, 2H), 6.29 (d, *J* = 18.4 Hz, 1H), 1.34 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 149.7, 135.2, 133.9, 133.6, 128.6, 128.4, 128.2, 127.8, 126.5, 126.4, 123.6, 83.5, 25.0. ¹¹B NMR (161 MHz, CDCl₃) δ 30.6.




(E)-4,4,5,5-tetramethyl-2-(2-(3'-(trifluoromethyl)-[1,1'-biphenyl]-4-yl)vinyl)-1,3,2-dioxaborolane (20): Yield: 71% (0.142 mmol, 53.0 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.84 (s, 1H), 7.77 (d, *J* = 7.7 Hz, 1H), 7.63 – 7.53 (m, 6H), 7.45 (d, *J* = 18.5 Hz, 1H), 6.24 (d, *J* = 18.5 Hz, 1H), 1.33 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 148.8, 141.5, 140.1, 137.4, 131.6 (q, *J* = 31.5 Hz), 130.4, 129.4, 127.8, 127.5, 124.3 (q, *J* = 273.4 Hz), 124.2 (q, *J* = 3.8 Hz), 123.9 (q, *J* = 3.8 Hz), 83.6, 25.0. ¹¹B NMR (161 MHz, CDCl₃) δ 29.9. ¹⁹F NMR (471 MHz, CDCl₃) δ -62.62. Selected IR (ATR, cm⁻¹): 2979, 2934, 1622, 1484, 1351, 1326, 1258, 1113, 797.




(E)-4,4,5,5-tetramethyl-2-(4-(methylthio)styryl)-1,3,2-dioxaborolane (21):⁹ Yield: 75% (0.150 mmol, 41.4 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.40 (d, *J* = 8.2 Hz, 2H), 7.34 (d, *J* = 18.4 Hz, 1H), 7.20 (d, *J* = 8.1 Hz, 2H), 6.11 (d, *J* = 18.3 Hz, 1H), 2.48 (s, 3H), 1.31 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 148.9, 139.8, 134.4, 127.6, 126.3, 83.4, 24.9, 15.6. ¹¹B NMR (161 MHz, CDCl₃) δ 30.4.




(E)-2-(4-(furan-2-yl)styryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (22): Yield: 60% (0.120 mmol, 35.5 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.65 (d, *J* = 8.2 Hz, 2H), 7.53 – 7.46 (m, 3H), 7.40 (d, *J* = 18.5 Hz, 1H), 6.69 – 6.65 (m, 1H), 6.50 – 6.46 (m, 1H), 6.18 (d, *J* = 18.4 Hz, 1H), 1.32 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 153.8, 149.1, 142.5, 136.5, 131.3, 127.6, 124.0, 111.9, 105.7, 83.5, 25.0. ¹¹B NMR (161 MHz, CDCl₃) δ 30.0. Selected IR (ATR, cm⁻¹): 2979, 2939, 1620, 1603, 1513, 1346, 1322, 1141, 997, 850. HRMS (ESI) *m/z*: Calculated for [C₁₈H₂₂BO₃⁺; [M+H]⁺] 297.1657, found 297.1660.




(E)-3-(4-(2-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)vinyl)phenyl)pyridine (23): Yield: 50% (0.10 mmol, 30.7 mg). ¹H NMR (500 MHz, CDCl₃) δ 8.87 (br s, 1H), 8.59 (br s, 1H), 7.87 (d, *J* = 7.9 Hz, 1H), 7.61 – 7.54 (m, 4H), 7.43 (d, *J* = 18.2 Hz, 1H), 6.23 (d, *J* = 18.4 Hz, 1H), 1.32 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 148.7, 138.2, 137.5, 136.3, 134.4, 128.9, 127.9, 127.4, 127.1, 123.8, 83.6, 25.0. ¹¹B NMR (161 MHz, CDCl₃) δ 29.7. Selected IR (ATR, cm⁻¹): 2924, 2852, 1620, 1470, 1371, 1334, 1264, 1136, 1001, 971, 848. HRMS (ESI) *m/z*: Calculated for [C₁₉H₂₃BNO₂⁺; [M+H]⁺] 308.1816, found 308.1825.



[(1E)-2-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)ethenyl]-ferrocene (24):⁴ Yield: 63% (0.126 mmol, 42.3 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.21 (d, *J* = 18.2 Hz, 1H), 5.72 (d, *J* = 18.2 Hz, 1H), 4.42 (t, *J* = 2.1 Hz, 2H), 4.27 (t, *J* = 2.1 Hz, 2H), 4.10 (s, 5H), 1.30 (s, 12H). ¹³C NMR (126 MHz, CDCl₃) δ 149.6, 83.2, 82.9, 69.7, 69.6, 67.7, 25.00. ¹¹B NMR (161 MHz, CDCl₃) δ 30.0.




2-((E)-4-(((1R,2S,5R)-2-isopropyl-5-methylcyclohexyl)oxy)styryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (25): Yield: 68% (0.136 mmol, 52.3 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.41 (d, *J* = 8.8 Hz, 2H), 7.34 (d, *J* = 18.4 Hz, 1H), 6.85 (d, *J* = 8.8 Hz, 2H), 5.99 (d, *J* = 18.2 Hz, 1H), 4.65 – 4.62 (m, 1H), 2.11 – 2.06 (m, 1H), 1.77 – 1.65 (m, 4H), 1.62 – 1.55 (m, 2H), 1.31 (s, 12H), 1.08 – 0.98 (m,




2H), 0.92 (d, $J = 6.7$ Hz, 3H), 0.85 (d, $J = 6.7$ Hz, 3H), 0.81 (d, $J = 6.6$ Hz, 3H). ^{13}C NMR (126 MHz, CDCl_3) δ 159.3, 149.4, 130.0, 128.7, 115.7, 83.3, 73.5, 47.9, 37.9, 35.1, 29.4, 26.3, 25.0, 22.4, 21.2, 21.0. ^{11}B NMR (161 MHz, CDCl_3) δ 30.2. Selected IR (ATR, cm^{-1}): 2950, 2921, 2870, 1620, 1600, 1507, 1369, 1246, 1137, 964, 805. HRMS (ESI) m/z : Calculated for $[\text{C}_{24}\text{H}_{38}\text{BO}_3]^+$; $[\text{M}+\text{H}]^+$ 385.2909, found 385.2926.

4,4,5,5-tetramethyl-2-((*E*)-4-(((1*S*,2*R*,4*S*)-1,7,7-trimethylbicyclo[2.2.1]heptan-2-yl)oxy)styryl)-1,3,2-dioxaborolane (26):




Yield: 80% (0.160 mmol, 61.2 mg). ^1H NMR (500 MHz, CDCl_3) δ 7.40 (d, $J = 8.6$ Hz, 2H), 7.34 (d, $J = 18.4$ Hz, 1H), 6.81 (d, $J = 8.6$ Hz, 2H), 5.99 (d, $J = 18.4$ Hz, 1H), 4.05 (t, $J = 5.4$ Hz, 1H), 1.86 – 1.74 (m, 4H), 1.64 – 1.59 (m, 1H), 1.31 (s, 12H), 1.15 – 1.09 (m, 2H), 1.05 (s, 3H), 0.98 (s, 3H), 0.87 (s, 3H). ^{13}C NMR (126 MHz, CDCl_3) δ 158.9, 149.4, 130.0, 128.5, 115.5, 84.7, 83.3, 49.4, 47.2, 45.4, 39.7, 34.3, 27.5, 25.0, 20.5, 20.2, 11.9. ^{11}B NMR (161 MHz, CDCl_3) δ 30.0. Selected IR (ATR, v cm^{-1}): 2953, 2930, 2879, 1616, 1602, 1571, 1505, 1353, 1246, 1139, 1060, 813. HRMS (ESI) m/z : Calculated for $[\text{C}_{24}\text{H}_{35}\text{BNaO}_3]^+$; $[\text{M}+\text{H}]^+$ 405.2571, found 405.2558.

(*E*)-2-(4-((3,7-dimethyloct-6-en-1-yl)oxy)styryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (27):



Yield: 66% (0.132 mmol, 50.7 mg). ^1H NMR (500 MHz, CDCl_3) δ 7.42 (d, $J = 8.9$ Hz, 2H), 7.38 – 7.32 (m, 1H), 6.85 (d, $J = 8.9$ Hz, 2H), 6.00 (d, $J = 18.4$ Hz, 1H), 5.10 (t, $J = 7.3$ Hz, 1H), 4.02 – 3.97 (m, 2H), 2.05 – 1.94 (m, 3H), 1.84 – 1.79 (m, 1H), 1.68 (s, 3H), 1.60 (s, 3H), 1.43 – 1.34 (m, 2H), 1.31 (s, 12H). ^{13}C NMR (126 MHz, CDCl_3) δ 162.54, 151.80, 133.95, 132.85, 131.08, 127.28, 117.17, 85.83, 68.97, 39.76, 38.72, 32.16, 28.34, 28.08, 27.44, 22.19, 20.30. ^{11}B NMR (161 MHz, CDCl_3) δ 30.2. Selected IR (ATR, v cm^{-1}): 2962, 2925, 2874, 1622, 1604, 1575, 1509, 1353, 1248, 1143, 970, 815. HRMS (ESI) m/z : Calculated for $[\text{C}_{24}\text{H}_{38}\text{BO}_3]^+$; $[\text{M}+\text{H}]^+$ 385.2909, found 385.2926.


(*S,E*)-2-(4-(2-(6-methoxynaphthalen-2-yl)propoxy)styryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (28):



Yield: 50% (0.10 mmol, 22.2 mg). ^1H NMR (500 MHz, CDCl_3) δ 7.77 – 7.61 (m, 4H), 7.44 – 7.41 (m, 2H), 7.38 – 7.33 (m, 1H), 7.16 – 7.13 (m, 2H), 6.87 (d, $J = 8.8$ Hz, 2H), 6.02 (d, $J = 18.4$ Hz, 1H), 4.21 – 4.15 (m, 1H), 4.07 – 4.02 (m, 1H), 3.92 (s, 3H), 3.42 – 3.34 (m, 1H), 1.49 (d, $J = 7.0$ Hz, 3H), 1.32 (s, 12H). ^{13}C NMR (126 MHz, CDCl_3) δ 159.9, 157.6, 149.2, 138.8, 133.6, 130.6, 129.3, 129.0, 128.6, 127.1, 126.6, 125.7, 119.0, 114.8, 105.8, 83.3, 73.6, 55.4, 39.6, 24.9, 18.4. ^{11}B NMR (161 MHz, CDCl_3) δ 30.2. Selected IR (ATR, v cm^{-1}): 2975, 2930, 2872, 1620, 1604, 1506, 1353, 1252, 1213, 1141, 848, 809. HRMS (ESI) m/z : Calculated for $[\text{C}_{28}\text{H}_{34}\text{BO}_4]^+$; $[\text{M}+\text{H}]^+$ 445.2545, found 445.2564.


7. Synthetic applications

7.1. Synthesis of 2-(3,4,5-trimethoxyphenyl)acetaldehyde (**29**):¹⁰




To a 15 mL oven-dried reaction tube were added **18** (0.20 mmol, 64 mg) and acetone (0.4 mL). While stirring at 0 °C, Oxone[®] solution (0.2 mmol in 0.4 mL H₂O) was added dropwise and the mixture was stirred for 2 h. The reaction was quenched with 1M HCl and extracted with DCM upon completion. The combined organic layers were washed with brine and dried over Na₂SO₄. The crude mixture was purified by flash column chromatography with hexane/EtOAc (80:20) as eluent. Yield: 62% (0.124 mmol, 26.0 mg). ¹H NMR (500 MHz, CDCl₃) δ 9.73 (t, *J* = 2.4 Hz, 1H), 6.42 (s, 2H), 3.86 (s, 6H), 3.84 (s, 3H), 3.61 (d, *J* = 2.4 Hz, 2H). ¹³C NMR (126 MHz, CDCl₃) δ 199.3, 153.8, 137.6, 127.4, 106.8, 61.0, 56.3, 50.9.

7.2. Synthesis of (*E*)-5-(2-chlorovinyl)-1,2,3-trimethoxybenzene (**30**):¹¹



An oven-dried 15 mL reaction tube was charged with **18** (0.2 mmol, 64.0 mg), CuCl₂ (0.6 mmol, 80 mg), THF (1.0 mL), MeOH (1.0 mL) and H₂O (1.0 mL) under N₂ atmosphere. The mixture was heated at 100 °C. After 36 h the reaction was cooled to room temperature. The reaction mixture was diluted with water and extracted with Et₂O. The organic phase was washed with brine and dried over Na₂SO₄. The crude mixture was purified by flash column chromatography using hexane/EtOAc (95:5) as eluent. Yield: 88% (0.176 mmol, 40.4 mg). ¹H NMR (500 MHz, CDCl₃) δ 6.75 (d, *J* = 13.4 Hz, 1H), 6.56 (d, *J* = 13.7 Hz, 1H), 6.50 (s, 2H), 3.86 (s, 6H), 3.84 (s, 3H). ¹³C NMR (126 MHz, CDCl₃) δ 153.58, 138.45, 133.34, 130.68, 118.25, 103.50, 61.03, 56.25.


7.3. Synthesis of (*E*)-5-(2-bromovinyl)-1,2,3-trimethoxybenzene (**31**):¹²



An oven-dried 15 mL reaction tube was charged with **18** (0.2 mmol, 64.0 mg), CuSO₄·5H₂O (0.2 mmol, 50 mg), NaBr (0.5 mmol, 52 mg), and MeOH (1.6 mL) under N₂ atmosphere. The mixture was heated at 50 °C. After 12 h the reaction was cooled to room temperature. The reaction mixture was diluted with water and extracted with Et₂O. The organic phase was washed with brine and dried over Na₂SO₄. The crude mixture was purified by flash column chromatography using hexane/EtOAc (95:5) as eluent. Yield: 75% (0.150 mmol, 41 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.02 (d, *J* = 13.9 Hz, 1H), 6.68 (d, *J* = 14.0 Hz, 1H), 6.50 (s, 2H),


3.86 (s, 6H), 3.84 (s, 3H). ^{13}C NMR (126 MHz, CDCl_3) δ 153.6, 138.6, 137.2, 131.7, 106.0, 103.5, 61.0, 56.3.

7.4. Synthesis of (E)-5-(2-iodovinyl)-1,2,3-trimethoxybenzene (**32**):¹¹




To a solution of **18** (0.2 mmol, 64.0 mg) in THF (2 mL) were added 3.0 M solution of NaOH (0.6 mmol, 0.2 mL) at 0 °C. After 10 min, I_2 (0.4 mmol, 52 mg) was added, and the reaction mixture was stirred at room temperature for 1 h. The reaction mixture was diluted with CH_2Cl_2 and the organic phase was washed with a saturated solution of $\text{Na}_2\text{S}_2\text{O}_3$ and brine. The organic layers were dried over Na_2SO_4 , and the crude mixture was purified by silica gel column chromatography with hexane/ EtOAc (95:5) as eluent. Yield: 88% (0.176 mmol, 56.4 mg). ^1H NMR (500 MHz, CDCl_3) δ 7.34 (d, J = 15.0 Hz, 1H), 6.73 (d, J = 14.6 Hz, 1H), 6.50 (s, 2H), 3.86 (s, 6H), 3.84 (s, 3H). ^{13}C NMR (126 MHz, CDCl_3) δ 153.5, 144.9, 138.7, 133.6, 103.4, 75.8, 61.0, 56.3.

7.5. Synthesis of (E)-5-(2-(allyloxy)vinyl)-1,2,3-trimethoxybenzene (**33**):



To a 15 mL oven-dried reaction tube were added **18** (0.2 mmol, 64 mg), allyl alcohol (1.2 mL), $\text{Cu}(\text{OAc})_2$ (0.4 mmol, 72.6 mg), triethyl amine (0.8 mmol, 112 μL) and 4 Å molecular sieves (50 mg). The tube was sealed under air and stirred at room temperature for 16 h. The reaction mixture was diluted with CH_2Cl_2 . The organic layer was washed with brine and dried over Na_2SO_4 . The crude mixture was purified using silica gel column chromatography employing hexane/ EtOAc (95:5 to 92:8) as eluent. Yield: 84% (0.168 mmol, 42 mg). ^1H NMR (500 MHz, CDCl_3) δ 6.91 (d, J = 12.8 Hz, 1H), 6.43 (s, 2H), 5.99 (ddt, J = 15.9, 10.7, 5.5 Hz, 1H), 5.84 (d, J = 12.8 Hz, 1H), 5.38 (d, J = 17.2 Hz, 1H), 5.28 (d, J = 10.7 Hz, 1H), 4.37 (d, J = 5.4 Hz, 2H), 3.85 (s, 6H), 3.82 (s, 3H). ^{13}C NMR (126 MHz, CDCl_3) δ 153.5, 147.4, 136.7, 133.3, 132.2, 118.0, 107.0, 102.5, 71.0, 61.1, 56.2. HRMS (ESI) m/z : Calculated for $[\text{C}_{14}\text{H}_{19}\text{O}_4]^+$; $[\text{M}+\text{H}]^+$ 251.1278, found 251.1270.


7.6. Synthesis of (1R,2S,3S)-3-(4-methoxyphenyl)-2-phenylcyclobutan-1-ol (**34**):¹³



In an argon-filled glovebox, to a 15 mL oven-dried reaction tube were added alkenylboronate **2** (0.2 mmol, 46 mg), $\text{fac-Ir}(\text{ppy})_3$ (0.001 mmol, 0.7 mg). To this dry CH_2Cl_2 (0.25 mL), and alkene (1.0 mmol, 134 μL) were added dropwise. The tube was sealed and stirred at room temperature under the irradiation of 456 nm blue LED for 25 h. Upon completion, the volatiles


was removed under reduced pressure. The crude mixture was dissolved in THF (1.5 mL), to which $\text{NaBO}_3 \cdot 4\text{H}_2\text{O}$ (2.00 mmol, 306 mg) was added, followed by H_2O (1.5 mL). The resulting mixture was stirred for 10 h and quenched by adding H_2O (2.0 mL). The mixture was extracted with EtOAc (3 x 3.00 mL). The combined organic parts were dried over sodium sulfate, and the crude mixture was purified by silica gel column chromatography using hexane/EtOAc (80:20) as eluent. Yield: 67% (0.134 mmol, 34.2 mg, d.r. 4:1). **^1H NMR** (500 MHz, CDCl_3) δ 7.34 – 7.29 (m, 1.6H), 7.28 – 7.21 (m, 2.4H), 7.16 (d, J = 8.7 Hz, 1.6H), 7.13 – 7.04 (m, 0.6H), 6.89 – 6.86 (m, 0.8H), 6.84 (d, J = 8.7 Hz, 1.6H), 6.69 (d, J = 8.7 Hz, 0.4H), 4.83 (dd, J = 7.7, 6.2 Hz, 0.2H), 4.24 (dd, J = 7.7, 6.2 Hz, 0.8H), 3.79 (s, 2.4H), 3.77 – 3.73 (m, 0.4H) 3.72 (s, 0.6H), 3.30 (dd, J = 10.1, 7.6 Hz, 0.8H), 3.03 (td, J = 10.1, 7.6 Hz, 0.8H), 2.76 (dt, J = 10.5, 7.2 Hz, 0.8H), 2.68 (ddd, J = 11.9, 7.9, 1.9 Hz, 0.2H), 2.49 – 2.39 (m, 0.2H), 2.17 (s, 1H), 2.04 – 1.98 (m, 0.8H). **^{13}C NMR** (126 MHz, CDCl_3) δ 158.3, 157.8, 141.7, 139.0, 135.5, 132.6, 129.5, 128.6, 128.0, 127.9, 127.9, 126.9, 126.7, 126.2, 114.0, 113.5, 70.3, 70.0, 59.3, 55.6, 55.4, 55.3, 37.6, 36.8, 36.7, 34.8.

7.7. Synthesis of (*E*)-1,2,3-trimethoxy-5-(4-methoxystyryl)benzene (**35**)¹⁴



In an oven-dried 15 mL reaction tube were added $\text{Pd}(\text{OAc})_2$ (0.01 mmol, 2.2 mg), PPh_3 (0.02 mmol, 5.2 mg), **18** (0.2 mmol, 64 mg), 4-iodoanisole (0.32 mmol, 75 mg), Na_2CO_3 (0.8 mmol, 84.8 mg), PhMe (1.0 mL), EtOH (0.2 mL) and water (0.2 mL) under nitrogen atmosphere. The mixture was transferred to a pre-heated oil bath at 100 °C. After 24 h, the reaction mixture was cooled, and water (0.5 mL) was added. The mixture was filtered and extracted with EtOAc. The combined organic layer was dried over Na_2SO_4 , and the solvent was evaporated under reduced pressure. The crude mixture was purified by silica gel column chromatography with hexane/EtOAc (95:5) as eluent. Yield: 67%, (0.134 mmol, 39.0 mg). **^1H NMR** (500 MHz, CDCl_3) δ 7.44 (d, J = 8.9 Hz, 2H), 7.00 – 6.88 (m, 4H), 6.72 (s, 2H), 3.91 (s, 6H), 3.87 (s, 3H), 3.83 (s, 3H). **^{13}C NMR** (126 MHz, CDCl_3) δ 159.4, 153.5, 137.8, 133.6, 130.2, 127.9, 127.8, 126.67, 114.3, 103.5, 61.1, 56.3, 55.5.


7.8. Synthesis of (*E*)-2-(3,4,5-trimethoxystyryl)benzo[b]thiophene (**36**)¹⁵



In an oven-dried 15 mL reaction tube were added $\text{Pd}(\text{PPh}_3)_4$ (0.01 mmol, 23 mg), **18** (0.2 mmol, 64 mg), 2-iodobenzothiophene (0.32 mmol, 84 mg), NaOH (0.4 mmol, 16 mg), 1,4-dioxane (0.8 mL) under nitrogen atmosphere. The mixture was transferred to a pre-heated oil bath at 100 °C. After 24 h, the reaction mixture was cooled and quenched with water (0.5 mL). The mixture was filtered and extracted with EtOAc. The combined organic layer was dried over Na_2SO_4 , and the solvent was evaporated under reduced pressure. The crude mixture


was purified by silica gel column chromatography with hexane/EtOAc (90:10-80:20) as eluent. Yield: 86% (0.172 mmol, 56.0 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.80 – 7.74 (m, 1H), 7.72 – 7.67 (m, 1H), 7.36 – 7.27 (m, 2H), 7.27 – 7.19 (m, 2H), 6.92 (d, J = 15.9 Hz, 1H), 6.73 (s, 2H), 3.92 (s, 6H), 3.88 (s, 3H). ¹³C NMR (126 MHz, CDCl₃) δ 153.6, 142.9, 140.3, 139.0, 138.5, 132.4, 130.9, 124.9, 124.7, 123.5, 123.3, 122.3, 121.9, 103.8, 61.1, 56.3.

7.9. Synthesis of (*E*)-2-(3,4,5-trimethoxystyryl)benzo[d]thiazole (**37**)¹⁵




In an oven-dried 15 mL reaction tube were added Pd(PPh₃)₄ (0.01 mmol, 23 mg), **18** (0.2 mmol, 64 mg), 2-chlorobenzothiazole (0.32 mmol, 84 mg), NaOH (0.4 mmol, 16 mg), 1,4-dioxane (0.8 mL) under nitrogen atmosphere. The mixture was transferred to a pre-heated oil bath at 100 °C. After 24 h, the reaction mixture was cooled and quenched with water (0.5 mL). The mixture was filtered and extracted with EtOAc. The combined organic layer was dried over Na₂SO₄, and the solvent was evaporated under reduced pressure. The crude mixture was purified by silica gel column chromatography with hexane/EtOAc (90:10-80:20) as eluent. Yield: 85% (0.170 mmol, 56.0 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.98 (d, J = 8.1 Hz, 1H), 7.85 (d, J = 7.9 Hz, 1H), 7.49 – 7.40 (m, 2H), 7.38 – 7.30 (m, 2H), 6.81 (s, 2H), 3.91 (s, 6H), 3.89 (s, 3H). ¹³C NMR (126 MHz, CDCl₃) δ 167.0, 153.9, 153.6, 139.6, 137.6, 134.4, 131.1, 126.5, 125.5, 123.0, 121.7, 121.6, 104.6, 61.1, 56.3.

7.10. Synthesis of Pterostilbene (**38**)¹⁴



In an oven-dried 15 mL reaction tube were added Pd(OAc)₂ (0.01 mmol, 2.2 mg), SPhos (0.02 mmol, 7.6 mg), **17** (0.2 mmol, 58 mg), 4-bromophenol (0.32 mmol, 55.4 mg), Na₂CO₃ (0.8 mmol, 84.8 mg), PhMe (1.0 mL), EtOH (0.2 mL) and water (0.2 mL) under nitrogen atmosphere. The mixture was transferred to a pre-heated oil bath at 100 °C. After 24 h, the reaction mixture was cooled, and water (0.5 mL) was added. The mixture was filtered and extracted with EtOAc. The combined organic layer was dried over Na₂SO₄, and the solvent was evaporated under reduced pressure. The crude mixture was purified by silica gel column chromatography with hexane/EtOAc (95:5 to 90:10) as eluent. Yield: 65%, (0.130 mmol, 33.3 mg). ¹H NMR (500 MHz, CDCl₃) δ 7.40 (d, J = 8.6 Hz, 2H), 7.03 (d, J = 16.2 Hz, 1H), 6.89 (d, J = 16.2 Hz, 1H), 6.83 (d, J = 8.6 Hz, 2H), 6.66 (d, J = 2.2 Hz, 2H), 6.40 (t, J = 2.2 Hz, 1H), 3.83 (s, 6H). ¹³C NMR (126 MHz, CDCl₃) δ 161.0, 155.6, 139.8, 130.1, 128.9, 128.1, 126.6, 115.8, 104.6, 99.8, 55.5.

7.11. Synthesis of Resveratrol (**39**)¹⁶



In an oven-dried 10 mL Schlenk tube were added **29** (0.2 mmol, 51.3 mg) containing a stirring bar. The flask was sealed with a rubber septum and evacuated by a high vacuum. The flask was backfilled with N_2 , and 2 mL of dry CH_2Cl_2 was added. The flask was immersed in a cold reaction bath at -78°C , and neat BBr_3 (1.0 mmol, 0.1 mL) was added over 10 min *via* a syringe. The mixture was stirred at -78°C for another 30 min. After that, the mixture was allowed slowly to reach room temperature and stirred for 12 h. The reaction was neutralized by adding saturated NaHCO_3 solution and extracted with EtOAc. The combined organic layers were evaporated under reduced pressure, and the crude mixture was purified by flash silica gel column chromatography using hexane/ EtOAc (60:40-50:50) as eluent. Yield: 64% (0.128 mmol, 29.2 mg). ^1H NMR (500 MHz, $\text{DMSO}-d_6$) δ 9.49 (s, 1H), 9.14 (d, $J = 2.3$ Hz, 2H), 7.34 (d, $J = 8.4$ Hz, 2H), 6.88 (d, $J = 16.3$ Hz, 1H), 6.76 (d, $J = 16.3$ Hz, 1H), 6.70 (d, $J = 8.1$ Hz, 2H), 6.34 (s, 2H), 6.10 – 6.03 (m, 1H). ^{13}C NMR (126 MHz, $\text{DMSO}-d_6$) δ 158.5, 157.2, 139.3, 128.1, 127.9, 127.9, 125.7, 115.5, 104.3, 101.8.

8. Mechanistic studies

8.1. H_2 gas detection

In an argon-filled glovebox, to a 15 mL oven-dried reaction tube equipped with a magnetic stirrer bar **Mn3** (0.006 mmol, 2.8 mg), KHMDs (0.01 mmol, 2 mg), THF (33 μL), **34** (0.1 mmol, 18.0 mg), and HBpin (0.15 mmol, 21.8 μL) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at 65°C in a preheated oil bath. After 24 h the H_2 gas was detected by the headspace analysis of the reaction mixture by GC.




Fig. S3. GC of pure H_2 gas.





Fig. S4. GC sample of the gas phase for the standard dehydrogenative borylation.


8.2. Effect of exogenous ligands:



In an argon-filled glovebox, to a 15 mL oven-dried reaction tube equipped with a magnetic stirrer bar **Mn3** (0.006 mmol, 2.8 mg), KHMDs (0.01 mmol, 2 mg), L (0.06 mmol), THF (33 μ L), **1** (0.1 mmol, 11.4 μ L) and HBpin (0.15 mmol, 21.8 μ L) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at 65 $^\circ$ C in a preheated oil bath. After 24 h the reaction was cooled to room temperature 1 mL of CHCl₃ was added. The mixture was filtered through a short plug of silica. The combined organic layer was evaporated, and mesitylene (0.1 mmol, 14 μ L) was added. The yield of the product was measured by ¹H NMR analysis.

In the absence of an exogenous ligand, 76% yield of **2** was obtained. The addition of ligands resulted in lower yields (35% for PPh₃, and 3% for PCy₃) of **2**.

8.3. Control experiment to exclude hydroboration/dehydrogenation pathway:




Without HBpin. In an argon-filled glovebox, to a 15 mL oven dried reaction tube equipped with a magnetic stirrer bar **Mn3** (0.006 mmol, 2.8 mg), KHMDs (0.01 mmol, 2 mg), THF (33 μ L), **3** (0.1 mmol, 23.2 mg) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at 65 $^\circ$ C in a preheated oil bath. After 24 h, the reaction was cooled to room temperature 1 mL of CHCl₃ was added. The mixture was filtered through a short plug of silica. The combined organic layer was evaporated, and mesitylene (0.1 mmol, 14 μ L) was added. The yield of the product was measured by ¹H NMR analysis.

With HBpin. In an argon-filled glovebox, to a 15 mL oven-dried reaction tube equipped with a magnetic stirrer bar **Mn3** (0.006 mmol, 2.8 mg), KHMDS (0.01 mmol, 2 mg), THF (33 μ L), **3** (0.1 mmol, 23.2 mg) and HBpin (0.15 mmol, 21.8 μ L) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at 65 $^{\circ}$ C in a preheated oil bath. After 24 h the reaction was cooled to room temperature 1 mL of CHCl_3 was added. The mixture was filtered through a short plug of silica. The combined organic layer was evaporated, and mesitylene (0.1 mmol, 14 μ L) was added. The yield of the product was measured by ^1H NMR analysis.

In both cases, the alkenyl boronate ester product **2** was not detected by ^1H NMR analysis.

8.4. Deuterium labelling experiment:



Equation (i): In an argon-filled glovebox, to a 15 mL oven-dried reaction tube equipped with a magnetic stirrer bar **Mn3** (0.012 mmol, 5.6 mg), KHMDS (0.02 mmol, 4 mg), THF (66 μ L), **40-d** (0.2 mmol, 36.6 mg) and HBpin (0.3 mmol, 43.6 μ L) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at 65 $^{\circ}$ C in a preheated oil bath. After 24 h the reaction was cooled to room temperature 1 mL of CH_2Cl_2 was added. The solvent was removed under reduced pressure, and the crude mixture was purified by silica gel column chromatography using hexane/EtOAc (98:2) as eluent. Yield: 78% (0.16 mmol, 48.0 mg). ^1H NMR (400 MHz, CDCl_3) δ 7.65 – 7.55 (m, 6H), 7.46 – 7.41 (m, 2.17 H), 7.34 (t, J = 7.2 Hz, 1H), 6.20 (s, 0.16 H) 1.33 (s, 12H).

Equation (ii): In an argon-filled glovebox, to a 15 mL oven-dried reaction tube equipped with a magnetic stirrer bar **Mn3** (0.012 mmol, 5.6 mg), KHMDS (0.02 mmol, 4 mg), THF (66 μ L), **40** (0.2 mmol, 36.0 mg) and DBpin (0.3 mmol, 44.0 μ L) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at 65 $^{\circ}$ C in a preheated oil bath. After 24 h the reaction was cooled to room temperature 1 mL of CH_2Cl_2 was added. The solvent was removed under reduced pressure, and the crude mixture was purified by silica gel column chromatography using hexane/EtOAc (98:2) as eluent. Yield: 52% (0.1 mmol, 32.0 mg). ^1H NMR (500 MHz, CDCl_3) δ 7.62 – 7.56 (m, 6H), 7.47 – 7.42 (m, 3H), 7.35 (t, J = 7.4 Hz, 1H), 6.21 (d, J = 18.4 Hz, 1H), 1.33 (s, 12H).




Fig. S5: ¹H NMR of **8-d**.




Fig. S6: ¹H NMR of **8**.

8.5. Determination of kinetic isotope effect

In an argon-filled glovebox, to a 15 mL oven-dried reaction tube equipped with a magnetic stirrer bar **Mn3** (0.006 mmol, 2.8 mg), KHMDS (0.01 mmol, 2 mg), THF (80 μ L), **40** (0.1 mmol, 18 mg) and HBpin (0.15 mmol, 21.8 μ L) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at 65 $^{\circ}$ C in a preheated oil bath. After certain time intervals, the reaction was cooled to room temperature, and 1 mL of EtOAc and mesitylene (0.1 mmol, 14 μ L) was added. The yield of the product was measured by GC-MS analysis. The same is repeated at different times.

From the plot of the yield of **8** vs time, the initial rate was determined. The initial rate k_H (**40**/HBpin) = 9.13×10^{-3} M/min.

The same procedure was followed for **40-d** (0.1 mmol, 18.3 mg). The initial rate k_D (**40-d**/HBpin) = 5.26×10^{-3} M/min.

$$\text{KIE} = k_H (\text{40}/\text{HBpin}) / k_D (\text{40-d}/\text{HBpin}) = 1.74.$$

Following the same procedure for DBpin (0.15 mmol, 22.0 μ L) the initial rate was measured, k_D (**40**/DBpin) = 3.82×10^{-3} M/min.

$$\text{KIE} = k_H (\text{40}/\text{HBpin}) / k_D (\text{40}/\text{DBpin}) = 2.39.$$




Fig. S7. Yield vs time plot for determination of kinetic isotope effect.

8.6. Hammett correlation study:

In an argon-filled glovebox, to a 15 mL oven-dried reaction tube equipped with a magnetic stirrer bar **Mn3** (0.006 mmol, 2.8 mg), KHMDS (0.01 mmol, 2 mg), THF (80 μ L), alkene (0.1 mmol) and HBpin (0.15 mmol, 21.8 μ L) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at 65 $^{\circ}$ C in a preheated oil bath. After 45 min time interval, the reaction was cooled to room temperature, and 1 mL of EtOAc and mesitylene (0.1 mmol, 14 μ L) was added. The yield of the product was measured by GC-MS analysis. The same is repeated for different substrates. The k_X/k_H was determined, and a plot of $\log(k_X/k_H)$ vs Hammett σ was found to be linear. From the slope of such plot ρ was determined to be -0.60 .

X	k_X/k_H	σ	$\log(k_X/k_H)$
H	1.000	0	0
OMe	1.229	-0.268	0.0894
^t Bu	1.086	-0.200	0.0357
Cl	0.629	0.227	-0.2016
CF ₃	0.400	0.54	-0.3979




Fig. S8: $\log(k_X/k_H)$ vs σ plot for Hammett correlation study.

8.7. Eyring analysis:

In an argon-filled glovebox, to 15 mL oven-dried reaction tubes each equipped with a magnetic stirrer bar **Mn3** (0.006 mmol, 2.8 mg), KHMDS (0.01 mmol, 2 mg), THF (80 μ L), **9** (0.1 mmol, 18 mg) and HBpin (0.15 mmol, 21.8 μ L) were added at room temperature. The reaction tube was sealed and taken out of the glovebox. The mixture was heated at different temperatures 50 $^{\circ}$ C, 55 $^{\circ}$ C, 60 $^{\circ}$ C, 65 $^{\circ}$ C and 70 $^{\circ}$ C in a preheated oil bath. After 25 min time interval, the reaction was cooled to room temperature, and 1 mL of EtOAc and mesitylene (0.1 mmol, 14 μ L) was added. The yield of the product was measured by GC-MS analysis

k [M/min]	T(K)	1/T	ln(k/T)
1.4×10^{-3}	323	0.003096	-12.349
3.15×10^{-3}	328	0.003049	-11.553
6.00×10^{-3}	333	0.003003	-10.924
8.95×10^{-3}	338	0.002959	-10.539
1.65×10^{-2}	343	0.002915	-9.942




Fig. S9: ln (k/T) vs $1/T$ plot for Eyring analysis.

8.8. IR analysis

A solid-state ATR of **Mn3** was taken. It shows three sharp CO stretching frequencies at 2018, 1938, and 1907 cm^{-1} .

In the second experiment, **Mn3** (0.03 mmol, 14 mg) was treated with KHMDS (0.06 mmol, 12 mg) in 2 mL THF solution. The color of the solution instantly changed from orange to prussian blue. The mixture was stirred for 2 h at room temperature. The solution was filtered through a syringe filter under Ar atmosphere. The solvent was evaporated under vacuum, and solid-state ATR was measured for the remaining dark blue solid.

In the third experiment, **Mn3** (0.03 mmol, 14 mg) was treated with KHMDS (0.06 mmol, 12 mg) and HBpin (0.06 mmol, 9 μL) in 2 mL THF solution. The mixture was stirred for 2 h at room temperature. The solution was filtered through a syringe filter under Ar atmosphere. The solvent was evaporated under vacuum, and solid-state ATR was measured for the remaining solid.




Fig. S10. IR spectrum for a) **Mn3** catalyst; b) **Mn3** catalyst after treatment with KHMDS; c) **Mn3** catalyst after treatment with KHMDS and HBpin.

8.9. ^1H and ^{11}B NMR experiment with stoichiometric Mn3, KHMDS and HBpin

In an Ar-filled glove box, **Mn3** (0.03 mmol, 14 mg) were taken in an oven-dried NMR tube, and 0.5 mL of THF-*d*8 was added to it followed by the addition of KHMDS (0.06 mmol, 12 mg) and HBpin (0.036 mmol, 6 μL). The NMR tube was sealed and heated at 60 $^\circ\text{C}$ for 30 mins. The ^1H and ^{11}B NMR of the resulting mixture was measured.




Fig. S11. ^1H NMR spectra of **Mn3** after treatment with KHMDS and HBpin.




Fig. S12. ^{11}B NMR spectra of **Mn3** after treatment with KHMDS and HBpin.

9. Computational details:

All calculations were carried out using Density Functional Theory as implemented in the Gaussian16¹⁷ quantum chemistry programs. The geometries of stationary points and transition states (TS) were optimized with B3LYP-D3BJ functional.^{18,19} We used double- ζ basis set with the relativistic effective core potential of Hay and Wadt (LANL2DZ)^{20,21} for the manganese and bromine atom and 6-31G* basis set for other elements (H, C, O, S, B, N, Si and K). The geometries were optimized without any symmetry constraints. Harmonic force constants were computed at the optimized geometries to characterize the stationary points as minima or saddle points. The zero-point vibrational corrections were determined from the harmonic vibrational frequencies to convert the total energies E^e to E^0 . The rigid-rotor harmonic oscillator approximation was applied for evaluating the thermal and entropic contribution that were necessary to obtain the enthalpies, H_{298} and Gibbs free energies, G_{298} at 298 K. To get accurate energies, optimized structures were re-evaluated by additional single point energy calculations using 6-311G* triple- ζ basis set²² for light atoms (H, C, O, S, B, N, Si and K). The solvent correction was done using the polarized continuum model.²³⁻²⁶

9.1. Alternate pathways for dehydrogenative borylation

We also investigated other alternative pathways for the dehydrogenative borylation via computational studies. In this alternative proposal, first few steps till the formation of intermediate **III** are common to the major pathway depicted in the main text. As described earlier as a result of detachment of the thiophene arm, intermediate **III** possesses a vacant site for the incoming substrate (see Fig. S13). The styrene (model olefin) binds to the vacant site leading to the formation of π -bound intermediate **XI**. Upon binding the olefinic protons becomes sufficiently acidic to be deprotonated by the base KHMDS and leads to intermediate **XII** via concerted metalation deprotonation (CMD) process. This process is thermodynamically downhill by 11.16 kcal mol⁻¹ from the previous intermediate **XII**. To probe the influence of metal-binding on the acidity of olefinic proton, we investigated the thermodynamics of the direct deprotonation of unbound styrene with KHMDS. Not surprisingly, direct deprotonation of styrene without any prior activation is significantly uphill process to generate a species 40.90 kcal mol⁻¹ higher in energy.




Fig. S13. Proposed alternative pathway for catalytic dehydrogenative borylation of olefins.




Fig. S14. Potential energy surface of deprotonation of unbound styrene.

Then Mn-hydride in intermediate **XIII** abstracts proton from the silyl amine produced via CMD process and a high energy η^2 -dihydrogen bound intermediate **XIV** is formed. To confirm the feasibility of this process, we calculated the pK_a of that Mn-hydride intermediate to be 32, following the protocol given by Morris.²⁷ The known pK_a value of that silyl amine is 26.²⁸ These values indicate that the Mn-hydride in intermediate **XIV** is sufficiently hydridic to deprotonate that silyl amine. Later release of H_2 leads to intermediate **XV**. An alternative path towards formation of intermediate **XIV** upon direct release of KH (dotted violet line, fig. S13), seems to be an unfavourable process as it is energetically uphill by 28.43 kcal mol⁻¹. From intermediate

XIV two possible pathways can be sketched towards formation of the desired product. In one of them (marked in green, fig. S15), direct release of dehydrogenative borylation product via **TS-V** possesses an energy barrier of 14.2 kcal mol⁻¹ and leads to intermediate **I**, where amido nitrogen center is engaged in π -donation. In other alternative pathway (marked in orange), detachment of the hemilabile thiophene arm leads to intermediate **XV**, followed by HBpin binding to the vacant site in η^1 -fashion to give intermediate **XVI**. Then a σ -complex assisted metathesis (σ -CAM) prompts the generation of the desired dehydrogenative borylation product via **TS-VI** posing a transition barrier of 27.12 kcal mol⁻¹ and give rise to intermediate **II**. Due to higher energy barrier, this σ -CAM pathway seems to be less-favourable than the former pathway via **TS-V**.




Fig. S15. Potential energy surface of alternate pathway for catalytic dehydrogenative borylation of olefins.

To acquire information regarding the regioselective nature of this reaction towards formation of trans-borylated product, we compared into the energy profiles of the intermediates and transition states (Fig. S16). Scrutiny of the potential energy surface reveals that the pathway towards trans regioisomer (green line) is a lower energy pathway than that of the other two regioisomers (red and blue lines).




Fig. S16. Potential energy surface for the formation of different regioisomers.

9.2. Computational probation for hemilability:

The hemilability of the thiophene arm in the catalyst **Mn3** plays a preeminent role in dictating the substrate binding. Some substrate scope studies even strongly suggest the importance of the vacant site in the Mn-coordination sphere. For example, 4-cyano styrene failed as a substrate to give desired product under the optimized reaction conditions. This can be explained by the binding preference between olefin (π -donor) and nitrile (N-donor) (Fig. S17). An energy comparison between olefin (π -donor) bound intermediate (**VIII-CN-1**) and nitrile (N-donor) (**VIII-CN-2**) reveals that **VIII-CN-2** is more stable than **VIII-CN-1** by about 13.61 kcal mol⁻¹. Therefore, the nitrile binding prohibits the catalyst from reacting further and thus behaves as a catalyst poison. Given this fact, this is also completely unsurprising that the reaction remains unproductive in acetonitrile solvent.




Figure S17. Optimized geometries for (a) π -bound (**VIII-CN-1**) and (b) nitrile bound (**VIII-CN-2**) intermediates while 4-cyano styrene was used as substrate.

10. Cartesian Coordinates for Optimized geometries of intermediates and Transition States:

I				H	7.81802200	0.47906400	0.18836300
O 1				H	7.13752000	1.82256100	1.12796400
Mn	-0.70429200	1.17997200	0.09651000	H	6.49530300	0.18106800	1.33573000
S	1.21014600	2.58918900	0.51489500	C	4.48036700	0.15013900	-2.40318600
O	-2.64825200	3.37023700	-0.20629400	H	5.18497100	0.31112300	-3.22612800
O	-1.09815800	0.68879300	2.97916500	H	3.86482600	-0.72341900	-2.63967500
C	0.03371600	-0.75042900	-1.86507300	H	3.82227600	1.02086600	-2.33262900
H	0.73962100	-1.58369200	-1.67859300	C	6.15311300	-1.28990200	-1.21182800
H	0.00763000	-0.63143600	-2.96651000	H	5.61258100	-2.15004800	-1.62034100
C	1.69545600	0.98737300	-1.66110800	H	6.97902900	-1.05245000	-1.89228000
H	2.54241900	0.35254900	-1.34131300	H	6.56890300	-1.58157100	-0.24437500
H	1.73666000	1.03218500	-2.76246400	H	2.64685300	1.19615300	-0.14348300
C	1.72609500	4.69964900	-0.86160500	C	3.37135800	3.12537800	2.26147300
H	1.86796300	5.73334500	-1.15846200	C	4.12973700	4.29107900	2.51222200
C	-1.90502800	2.49088000	-0.03478400	C	3.67455500	5.50025500	2.06252700
C	1.81411500	2.37786300	-1.12150100	C	1.69960000	4.34679000	1.19618400
C	-0.97482200	0.92171200	1.84527100	C	2.42739300	5.56344900	1.39726200
C	1.21330600	4.33356200	0.34348100	C	0.41266400	4.43275000	0.61480300
H	0.91829800	4.96075200	1.17312800	C	1.88065500	6.79377000	0.95367600
N	0.42133100	0.45721900	-1.19941500	C	-0.10063800	5.64573700	0.20833300
C	2.04132700	3.57974600	-1.71359700	H	-0.17617900	3.53603700	0.51563400
H	2.37125900	3.68355100	-2.74177900	C	0.64027100	6.83864900	0.36134600
C	-1.33038200	-1.15975800	-1.40016200	H	-1.09309200	5.68133500	-0.23094300
C	-1.94090200	-2.32589500	-1.91706200	H	5.07481400	4.19803900	3.03599200
C	-3.19241900	-2.67751500	-1.48960300	H	4.24606000	6.41168000	2.21567700
C	-3.18325800	-0.69174000	-0.05753500	H	2.45971400	7.70089400	1.10500600
C	-3.85465500	-1.85909200	-0.54153100	H	0.22408200	7.78399600	0.02683900
C	-3.85830000	0.12634200	0.87952600	N	2.22012800	3.12789700	1.59168400
C	-5.15494100	-2.16899200	-0.07067200	III			
C	-5.12472000	-0.20016100	1.31663900	O 1			
H	-3.37024600	1.01510400	1.24726900	Mn	1.56960000	1.34106200	1.02080200
C	-5.78323300	-1.35650000	0.84462900	S	5.17737000	0.20333200	5.00034900
H	-5.62073700	0.44575500	2.03484800	O	-0.69872200	1.25890200	2.92535100
H	-1.39993800	-2.92136400	-2.64566100	O	-0.02658900	1.31156100	-1.46679400
H	-3.68848700	-3.56844500	-1.86493800	C	3.46280900	2.28833600	2.96537800
H	-5.64351600	-3.06207100	-0.45123300	H	4.53369500	2.39405100	3.16785300
H	-6.77967900	-1.59848700	1.20154900	H	2.93775500	2.25641800	3.93242000
N	-1.90878500	-0.36712200	-0.49744000	C	3.10891600	-0.15101200	3.06849500
II				H	2.36529800	0.02757100	3.85560600
O 1				H	2.73223400	-0.96234400	2.43990100
Mn	1.54799200	1.19108400	1.14791400	C	6.35337300	-1.86761500	4.02938400
S	1.42623600	-1.25121600	0.85458300	H	7.06959700	-2.66377200	3.85941800
O	-0.24699500	1.24455000	3.49859200	C	0.19014900	1.26505300	2.17914000
O	-0.54387800	1.49095100	-0.90609100	C	4.41185800	-0.61374600	3.65723000
C	3.85525900	1.80634300	2.79842700	C	0.56263700	1.37723800	-0.46878100
H	4.95159300	1.81756300	2.86571500	C	6.50277200	-0.91599100	5.00071400
H	3.45636800	1.69040000	3.81755300	H	7.30729800	-0.80357400	5.71451600
C	3.51856900	-0.62520600	2.58765500	N	3.17229500	1.06226400	2.23008500
H	4.37017400	-1.14351900	2.13471900	C	5.16019600	-1.69226400	3.26470200
H	3.70575700	-0.51551700	3.66069100	H	4.86868200	-2.31894800	2.43105900
C	0.15500900	-2.37347600	2.79653700	B	3.88830000	0.97392800	0.86274000
H	-0.60583200	-2.88159700	3.37889800	O	4.28352200	-0.34581800	0.49442000
C	0.44939400	1.20658000	2.57113200	O	4.95192200	1.89440500	0.62167600
C	2.24588100	-1.39551600	2.40923800	C	5.39748500	-0.18296100	-0.40245900
C	0.26104400	1.44200100	-0.06736700	C	6.07207700	1.13721900	0.13128800
C	-0.02449000	-1.98418800	1.50627500	C	6.78399400	1.95968900	-0.94052500
H	-0.88309600	-2.13800600	0.86712500	H	7.21679300	2.85776100	-0.48726800
N	3.36885900	0.71401300	1.96995800	H	7.59731400	1.38638800	-1.40083100
C	1.44526300	-2.00920400	3.32198700	H	6.09111500	2.27752300	-1.72260600
H	1.73167800	-2.14996200	4.35887400	C	7.01920400	0.88887900	1.31291000
B	3.77425900	0.82838200	0.46647500	H	7.94535400	0.39415500	0.99972200
O	4.22124500	-0.42155700	-0.07580700	H	7.28160400	1.85486100	1.75675400
O	4.73477700	1.84776200	0.14127700	H	6.54014200	0.27834800	2.08101000
C	5.20288400	-0.10448900	-1.07264800	C	4.84772600	-0.03347500	-1.82839200
C	5.85162400	1.19875400	-0.48249100	H	5.65013500	0.01535700	-2.57188200
C	6.44762400	2.14368900	-1.52240500	H	4.21946700	-0.90104900	-2.05400200
H	6.87023100	3.02300600	-1.02451900	H	4.23106800	0.86468500	-1.92347600
H	7.24982100	1.65376900	-2.08678600	C	6.27901800	-1.42508500	-0.31371500
H	5.68395700	2.48856000	-2.22273400	H	5.72445600	-2.29724600	-0.67627200
C	6.89279700	0.89229300	0.60452700	H	7.17502600	-1.31096800	-0.93459000

H	6.58959800	-1.61996300	0.71450200
H	2.90658400	1.38053100	-0.00204300
C	2.96655000	3.49769600	2.21828800
C	3.59141200	4.74723000	2.42498000
C	3.10262000	5.85876500	1.79131800
C	1.34849100	4.45152900	0.83344100
C	1.94516000	5.74352000	0.98559100
C	0.13477300	4.35486500	0.11242600
C	1.35523500	6.86723700	0.35344200
C	-0.42519800	5.46896200	-0.47444400
H	-0.36370400	3.40010400	0.05416800
C	0.19443400	6.73508200	-0.37222200
H	-1.36054800	5.37047000	-1.01702500
H	4.46525300	4.79475400	3.06528200
H	3.57823300	6.82866400	1.90815600
H	1.83403100	7.83596700	0.46807700
H	-0.25594700	7.59946600	-0.85035700
N	1.91909400	3.33344300	1.40967700

IV

O 1

Mn	2.09760000	0.98739100	1.17632400
S	6.89662200	-1.29921500	2.86544800
O	0.35007500	0.46398500	3.52055400
O	-0.20767700	1.63731000	-0.53232300
C	3.95586700	1.39661300	3.36417300
H	4.93636000	1.46360900	3.85171200
H	3.25630700	0.97504300	4.09781500
C	4.07849300	-0.93516600	2.61232100
H	3.16618500	-1.19538100	3.15339400
H	4.09438600	-1.52997300	1.69983800
C	6.54798100	-1.71667800	5.38487700
H	6.73230500	-1.92747700	6.43245900
C	1.06873300	0.65202700	2.61925300
C	5.26074700	-1.24365600	3.48366600
C	0.69822600	1.40304900	0.15852200
C	7.53551400	-1.64358400	4.44204500
H	8.60043100	-1.77710100	4.57760400
N	3.98746700	0.49196500	2.20441100
C	5.25056200	-1.48522700	4.83335100
H	4.33273100	-1.50024200	5.41242000
B	4.89034800	0.86999700	1.11076000
O	5.45443600	-0.07699700	0.29042500
O	5.44167600	2.11996800	0.98929900
C	6.23686100	0.64526600	-0.70119900
C	6.51664100	2.02723300	0.01816700
C	6.43223900	3.24615700	-0.89430300
H	6.61065400	4.15298300	-0.30778900
H	7.18908800	3.19625200	-1.68506800
H	5.44507500	3.32777900	-1.35295300
C	7.82195800	2.04865300	0.81847600
H	8.69870600	2.03119800	0.16305500
H	7.85372500	2.96690000	1.41310500
H	7.87715200	1.19895800	1.50466500
C	5.36678500	0.77028700	-1.95434100
H	5.90046000	1.28327900	-2.76096500
H	5.10274300	-0.23451500	-2.29837200
H	4.43721400	1.30072000	-1.73533700
C	7.48478200	-0.17646600	-1.00578100
H	7.19112000	-1.12593100	-1.46374500
H	8.13444900	0.35462600	-1.71037700
H	8.05371200	-0.39840100	-0.10090100
C	3.49963400	2.77382000	2.96595000
C	3.93624000	3.88778600	3.71590200
C	3.52410900	5.14389900	3.35658700
C	2.36941600	4.12970300	1.45489200
C	2.74064100	5.30168600	2.18958000
C	1.69516500	4.29890500	0.22230700
C	2.35290200	6.58041500	1.71459100
C	1.34988900	5.55634100	-0.22332300
H	1.49295500	3.42941600	-0.38051800
C	1.65981000	6.70918800	0.53381200
H	0.83911100	5.66030900	-1.17603500
H	4.58632600	3.72460900	4.56914000
H	3.81636100	6.02022000	3.92886100

H	2.63098700	7.45506800	2.29679200
H	1.36957400	7.69090100	0.17163400
N	2.69074200	2.86879400	1.91366500
O	0.25259000	-1.59268700	-0.10671400
B	1.31882200	-1.40946000	0.71891000
O	1.36801900	-2.26887700	1.77988700
C	0.26531300	-3.21331000	1.61871500
C	-0.67770900	-2.46956500	0.59708500
C	-0.34736000	-3.45904600	2.99214000
H	-1.23883600	-4.09072900	2.91101900
H	0.37729000	-3.97345400	3.63122200
H	-0.62117500	-2.51945900	3.47575400
C	0.87898000	-4.49877100	1.06003100
H	1.65995800	-4.84509800	1.74350700
H	0.12976100	-5.29054300	0.96014100
H	1.33631500	-4.32530700	0.08125500
C	-1.35371700	-3.37226800	-0.42745700
H	-2.01428100	-4.09153100	0.06944900
H	-1.96014300	-2.76347800	-1.10462200
H	-0.62407400	-3.92140900	-1.02611100
C	-1.70971700	-1.55675800	1.26585600
H	-2.16395000	-0.92330800	0.49863300
H	-2.49909500	-2.13919600	1.75195200
H	-1.24833200	-0.90408200	2.01037100
H	2.27312400	-0.71911500	0.37485200
H	2.98766000	1.31600100	-0.14940800

V

O 1

Mn	1.65938100	1.36140200	2.01614000
S	6.43732500	-1.46178300	3.15321500
O	0.68620500	0.72894000	4.70622300
O	-1.14481800	1.68332300	1.23765000
C	4.15330600	1.84362800	3.54316600
H	5.22456000	1.81751700	3.77383400
H	3.61582100	1.71638500	4.49151800
C	3.73694200	-0.56780700	3.42054500
H	2.97855900	-0.49406600	4.20118200
H	3.40458200	-1.33970600	2.73360800
C	6.69827100	-1.21084500	5.70444000
H	7.11383200	-1.21489700	6.70595300
C	1.07937300	0.99533600	3.64055700
C	5.04738200	-0.91141300	4.06574500
C	-0.01676300	1.61659700	1.54370700
C	7.40533600	-1.56798300	4.59042000
H	8.43433200	-1.89573100	4.52749100
N	3.75896500	0.72297300	2.66924000
C	5.35392300	-0.83482700	5.39991800
H	4.62769900	-0.52235600	6.14340400
B	4.44371900	0.63454300	1.39124600
O	4.62517400	-0.55615100	0.74024500
O	4.99714700	1.71384300	0.75650800
C	5.21726000	-0.25509500	-0.55713100
C	5.81213600	1.19165600	-0.33364500
C	5.67080000	2.13108000	-1.52484900
H	6.07663700	3.11374200	-1.26568400
H	6.22696100	1.74839300	-2.38750900
H	4.62542400	2.26007600	-1.81210300
C	7.25577100	1.18729500	0.17567300
H	7.95404300	0.85320100	-0.59803800
H	7.52762900	2.20535900	0.47044600
H	7.36444900	0.53974700	1.05049100
C	4.09205700	-0.30783100	-1.59137700
H	4.48278900	-0.16179300	-2.60347400
H	3.60667200	-1.28459000	-1.54000600
C	3.32351800	0.44244600	-1.40101800
H	6.25381500	-1.33160800	-0.85913000
H	5.75225900	-2.29846600	-0.96324400
H	6.77363800	-1.11448500	-1.79865700
H	6.99106100	-1.41740700	-0.05906000
C	3.77840700	3.17967500	2.96930100
C	4.64088300	4.28164300	3.16833800
C	4.28037400	5.51379200	2.68994900
C	2.22893900	4.49410300	1.83779000
C	3.05131200	5.65454500	2.00364800

C	0.99990800	4.63644100	1.14952900	H	6.97644800	-2.12147300	1.31678600
C	2.62427600	6.89971000	1.47631700	H	8.29231300	-0.93686300	1.44693400
C	0.61153800	5.86056800	0.64955900	H	6.93442600	-0.88890000	2.59051500
H	0.36857500	3.76851200	1.03570000	C	3.15082400	2.55720000	3.03091200
C	1.42639400	7.00477300	0.80878100	C	3.71821800	3.60993900	3.77626500
H	-0.33805000	5.94525300	0.12953400	C	3.70260400	4.88336800	3.26671600
H	5.57993500	4.12821000	3.68914700	C	2.62526600	3.98118500	1.26642700
H	4.92314300	6.38021600	2.82070300	C	3.16880600	5.10076700	1.97550200
H	3.26481600	7.76711600	1.61259700	C	2.15161000	4.18313300	-0.05159400
H	1.10354200	7.96074200	0.40760700	C	3.17460600	6.38049400	1.36303100
N	2.61454000	3.26231200	2.33049000	C	2.18278800	5.43571700	-0.62290500
O	1.04972700	-0.89384100	0.08466700	H	1.80887200	3.33196300	-0.61262100
B	1.20045000	-0.53615800	1.43166400	C	2.68514100	6.54966800	0.08907100
O	1.00844900	-1.65886200	2.23358900	H	1.82071500	5.56476500	-1.63872300
C	0.91485200	-2.83215700	1.38883000	H	4.16276100	3.39125000	4.74157700
C	0.46481000	-2.21671800	0.02326500	H	4.11523900	5.71959200	3.82460600
C	-0.07558800	-3.80675100	2.01624600	H	3.58079600	7.22017600	1.92103100
H	-0.23363700	-4.67629500	1.36723500	H	2.69385500	7.53132300	-0.37545100
H	0.31553000	-4.16357400	2.97452800	N	2.57652800	2.72718300	1.83868700
H	-1.03921200	-3.32832900	2.20291200	C	3.22988900	1.51113600	-1.44375600
C	2.31328900	-3.46026400	1.33111500	O	1.87209500	-0.31308800	-1.52346300
H	2.64127100	-3.68813800	2.35068400	B	2.36710300	0.69830600	-0.69929600
H	2.31717700	-4.39307400	0.75691100	C	2.53157600	-0.26901100	-2.80724000
H	3.03619600	-2.76915800	0.88690500	C	4.38436100	1.39864900	-3.57931500
C	0.98791000	-2.93653600	-1.21475500	H	4.27948300	1.15933000	-4.64396000
H	0.59453600	-3.95849700	-1.26734800	H	4.70120100	2.44334300	-3.49555500
H	0.66603900	-2.40202600	-2.11444500	H	5.17397200	0.76975500	-3.16530800
H	2.07904700	-2.98606300	-1.22118700	C	2.02493800	2.20081700	-3.39454200
C	-1.05289000	-2.02370000	-0.07979600	C	2.39429200	3.21639000	-3.21721200
H	-1.27053400	-1.40594700	-0.95633000	H	1.86496700	2.07674000	-4.47084600
H	-1.58034100	-2.97782500	-0.18621600	H	1.06541600	2.09388300	-2.88134500
H	-1.43930400	-1.50171000	0.80033000	C	3.05840700	1.20414600	-2.85344900
H	2.07882900	1.15392100	0.22679900	C	1.51334200	-0.61816900	-3.88857800
H	2.25973600	1.91029800	0.30276000	H	1.95305300	-0.52183800	-4.88851300
VI				H	1.18411000	-1.65438400	-3.76079400
0 1				H	0.63312300	0.02518400	-3.82753300
Mn	1.53444000	1.00908400	1.21796200	C	3.64571400	-1.31997700	-2.76768600
S	0.88539500	-1.35546100	1.10988500	H	3.19587100	-2.29809600	-2.57049200
O	-0.47648000	1.48261100	3.36380600	H	4.19474700	-1.37683900	-3.71410800
O	-0.39669900	2.01111100	-0.73067600	H	4.34505800	-1.10655400	-1.95678700
C	3.19089800	1.14867400	3.57864200	VII			
H	4.03892100	1.06052000	4.27365200	0 1			
H	2.27024600	0.92749800	4.12911400	Mn	1.90462000	1.61182200	0.83327900
C	3.04828800	-1.22890300	2.84569000	S	3.64131200	-1.77853900	4.85406900
H	3.66397200	-1.85372900	2.19376500	O	-0.63793400	1.13999800	2.30780000
H	3.37329600	-1.40603300	3.87926200	O	0.34895800	2.99525300	-1.23271800
C	-0.65874000	-2.00751200	3.07997300	C	2.96293500	1.31705200	3.45248200
H	-1.53398500	-2.26391400	3.66675200	H	3.71759300	1.08533600	4.21410600
C	0.37993900	1.27257300	2.60281300	H	1.98089300	1.02928300	3.85058100
C	1.60564500	-1.58422800	2.70053100	C	2.78167200	-0.87214800	2.29373300
C	0.37158300	1.62606500	0.06757500	H	1.75963000	-0.90035800	2.68500300
C	-0.70684000	-1.69196200	1.75814000	H	2.75038100	-1.24963400	1.27126500
H	-1.56642800	-1.65765400	1.10296200	C	5.42918400	-3.20787600	3.67957400
N	3.30532900	0.18766700	2.46553300	H	6.25192000	-3.89169500	3.50242600
C	0.67061700	-1.92994700	3.62680500	C	0.40218600	1.36022200	1.83167600
H	0.90116900	-2.08448300	4.67590900	C	3.70558200	-1.73107800	3.10672200
B	4.52157100	0.38240200	1.67920200	C	0.97455700	2.47922800	-0.39128500
O	5.02105200	-0.51548100	0.76888600	C	4.97112100	-2.89021000	4.92905600
O	5.37383100	1.41842000	1.96003800	H	5.32814500	-3.24588700	5.88592300
C	6.43033000	-0.17089300	0.59321900	N	3.18277700	0.55521100	2.20878300
C	6.46828100	1.34686000	1.00671400	C	4.70545500	-2.54576300	2.64208600
C	6.13272900	2.31234500	-0.13108200	H	4.91666200	-2.64795500	1.58470100
H	6.00059000	3.31294000	0.29329700	B	4.46955700	0.81854900	1.55373700
H	6.94337200	2.35604100	-0.86646900	O	5.09696800	-0.03338200	0.66869300
H	5.20232600	2.03658100	-0.63257900	O	5.27196400	1.84965800	1.97898200
C	7.74491200	1.78074400	1.71807900	C	6.47407200	0.42963000	0.53565000
H	8.61139200	1.66741500	1.05725300	C	6.40354000	1.90981600	1.07382600
H	7.66540400	2.83644700	1.99463800	C	6.06791200	2.94613000	-0.00265700
H	7.92045500	1.20307600	2.62833500	H	5.83918100	3.89672500	0.48852600
C	6.83887900	-0.44095100	-0.84574800	H	6.91271100	3.10093500	-0.68179600
H	7.88578100	-0.15773100	-1.00204200	H	5.19552000	2.65086000	-0.58793000
H	6.73543500	-1.50661700	-1.07172900	C	7.62186800	2.35756100	1.87364400
H	6.21842600	0.12191600	-1.54150800	H	8.52174600	2.34594900	1.24886500
C	7.21190600	-1.07840100	1.54849100	H	7.46668100	3.38178800	2.22660000

H	7.78980600	1.71964200	2.74404000
C	6.88436700	0.31559800	-0.92698900
H	7.88653000	0.73217800	-1.07808100
H	6.91086900	-0.73861500	-1.22287200
H	6.17775200	0.83797500	-1.57231000
C	7.32823700	-0.49118100	1.41044000
H	7.20265100	-1.52305900	1.06999100
H	8.39019600	-0.23438800	1.34284000
H	7.01792900	-0.44485700	2.45807100
C	2.98753900	2.79480700	3.16326100
C	3.37492700	3.70791500	4.16364100
C	3.42430900	5.04725200	3.86972300
C	2.82725200	4.47929100	1.56699500
C	3.18153200	5.46746500	2.54050500
C	2.72639700	4.87333900	0.21135100
C	3.32252100	6.82115500	2.14074000
C	2.89523400	6.19273500	-0.14864100
H	2.56325800	4.11391800	-0.53737600
C	3.17167400	7.18276600	0.82223000
H	2.82588600	6.47126300	-1.19591800
H	3.62369700	3.33293100	5.15105900
H	3.68711600	5.78233400	4.62538300
H	3.57150300	7.56117800	2.89681100
H	3.28804600	8.21964900	0.52134100
N	2.63899000	3.16096000	1.92973000
O	3.65938000	1.30834700	-1.98441200
O	2.31661300	-0.10191000	-0.77703300
B	3.00406000	1.12458200	-0.78937300
C	2.56026100	-0.80959900	-2.02688300
C	4.30514600	-0.11335800	-3.83839600
H	3.96633800	-0.86338200	-4.56220400
H	4.68444100	0.74877900	-4.39585700
H	5.12946600	-0.53507900	-3.26089000
C	2.09321500	1.05666800	-3.77596200
H	2.55893400	1.92375900	-4.25399600
H	1.68181100	0.41069900	-4.55860900
H	1.27427100	1.42212500	-3.15150300
C	3.15357900	0.32952100	-2.94242300
C	1.24259100	-1.40128400	-2.51351200
H	1.36973300	-1.89427700	-3.48429700
H	0.89224900	-2.14990300	-1.79585100
H	0.64057200	-0.63509800	-2.60715500
C	3.55888300	-1.92371000	-1.70195200
H	3.11038300	-2.59481900	-0.96179300
H	3.80712300	-2.51468200	-2.58982200
H	4.47208900	-1.51062100	-1.27024600

VIII

O 1

Mn	1.99314300	2.29237900	1.22942300
S	5.65731100	-0.23949400	4.85097400
O	0.11773100	2.99179400	3.42112700
O	0.03648000	2.71525400	-0.89536500
C	4.43277600	3.27797900	2.80506000
H	5.52338300	3.24330800	2.88309400
H	4.05974700	3.60651300	3.78196500
C	3.47538800	1.27298900	3.82236700
H	2.66827800	1.86301000	4.26053000
H	3.06435000	0.30316200	3.57302000
C	5.91485700	1.50652400	6.72559800
H	6.26471400	2.03242400	7.60696400
C	0.89645900	2.65803900	2.62094000
C	4.56543400	1.12637500	4.84433400
C	0.80893100	2.61014000	-0.02183800
C	6.46049500	0.33560900	6.27567500
H	7.28563300	-0.22253400	6.69741400
N	3.68836400	1.93848400	2.54126100
C	4.83009800	1.94985700	5.91038700
H	4.24611000	2.84119500	6.11635000
B	4.74128800	1.13144300	1.69664300
O	4.78481300	-0.23817000	1.78638100
O	5.73615400	1.66423600	0.90978700
C	5.81570100	-0.70253300	0.86450700
C	6.69393900	0.58892200	0.67342700
C	7.29102600	0.74018900	-0.71738000

H	7.84893900	1.67918400	-0.78355800
H	7.98408300	-0.08289200	-0.92394900
H	6.51602500	0.74333700	-1.48197500
C	7.78889300	0.74983500	1.73291100
H	8.58985700	0.01645000	1.59568300
H	8.22031100	1.75138300	1.64086800
H	7.38696600	0.64148300	2.74387700
C	5.11760900	-1.15810800	-0.41868500
H	5.84091700	-1.56883800	-1.13098500
H	4.40472300	-1.95095600	-0.17023100
H	4.57064900	-0.34140700	-0.89583900
C	6.54136500	-1.87374600	1.51625000
H	5.84398900	-2.70698500	1.64678200
H	7.36346400	-2.21651900	0.87820500
H	6.94109500	-1.60931600	2.49604700
C	4.01577500	4.33714800	1.82920400
C	4.90940300	5.38249800	1.51154100
C	4.47134900	6.42588700	0.73527000
C	2.26184400	5.39245300	0.73915800
C	3.11129900	6.47850000	0.35658300
C	0.87633800	5.49667400	0.47122700
C	2.57001100	7.56867100	-0.37058000
C	0.37478700	6.58121800	-0.21393700
H	0.21484600	4.72649300	0.83829200
C	1.22735700	7.61560600	-0.66515700
H	-0.69252800	6.64406700	-0.40376800
H	5.93391700	5.32537300	1.86313600
H	5.14379100	7.22444700	0.43277600
H	3.23606700	8.37253200	-0.67343000
H	0.81548900	8.45442500	-1.21815500
N	2.76738100	4.28749900	1.38586600
O	3.32484600	3.68137600	-1.14828800
O	3.35517000	1.45687900	-1.58876600
B	3.04218200	2.42334300	-0.63114900
C	3.55393700	2.11710600	-2.86906300
C	5.46999200	3.73436100	-2.19041100
H	6.04683200	3.67799800	-3.11997000
H	5.63962400	4.71527700	-1.73554900
H	5.83399600	2.97921700	-1.49136500
C	3.44467800	4.68426900	-3.32769200
H	3.74074300	5.65130200	-2.90870900
H	3.85796400	4.60658100	-4.34015800
H	2.35469700	4.66766700	-3.38846900
C	3.96722900	3.56372600	-2.43301700
C	2.20574900	2.06621100	-3.59752700
H	2.26963300	2.50881900	-4.59724300
H	1.90289800	1.01952700	-3.70252600
H	1.42856700	2.58373500	-3.02972300
C	4.60100800	1.35778000	-3.67450900
H	4.25485900	0.33578500	-3.85948800
H	4.76366300	1.84177000	-4.64448000
H	5.55933000	1.30538900	-3.15607100
C	0.88624000	0.20640900	1.52914900
C	1.83531500	0.18209500	0.51759000
H	2.77969000	-0.31608200	0.68283200
H	1.54027000	0.26121100	-0.51887400
H	-0.12629500	0.50773700	1.27246900
C	0.98372100	-0.53585800	2.80525900
C	0.08874500	-0.26301100	3.85369600
C	1.92812800	-1.56171100	2.99461400
C	0.17050200	-0.94684200	5.06423300
H	-0.65829200	0.51327900	3.72301500
C	2.01355900	-2.24291000	4.20774600
H	2.61792100	-1.80615000	2.19548600
C	1.14142000	-1.93345500	5.25284000
H	-0.52369500	-0.70589600	5.86476800
H	2.76361100	-3.01874200	4.33484400
H	1.20931000	-2.46263300	6.19904200

IX

O 1

Mn	1.80359700	2.27528700	1.64901400
S	3.90515900	1.23842500	6.65133200
O	0.15611300	2.37324700	4.04730900
O	-0.66644900	2.97529200	0.25559700

C	3.80586000	2.93944900	3.66086800	C	2.52580000	0.31429600	-0.07792200
H	4.72426300	2.94056400	4.25831600	H	3.48086700	0.17618800	0.43301500
H	2.96991000	3.07046600	4.35807400	H	0.42478000	0.41322700	0.38405300
C	3.27014200	0.57397400	3.97059200	H	2.43273900	-0.61515500	-0.68020700
H	2.26144700	0.76816500	4.33491300	C	1.30081300	-0.78117300	1.86707600
H	3.23709600	-0.37068900	3.43642100	C	0.23434900	-0.85960400	2.78606300
C	6.09727900	-0.08587000	6.42897700	C	2.25139900	-1.81756800	1.90486700
H	7.04962400	-0.55237300	6.65682100	C	0.14517600	-1.88887400	3.71564900
C	0.81964700	2.36523200	3.08266200	H	-0.51718100	-0.07539000	2.77677900
C	4.23524200	0.46419600	5.11829400	C	2.16682100	-2.85292300	2.84153100
C	0.35784300	2.76089500	0.77085500	H	3.08649700	-1.80883900	1.21292000
C	5.39277600	0.66522200	7.33090500	C	1.12033600	-2.89289900	3.75948900
H	5.65060200	0.90022200	8.35462600	H	-0.68492500	-1.90689000	4.41764800
N	3.61481700	1.64210900	2.97264000	H	2.92888200	-3.62902800	2.85002700
C	5.43518000	-0.20196300	5.16937300	H	1.05716300	-3.69210900	4.49267700
H	5.81179600	-0.76667600	4.32663800				
B	4.76416900	1.29925400	2.13809600	X			
O	5.29972700	0.04373300	2.05189200	0 1			
O	5.45647500	2.24665700	1.43265600	Mn	1.97135500	1.67263700	1.34967600
C	6.46173800	1.06695000	1.17122000	S	4.60587700	1.91406300	6.45042000
C	6.74202700	1.66027800	1.08254200	O	-0.15642400	2.10010900	3.30065300
C	7.13363200	2.15762700	-0.30226800	O	-0.05876100	2.26113100	-0.67773600
H	7.27725600	3.24253000	-0.27235500	C	3.32505300	3.13065800	3.50826900
H	8.07335700	1.69771600	-0.62718800	H	4.08795800	3.43160500	4.23613200
H	6.35317600	1.93331700	-1.02995800	H	2.34232200	3.26502200	3.97401200
C	7.72821400	2.16460500	2.14086600	C	3.09360400	0.80671200	4.27467000
H	8.74763000	1.81913700	1.94359600	H	2.15768500	1.17904800	4.69828400
H	7.72402100	3.25869800	2.12943900	C	2.89380800	-0.17954300	3.87034000
H	7.43579000	1.83508200	3.14333800	H	5.97119700	-0.26564400	6.49258300
C	6.08021400	-0.53529900	-0.16352500	H	6.69854200	-1.02328100	6.76294800
H	6.96135800	-0.63599300	-0.80614400	C	0.70536700	1.99703200	2.51387700
H	5.68381500	-1.53668400	0.03089000	C	4.17603600	0.66156800	5.30572400
H	5.32766300	0.03820900	-0.70452100	C	0.78343500	2.02964700	0.09761000
C	7.57773300	-0.70255300	1.82696200	C	5.88818500	0.95202000	7.11246500
H	7.28193300	-1.75509400	1.87459300	H	6.49405600	1.33702800	7.92138300
H	8.49937700	-0.63592700	1.23884500	N	3.45961200	1.70419700	3.13594800
H	7.78630100	-0.36112900	2.84281700	C	4.99501100	-0.42828200	5.46310200
C	3.81337200	4.10105100	2.71690500	H	4.88695900	-1.31330700	4.84794600
C	4.73845800	5.14750600	2.92970200	B	4.76958200	1.39551900	2.56723100
C	4.71343600	6.24382700	2.11077600	O	5.20465700	0.12943200	2.28822800
C	2.83715000	5.21230100	0.92379600	O	5.70123700	2.37066500	2.31778700
C	3.74607800	6.30945800	1.08105400	C	6.51453900	0.25620400	1.66123300
C	1.85347500	5.31181500	-0.09001000	C	6.97173900	1.69182500	2.11726200
C	3.65145300	7.43673500	0.22621300	C	7.77388200	2.47393900	1.08496200
C	1.76774900	6.43505400	-0.88573200	H	8.02240300	3.46059800	1.48769900
H	1.16665500	4.49602200	-0.23952400	H	8.71032400	1.95714900	0.84776700
C	2.67574900	7.50650000	-0.73993700	H	7.20685400	2.61776700	0.16295200
H	0.98863500	6.48969700	-1.63998900	C	7.68287900	1.69926200	3.47395400
H	5.45861200	5.05584500	3.73536500	H	8.68181000	1.25676400	3.40501000
H	5.41438200	7.06400600	2.24035400	H	7.78680700	2.73523200	3.80993800
H	4.35954200	8.24963400	0.36381600	H	7.10908700	1.15529400	4.22973000
H	2.59774400	8.37796500	-1.38277000	C	6.31273800	0.14729600	0.14758700
N	2.90166800	4.09969800	1.74739100	H	7.26847200	0.20490200	-0.38228800
O	3.92283400	1.53383700	-1.85274800	H	5.85118400	-0.81555100	-0.08773700
O	1.69579000	2.05561400	-1.86295700	H	5.65788700	0.93861500	-0.22863500
B	2.69964300	1.36347400	-1.23322000	C	7.38722600	-0.88571500	2.16732200
C	2.20486300	2.46488100	-3.16349900	H	6.97680900	-1.84016300	1.82309000
C	4.60611200	2.06946700	-4.10758300	H	8.40837700	-0.79465300	1.78104300
H	4.44992500	2.73658300	-4.96266800	H	7.42254200	-0.90448400	3.25824900
H	5.66604200	2.10992300	-3.83662500	C	3.43562900	4.01054600	2.29631100
H	4.37353800	1.04756700	-4.41389400	C	3.94055500	5.32444300	2.41297400
C	4.25229200	3.85327200	-2.38294300	C	4.06915100	6.09545900	1.28655000
H	5.29894300	3.75632500	-2.08229100	C	3.27062300	4.19016300	-0.01726700
H	4.18407400	4.63748600	-3.14365500	C	3.76172400	5.53309300	0.02343300
H	3.67780600	4.16731200	-1.51007000	C	3.05304600	3.58445000	-1.27767500
C	3.75679800	2.50849400	-2.91963800	C	3.95800600	6.24144200	-1.18908800
C	1.57316000	3.79578700	-3.54614800	C	3.27702500	4.29285900	-2.43851900
H	1.95404000	4.13720500	-4.51539200	H	2.74276200	2.55140200	-1.33213900
H	0.48849900	3.67529400	-3.62706500	C	3.71536800	5.63620800	-2.40109600
H	1.77786200	4.56380200	-2.80094200	H	3.12058300	3.80292600	-3.39521800
C	1.77913300	1.37393400	-4.15198600	H	4.21900800	5.69834400	3.39273800
H	0.69130700	1.26802200	-4.11199800	H	4.43672200	7.11660000	1.34195200
H	2.06754600	1.62407000	-5.17788400	H	4.31849900	7.26560800	-1.13987900
H	2.22281400	0.40777600	-3.89155400	H	3.87460500	6.18112300	-3.32684100
C	1.37200900	0.38086300	0.93248600	N	3.04882800	3.47793100	1.14335900

O	2.81721400	0.50825900	-2.35930800	H	4.34901800	-1.05016700	-2.03475700
O	1.70146400	-1.43070100	-1.87559500	H	4.06645500	0.69497500	-1.91963100
B	2.42954900	-0.38225000	-1.38275200	C	6.47128000	-1.20549400	-0.29794400
C	1.76205900	-1.36477700	-3.32640000	C	6.06627400	-2.16357600	-0.64146800
C	3.05319500	0.39651500	-4.76280600	H	7.33051600	-0.95498200	-0.93055800
H	2.58906900	0.07248900	-5.70088200	H	6.82012500	-1.32969400	0.72895800
H	3.26392300	1.46797800	-4.84204800	C	2.65710500	1.00423000	0.01764900
H	4.00407000	-0.12689300	-4.64314600	C	2.92303700	3.23289200	2.23161900
C	0.88881200	1.05218800	-3.67950000	C	3.63286100	4.43609000	2.45133400
H	1.21097500	2.09775600	-3.66412100	C	3.26904700	5.56253500	1.76724200
H	0.33594000	0.87557500	-4.60767000	C	1.44272900	4.27579800	0.77119300
H	0.21606100	0.90683800	-2.83156800	C	2.14086700	5.51767700	0.91299600
C	2.11871600	0.14615800	-3.58484600	C	0.23531200	4.27673600	0.03403200
C	0.41743600	-1.81223100	-3.88690600	C	1.67108900	6.67196200	0.23833600
H	0.39954200	-1.71256400	-4.97805400	C	-0.21069200	5.42127400	-0.59230300
H	0.24782300	-2.86402800	-3.63714000	H	-0.35904400	3.37894900	-0.00202100
H	-0.40337600	-1.22759900	-3.46717500	C	0.52018300	6.62688300	-0.51384100
C	2.86916900	-2.33054900	-3.76018300	H	-1.14456000	5.39280100	-1.14564800
H	2.64214700	-3.32653700	-3.36900300	H	4.47631500	4.42866000	3.13265900
H	2.94552100	-2.39425100	-4.85039200	H	3.81602600	6.49454400	1.88133400
H	3.84045700	-2.02246600	-3.36029800	H	2.23111200	7.59708000	0.34602000
C	1.62254700	-0.34263100	1.09575100	H	0.16068800	7.51530300	-1.02389900
C	2.78421700	-0.19533400	0.13062900	N	1.90669700	3.12528900	1.38379600
H	3.26889600	0.84363300	0.18826400	C	0.40165500	-1.13910900	1.37943900
H	0.66845500	-0.48619900	0.58787900	H	0.76822400	-1.32548700	2.38424700
H	3.63232200	-0.82089200	0.41794700	C	-1.06823400	-1.20032700	1.25943600
C	1.71456800	-1.30558600	2.22159500	C	-1.83354100	-1.31826900	2.43080400
C	0.60827600	-1.41732800	3.09106900	C	-1.73988900	-1.16947900	0.02572700
C	2.83167600	-2.11093200	2.50722300	C	-3.22332000	-1.39422600	2.37819700
C	0.63072300	-2.25515900	4.19970700	H	-1.32793000	-1.33930400	3.39274900
H	-0.26382600	-0.79820200	2.89915700	C	-3.12872000	-1.24032000	-0.02780600
C	2.85511400	-2.95702000	3.61979300	H	-1.17785000	-1.08193900	-0.89686300
H	3.71190100	-2.06286400	1.87736100	C	-3.87779000	-1.35210800	1.14677400
C	1.76146900	-3.03111700	4.48018400	H	-3.79385400	-1.48174300	3.29839900
H	-0.23535100	-2.30010400	4.85529900	H	-3.62916500	-1.21097200	-0.99160400
H	3.73823700	-3.56377600	3.80872900	H	-4.96158700	-1.40829600	1.10053800
H	1.78327400	-3.68284000	5.34891400	C	1.30730100	-1.11723300	0.34880700
				H	0.97758000	-1.14070600	-0.68466100
				H	2.35221500	-1.35750600	0.49427800
XI				XII			
0 1				0 1			
Mn	1.33658800	1.10646800	1.04753900	Mn	1.35645200	1.57702500	1.17735800
S	5.04733000	0.07752500	5.15466900	S	5.30468000	0.43838500	5.01268800
O	-0.78297800	1.67403500	3.03428000	O	-0.72784900	2.00305100	3.21497900
O	-0.17226000	1.35956400	-1.46524800	O	-0.34405600	1.62893900	-1.19653000
C	3.30139300	2.00728000	3.00635000	C	3.60942600	2.41315600	2.90259200
H	4.35813200	2.06908000	3.28567100	H	4.69536100	2.40302300	3.05554900
H	2.71204800	1.99666600	3.93729500	C	3.14917400	2.50209300	3.89993700
C	3.11461000	-0.41074900	3.10217700	H	3.09081000	0.06132800	3.23695200
H	2.35773700	-0.32100700	3.89264900	H	2.43505600	0.35396000	4.06608100
H	2.85491100	-1.27475000	2.49448300	H	2.60263100	-0.77562600	2.74156500
C	6.55775300	-1.69142700	4.05876700	C	6.36161800	-1.69410400	4.04220800
H	7.39134000	-2.35398700	3.85375900	H	7.04114500	-2.51950900	3.85933000
C	0.02418200	1.40504100	2.24631100	C	0.09760200	1.85981200	2.40744400
C	4.46300400	-0.70528500	3.70362700	C	4.42627800	-0.40278500	3.75101300
C	0.37139100	1.32192700	-0.43850200	C	0.27611400	1.65498500	-0.19462400
C	6.52560100	-0.82882300	5.12039800	C	6.60232900	-0.71240000	4.96464000
H	7.27670900	-0.67138600	5.88234400	H	7.45362600	-0.60113600	5.62231200
N	3.01465200	0.79156900	2.25056200	N	3.11958700	1.19113300	2.28035900
C	5.37978100	-1.62082200	3.25552400	C	5.12173700	-1.51611500	3.35623300
H	5.21215000	-2.20263200	2.35817000	H	4.75030300	-2.17125400	2.57853300
B	3.69986900	0.77936800	0.86234500	B	3.61645600	0.92597400	0.84762200
O	4.32699600	-0.45785400	0.50715300	O	4.16878700	-0.37628300	0.61585300
O	4.60591700	1.85557000	0.58195500	O	4.55887900	1.90847100	0.26728900
C	5.39618100	-0.12741200	-0.39557900	C	5.24102300	-0.25594400	-0.31425200
C	5.84012800	1.28974300	0.11998100	C	5.77169000	1.19651300	-0.03811500
C	6.42036100	2.20267900	-0.95799600	C	6.44645900	1.87250200	-1.22999400
H	6.69221100	3.16671700	-0.51518800	H	6.74097400	2.89347600	-0.96172000
H	7.32308800	1.76594600	-1.40128300	H	7.34844300	1.32979500	-1.53274000
H	5.69334200	2.39004700	-1.75112800	H	5.78452600	1.92263100	-2.10224700
C	6.80094900	1.21739700	1.31523900	C	6.69332400	1.26387900	1.18596600
H	7.80026400	0.87786800	1.02077200	H	7.67668200	0.82777500	0.98150100
H	6.89489800	2.22027800	1.74514800	H	6.83492600	2.31443300	1.46172700
H	6.41868900	0.54710500	2.08852400	H	6.25334600	0.73802200	2.03623500
C	4.82424500	-0.08741800	-1.82030400				
H	5.60411100	0.08635100	-2.56910900				

C	4.67450200	-0.43149600	-1.73407500
H	5.45500100	-0.42214900	-2.50235700
H	4.14611800	-1.38756500	-1.78178100
H	3.94145900	0.34707000	-1.97657800
C	6.26399500	-1.35789900	-0.04510600
H	5.80735700	-2.33551800	-0.23115800
H	7.13298700	-1.25698300	-0.70597500
H	6.60373100	-1.33527100	0.99118500
H	2.55946800	1.07830400	0.08625900
C	3.22747700	3.64074000	2.13464900
C	4.00015500	4.81687500	2.28220300
C	3.63859800	5.95936900	1.61826000
C	1.69587400	4.73898800	0.76663200
C	2.45278400	5.95347500	0.84051200
C	0.46564700	4.75790400	0.06056300
C	1.99472100	7.10630400	0.15343900
C	0.04412800	5.90003800	-0.59209300
H	-0.14369500	3.86616000	0.06672900
C	0.81803200	7.08218600	-0.56184600
H	-0.90613300	5.89081300	-1.11779600
H	4.88717300	4.78143000	2.90601600
H	4.22958500	6.86834900	1.68992100
H	2.58740600	8.01529500	0.21685300
H	0.47199400	7.97170200	-1.07938400
N	2.14027300	3.56440000	1.36360900
C	-0.04063400	-1.12487100	1.72030200
H	-0.84481100	-0.62857300	2.26777100
C	-0.15693200	-2.59290300	1.70426900
C	-1.33176200	-3.20023100	2.18566700
C	0.86825800	-3.44463600	1.24498500
C	-1.48817900	-4.58512100	2.19352200
H	-2.13417500	-2.56419500	2.55340700
C	0.71397600	-4.82734100	1.25085300
H	1.79898400	-3.01112400	0.88965500
C	-0.46608700	-5.41080300	1.72300500
H	-2.41116700	-5.02068700	2.56898200
H	1.52369300	-5.45850500	0.89123700
H	-0.58218600	-6.49125800	1.72964100
C	0.93546800	-0.38718400	1.15035600
H	1.67483500	-0.96776900	0.58581500
K	2.84763300	2.90821400	-1.50401600

XIIA

0 1

Mn	1.54143700	1.26967500	1.42023000
S	5.81240700	0.44387600	4.99045000
O	-0.18533500	1.77673400	3.75751700
O	-0.32268700	1.24016200	-0.82363500
C	3.83848300	2.27983900	2.98746000
H	4.92917300	2.35512900	3.07203600
H	3.43686300	2.32575700	4.01257900
C	3.54798700	-0.10516000	3.33078600
H	2.92878400	0.12643000	4.20583900
C	3.10407300	-0.98134100	2.86305500
C	7.02747300	-1.53050800	3.88083200
H	7.77810600	-2.27161000	3.62805900
C	0.44249100	1.54635200	2.80863700
C	4.95291900	-0.44552900	3.74936900
C	0.36048100	1.28932600	0.13886800
C	7.21828200	-0.55913600	4.82576700
H	8.09099100	-0.37882900	5.43855900
N	3.40929600	1.02514300	2.38457800
C	5.73685600	-1.46436200	3.27304100
H	5.39154800	-2.12744400	2.49022400
B	3.81901400	0.81794600	0.91403600
O	4.48745700	-0.41816600	0.62758300
O	4.61046500	1.89508800	0.27786700
C	5.47024600	-0.18177400	-0.37593000
C	5.86583200	1.31609600	-0.11904700
C	6.38174700	2.06566400	-1.34577000
H	6.58641700	3.11031000	-1.08513400
H	7.31185600	1.62209100	-1.71716600
H	5.65842600	2.05125200	-2.16916900
C	6.85934200	1.47216700	1.03923500
H	7.86644200	1.14465200	0.76078100

H	6.90824800	2.52986800	1.31962700
H	6.53849300	0.89614600	1.91028800
C	4.82349000	-0.40638200	-1.75399900
H	5.54140100	-0.31098900	-2.57566700
H	4.39468600	-1.41191300	-1.77696100
H	3.99849200	0.29333100	-1.93250100
C	6.61949300	-1.17209800	-0.19692800
H	6.25516000	-2.19118700	-0.36319100
H	7.42207600	-0.97613100	-0.91772400
H	7.03104500	-1.12035900	0.81196800
H	2.69587100	0.85945500	0.23659700
C	3.31220500	3.47677200	2.25875900
C	3.99864700	4.70912100	2.36555700
C	3.50495700	5.82198000	1.73734200
C	1.60789200	4.45668800	1.01191100
C	2.27190700	5.72615400	1.04354700
C	0.33120000	4.38376500	0.39806900
C	1.67825200	6.84239400	0.40136700
C	-0.22307800	5.49223300	-0.21220500
H	-0.20743200	3.44885700	0.44207400
C	0.45838100	6.73007900	-0.22809600
H	-1.20630200	5.41172000	-0.66633500
H	4.92600400	4.74098500	2.92787200
H	4.02696600	6.77415500	1.77621200
H	2.20215400	7.79435600	0.43087100
H	0.00864800	7.59210900	-0.71131000
N	2.18516500	3.31757100	1.56186000
C	0.36022100	-1.61073600	1.91162500
C	1.26258000	-0.73386000	1.41923100
H	2.11579900	-1.24858900	0.95897000
K	2.68286100	2.72984900	-1.35342200
H	0.60084400	-2.67978600	1.87886100
C	-0.93346800	-1.33704200	2.56917600
C	-1.29066000	-2.05717300	3.72360800
C	-1.86229400	-0.40933600	2.06778600
C	-2.49946100	-1.82912000	4.37747600
H	-0.59501300	-2.79656900	4.11504100
C	-3.07379200	-0.17994100	2.71796000
H	-1.63301100	0.12065400	1.15175200
C	-3.39762200	-0.88147100	3.88036200
H	-2.74253900	-2.39120400	5.27609900
H	-3.77291500	0.54590500	2.30897000
H	-4.34248700	-0.70176800	4.38653400

XII B

0 1

Mn	1.50086300	1.24861300	1.35027000
S	5.57112200	0.33489600	5.08788500
O	-0.22534000	2.03793500	3.60953400
O	-0.48644800	1.20794500	-0.79052500
C	3.77210800	2.20750000	2.94780600
H	4.85701800	2.26574500	3.09546800
H	3.31551300	2.24130400	3.95034700
C	3.48974900	-0.19550900	3.19997900
H	2.79468300	-0.04849700	4.03492500
H	3.14004700	-1.05983000	2.63938100
C	6.99927800	-1.45933100	3.92704400
H	7.81427200	-2.13156700	3.68095700
C	0.42293800	1.68665500	2.71171400
C	4.87723900	-0.48693600	3.70473200
C	0.26643500	1.26655700	0.11607900
C	7.04734300	-0.56797100	4.96448700
H	7.85203500	-0.39525500	5.66615900
N	3.35965000	0.97206000	2.29873900
C	5.76230000	-1.41275200	3.21489800
H	5.52203400	-2.02455900	2.35517200
B	3.78785900	0.78741900	0.82864800
O	4.54704300	-0.39794100	0.54407100
O	4.51325300	1.91262600	0.19536100
C	5.53451500	-0.09284100	-0.43459000
C	5.81601700	1.42723800	-0.16904200
C	6.30767500	2.21682600	-1.38035700
H	6.42974800	3.27240500	-1.11214000
H	7.27612100	1.84260900	-1.72942900
H	5.60774900	2.15441000	-2.22152100

C	6.76678500	1.64887200	1.01470700
H	7.80222100	1.40119500	0.75851900
H	6.72791000	2.70476800	1.30330300
H	6.47040300	1.04109100	1.87336000
C	4.94119000	-0.36115100	-1.82892700
H	5.66974100	-0.20790300	-2.63229200
H	4.59128300	-1.39637600	-1.86540400
H	4.06995300	0.27449100	-2.02653000
C	6.74614400	-1.00039700	-0.22818600
H	6.45851800	-2.04225400	-0.40327300
H	7.55009600	-0.74707200	-0.92934900
H	7.12927200	-0.92229600	0.79014400
H	2.65098500	0.74515900	0.16933200
C	3.30829400	3.42342400	2.20760300
C	4.01358600	4.63957400	2.37006800
C	3.58787100	5.76619900	1.71891500
C	1.72043600	4.44688400	0.85183700
C	2.40989900	5.69956700	0.93332200
C	0.50093700	4.40203700	0.12809700
C	1.89727800	6.72798700	0.24484500
C	0.02624200	5.52049000	-0.52957200
H	-0.06638300	3.48283100	0.12765100
C	0.73332200	6.74315100	-0.48619000
H	-0.91595100	5.46024300	-1.06656500
H	4.90116300	4.64720800	2.99396300
H	4.12582200	6.70665900	1.80136200
H	2.43971800	7.76715900	0.31692700
H	0.34629300	7.61417200	-1.00602600
N	2.22096500	3.29862200	1.44728600
C	1.58854900	-1.69288400	0.61808400
C	1.03506600	-0.75279800	1.40947700
K	2.57070400	2.58760400	-1.47777300
H	1.31216100	-2.74783100	0.69887700
H	2.34511600	-1.46113700	-0.12600300
C	0.04179300	-1.22835800	2.40698600
C	-1.29740100	-0.79656700	2.38110300
C	0.41247700	-2.12919700	3.42176800
C	-2.21977000	-1.24254200	3.32399900
H	-1.61151800	-0.10603400	1.60395000
C	-0.50658000	-2.56630900	4.37718200
H	1.43737300	-2.48787400	3.45489600
C	-1.82903200	-2.12464700	4.33522800
H	-3.24969100	-0.89726400	3.27241000
H	-0.18728800	-3.25758200	5.15388300
H	-2.54684300	-2.46314600	5.07770300

XIII

0 1

Mn	0.39555100	-1.61967600	-0.37264200
S	-0.85171900	3.23717400	-2.98895800
O	-0.34601800	-2.14475500	-3.15630500
O	0.37816000	-4.53180600	-0.05191300
C	1.24629800	0.89447900	-1.64544600
H	1.41568500	1.97177600	-1.74827400
H	0.98841000	0.50832400	-2.63994900
C	-1.20490100	0.88889800	-1.41087100
H	-1.22378400	0.34274800	-2.35634300
H	-1.98412400	0.45688600	-0.78599500
C	-2.23729300	4.53962000	-1.25788600
H	-2.76435400	5.33735200	-0.74619600
C	-0.02421700	-1.92519900	-2.05869500
C	-1.47289800	2.35305900	-1.61233100
C	0.45498800	-3.37480700	-0.16574600
C	-1.55593400	4.71988800	-2.43110800
H	-1.43641700	5.62824900	-3.00572000
N	0.10962200	0.60262200	-0.75185800
C	-2.19077100	3.19009400	-0.79420200
H	-2.66704500	2.83610700	0.11155600
B	0.20968500	1.19531400	0.57368200
O	-0.87617400	1.39936800	1.38003700
O	1.39474700	1.63152700	1.10758700
C	-0.37975800	1.90922700	2.65056300
C	1.04206500	2.46058000	2.25567800
C	2.11648200	2.29281600	3.32107800
H	3.06894100	2.68014400	2.94668000

H	1.85292900	2.85159400	4.22567000
H	2.25765400	1.24318200	3.58677200
C	1.00683600	3.90359100	1.74292400
H	0.80593900	4.61287800	2.55178900
H	1.97999200	4.14554600	1.30544700
H	0.24437300	4.03092900	0.96772600
C	-0.33280700	0.72954900	3.62372300
H	-0.05582300	1.05638700	4.63084400
H	-1.32312700	0.26730000	3.66785800
H	0.38053500	-0.03184200	3.30053100
C	-1.35896200	2.96478800	3.15095000
H	-2.32114900	2.49343200	3.37363200
H	-0.98825900	3.43144600	4.07006800
H	-1.52528800	3.74358800	2.40425100
H	1.03185000	-1.15978000	1.37393100
C	2.51515500	0.22807200	-1.19518000
C	3.74708600	0.87967200	-1.42812900
C	4.91415400	0.26614600	-1.05711500
C	3.57341500	-1.59670100	-0.21427200
C	4.85747500	-0.99875700	-0.42638000
C	3.52166300	-2.84964900	0.44251400
C	6.02784300	-1.67124600	0.00769300
C	4.67680200	-3.47767900	0.85615500
H	2.56124900	-3.31229400	0.60706900
C	5.94365300	-2.89051200	0.63830400
H	4.60891500	-4.44048100	1.35372300
H	3.74418900	1.85970400	-1.89292300
H	5.87825900	0.73878700	-1.22391600
H	6.99096500	-1.19923100	-0.16737500
H	6.84281700	-3.40149500	0.96874500
N	2.41119300	-0.97087000	-0.62748800
C	-2.62412500	-2.27130300	-0.26799600
H	-2.54377700	-2.99077800	-1.08614600
C	-4.00052300	-2.05302900	0.20739300
C	-5.02618800	-2.92254300	-0.20614900
C	-4.35895800	-0.98298500	1.05225900
C	-6.34269600	-2.75008900	0.21747000
H	-4.77468700	-3.74990100	-0.86590800
C	-5.67260200	-0.80976300	1.47716400
H	-3.59693600	-0.27432300	1.36580100
C	-6.67556900	-1.69298300	1.06583300
H	-7.11102400	-3.44307300	-0.11645900
H	-5.92070200	0.02617200	2.12735900
H	-7.70128400	-1.55311500	1.39588500
C	-1.51033800	-1.67095600	0.19860000
H	-1.68776400	-0.99071300	1.04383800
H	0.44990700	-1.64631700	1.49993000

XIIIA

0 1

Mn	1.23468400	1.59749300	1.13315600
S	4.31025200	0.16279700	5.61658900
O	-0.08923800	1.84993500	3.73661700
O	-1.40468300	1.82492400	-0.11543500
C	3.35547900	2.29641500	3.07505300
H	4.36895900	2.31889900	3.48989300
H	2.66161400	2.28603200	3.92444300
C	2.90245800	-0.12430700	3.16812300
H	2.02795800	0.06925600	3.79144800
H	2.64031300	-0.95036200	2.51062500
C	6.15039900	-1.37722100	4.69319900
H	7.05288300	-1.97296000	4.61022000
C	0.40406100	1.67317600	2.69811500
C	4.10087500	-0.47635500	4.00234800
C	-0.33771500	1.80214600	0.35711700
C	5.82909700	-0.65033800	5.80766300
H	6.38417400	-0.55716600	6.73114700
N	3.11645700	1.06985300	2.29101100
C	5.16382200	-1.27889600	3.66583100
H	5.22087400	-1.78208700	2.70878700
B	4.08833800	0.83273300	1.23554800
O	4.38569400	-0.41052400	0.74972400
O	4.82293500	1.84502600	0.66775000
C	5.29334800	-0.22629200	-0.37296600
C	5.89132300	1.20245900	-0.08747700

C	6.17828400	2.03955300	-1.32639300
H	6.56258700	3.01949100	-1.02728200
H	6.93339200	1.55390800	-1.95410600
H	5.27630500	2.19585200	-1.92162400
C	7.10934300	1.17091900	0.84065800
H	7.98784500	0.75274900	0.33957400
H	7.34250600	2.19396800	1.15049200
H	6.90486400	0.58175500	1.74047400
C	4.45227400	-0.29740100	-1.64942000
H	5.08118100	-0.24782200	-2.54381700
H	3.90510700	-1.24404200	-1.65876600
H	3.72010800	0.51228600	-1.69697000
C	6.31152300	-1.36055800	-0.35264600
H	5.80155600	-2.31247300	-0.52892600
H	7.05859900	-1.22332900	-1.14203300
H	6.82621600	-1.42231000	0.60834700
H	1.71180000	1.82412400	-0.66306300
C	3.10732000	3.54617300	2.27775400
C	3.90426000	4.68501700	2.53292300
C	3.66716200	5.84234100	1.83997800
C	1.85859400	4.68059800	0.67569600
C	2.62869400	5.87086100	0.88008400
C	0.81653500	4.71775300	-0.28211000
C	2.34116300	7.03495600	0.12325500
C	0.55919200	5.86523300	-1.00103100
H	0.21364800	3.83530400	-0.42836100
C	1.32610200	7.03594600	-0.80457900
H	-0.25050300	5.86819700	-1.72466700
H	4.69898400	4.61669900	3.26788600
H	4.26590600	6.73350300	2.00778000
H	2.94022300	7.92522800	0.29544500
H	1.10878900	7.93033500	-1.38048900
N	2.11724500	3.52504300	1.38897600
C	0.50389900	-1.44600600	1.20713400
C	1.03986200	-0.33637900	0.65875000
H	1.63216100	-0.57017200	-0.23821300
H	0.75415700	-2.42618800	0.78591100
C	-0.35339500	-1.56110300	2.40853900
C	-0.04360600	-2.41959800	3.44062900
C	-1.49799200	-0.71700500	2.55548800
C	-0.82162300	-2.49224200	4.59463600
H	0.82879100	-3.06134500	3.33465100
C	-2.27995600	-0.78894300	3.70748200
H	-1.77241000	-0.04275700	1.75196200
C	-1.94329200	-1.67112900	4.73534700
H	-0.55363400	-3.18919100	5.38494900
H	-3.15760600	-0.15456800	3.80077300
H	-2.55288900	-1.72580100	5.63329200
H	2.41449000	1.69977400	-0.37449900

XIIIB

0 1

Mn	1.31814400	1.36160600	1.39428800
S	4.87434200	0.17282100	5.53790600
O	0.18807800	1.76740700	4.07152800
O	-1.36681800	1.77148000	0.29488300
C	3.54873600	2.22764900	3.10368100
H	4.58026300	2.33445500	3.45788900
H	2.91034500	2.16136800	3.99240400
C	3.33901500	-0.23159200	3.18177700
H	2.48632900	-0.14560200	3.85810500
H	3.13598400	-1.06886300	2.51760100
C	6.78751300	-1.17290700	4.46946600
H	7.73567100	-1.67679600	4.31693600
C	0.62835900	1.58258000	3.01145300
C	4.61769800	-0.47119000	3.93310900
C	-0.28806900	1.64549300	0.72023600
C	6.47455500	-0.48949700	5.61340700
H	7.08034800	-0.34908200	6.49821900
N	3.36736500	0.98893600	2.32001800
C	5.72740000	-1.16332700	3.51303000
H	5.76624800	-1.65176900	2.54727000
B	4.29674200	0.87264800	1.20345800
O	4.66850900	-0.32042300	0.64957700
O	4.91941100	1.96245700	0.64857000

C	5.52301300	-0.01675700	-0.49085200
C	6.01302900	1.44245100	-0.16153300
C	6.19321200	2.35144300	-1.36977100
H	6.50747400	3.34553100	-1.03744700
H	6.96465200	1.95582900	-2.03940800
H	5.26337200	2.46035300	-1.93171300
C	7.25807900	1.47418400	0.73021800
H	8.15140500	1.15129900	0.18670600
H	7.41658500	2.49969600	1.07690900
H	7.13157900	0.83455500	1.60960500
C	4.65221300	-0.09743300	-1.74614800
H	5.24953400	0.04071600	-2.65274100
H	4.17960600	-1.08251500	-1.78767800
H	3.86208000	0.65738000	-1.73616600
C	6.62691300	-1.06596500	-0.54888700
H	6.18749500	-2.04791700	-0.74872000
H	7.33380300	-0.83860000	-1.35430500
H	7.17724600	-1.12368600	0.39240100
H	1.76795800	0.83896500	-0.35087700
C	3.16715300	3.44576900	2.30873200
C	3.81840600	4.67141700	2.57424500
C	3.47561500	5.78500700	1.85400400
C	1.89469700	4.39733000	0.60999500
C	2.50588700	5.67318200	0.82947200
C	0.96421800	4.27439200	-0.44983200
C	2.14518200	6.77488000	0.01333200
C	0.64065000	5.36172100	-1.23265800
H	0.50774700	3.31465300	-0.63603200
C	1.22667500	6.62655800	-0.99980200
H	-0.07758600	5.24212800	-2.03823000
H	4.58197900	4.70583300	3.34408000
H	3.94981500	6.74494000	2.03952800
H	2.61584200	7.73596700	0.20268300
H	0.95461900	7.47317500	-1.62268300
N	2.21354800	3.30577100	1.39303100
C	1.47305000	-1.48355200	0.41777400
C	0.92349500	-0.65412700	1.33078100
H	1.28616000	-2.56042800	0.42617600
H	2.13721200	-1.14575200	-0.37530100
C	0.09302100	-1.30661300	2.38058400
C	-1.21170200	-0.87342600	2.68052000
C	0.60145100	-2.38445000	3.13074200
C	-1.96938200	-1.48901200	3.67385200
H	-1.64089400	-0.05168900	2.11831900
C	-0.14885600	-2.99262500	4.13767000
H	1.60421400	-2.74394000	2.91787400
C	-1.44118200	-2.54813700	4.41605700
H	-2.97782200	-1.13514500	3.87325500
H	0.27944800	-3.81570200	4.70488200
H	-2.02836000	-3.01721600	5.20089600
H	2.20094200	1.47072800	-0.28542800

XIV

0 1

Mn	1.52092300	1.16057600	1.15812900
S	1.47406100	-1.28294700	0.83711200
O	-0.11602500	1.11771100	3.64515900
O	-0.91188600	1.54431400	-0.42410300
C	3.52139500	1.65331000	3.23042200
H	4.49836400	1.70131100	3.73057100
H	2.76269300	1.45638000	3.99667000
C	3.31960100	-0.79596600	2.88356900
H	4.17494900	-1.41389300	2.59750100
H	3.33997400	-0.68676800	3.97230900
C	-0.08402900	-2.44243700	2.53674600
H	-0.93291400	-2.94587300	2.98617800
C	0.56477400	1.10560500	2.70077300
C	2.03647500	-1.46142100	2.49527000
C	0.04794300	1.44771000	0.23057700
C	-0.05377500	-2.03740600	1.23905800
H	-0.80862500	-2.15614200	0.47412100
N	3.47104400	0.55301200	2.25303600
C	1.10908800	-2.09676400	3.26221500
H	1.23286000	-2.26047600	4.32742700
B	4.52810300	0.59343200	1.24082600

O	4.98084900	-0.55685600	0.65594300
O	5.29152400	1.69911000	1.00004600
C	6.09970700	-0.20348100	-0.20763200
C	6.48660500	1.25107300	0.29600400
C	6.79680900	2.24467200	-0.81606600
H	6.99482200	3.22852900	-0.37850400
H	7.68917700	1.93341200	-1.37059100
H	5.96727100	2.34386600	-1.51560500
C	7.60667900	1.26013400	1.34122200
H	8.56872400	0.97041000	0.90752800
H	7.70112800	2.27222800	1.74617300
H	7.38194200	0.58325700	2.17176700
C	5.59296000	-0.25394100	-1.64688300
H	6.39305500	-0.03226500	-2.35996300
H	5.21760400	-1.26163300	-1.85113300
H	4.77824000	0.44948100	-1.80115700
C	7.18810900	-1.25438400	-0.00350000
H	6.81695400	-2.22762800	-0.33852200
H	8.07727100	-1.00901200	-0.59428000
H	7.47905600	-1.34518200	1.04537700
C	3.21919000	2.99537600	2.61142300
C	3.90795700	4.12691500	3.09889400
C	3.58988200	5.37075400	2.62069600
C	1.94864500	4.29910900	1.15942300
C	2.59152900	5.49041800	1.62813200
C	0.98124400	4.42438100	0.13321000
C	2.23125100	6.74868600	1.08027900
C	0.65529200	5.65927400	-0.38130400
H	0.52282800	3.53509200	-0.26234700
C	1.27758900	6.83628200	0.09460400
H	-0.08567000	5.72465400	-1.17219500
H	4.68248900	3.98879300	3.84549700
H	4.09794100	6.26119100	2.98083600
H	2.73072900	7.63792700	1.45563100
H	1.00662800	7.80089700	-0.32390400
N	2.27093700	3.05820600	1.67631700
C	2.41289900	1.27611200	-0.69280300
H	2.20640800	0.44012700	-1.37619100
C	3.05132100	2.31753800	-1.27075500
H	3.31989500	3.17878700	-0.66111800
C	3.47075800	2.47086100	-2.67292400
C	3.21348600	1.51516100	-3.67571800
C	4.17516700	3.63038200	-3.05093100
C	3.65375400	1.70465700	-4.98179900
H	2.66004300	0.61616200	-3.42141100
C	4.61561900	3.82384500	-4.35895000
H	4.37470200	4.38671800	-2.29470700
C	4.36077700	2.85873200	-5.33433000
H	3.44142900	0.94863300	-5.73376600
H	5.15812500	4.73000300	-4.61709600
H	4.70183900	3.00399600	-6.35557800

XIVA

0 1

Mn	1.54880500	0.93852800	1.06863900
S	1.37955200	-1.56351200	1.21980700
O	-0.12416300	1.25812600	3.50760400
O	-0.83815800	1.08433800	-0.62149300
C	3.54622800	1.66393700	3.05082400
H	4.53733600	1.79807800	3.50659100
H	2.83133600	1.47127200	3.86014100
C	3.46766000	-0.80251300	2.89606000
H	4.23295600	-1.46200500	2.48154900
H	3.71669300	-0.63170800	3.94904400
C	-0.01264700	-2.27396400	3.27070900
H	-0.82191300	-2.63026200	3.89830400
C	0.56802800	1.09977700	2.58537300
C	2.12225800	-1.44538100	2.80907300
C	0.10120900	1.08924000	0.06807300
C	-0.11618500	-2.13719700	1.92138500
H	-0.95783500	-2.36037500	1.28046500
N	3.52283800	0.49737800	2.15328700
C	1.26701800	-1.86087500	3.78265700
H	1.50969200	-1.82630600	4.83938100
B	4.55290500	0.51269700	1.10995700

O	5.08750700	-0.64968700	0.62408600
O	5.24832000	1.64053400	0.76654400
C	6.20109900	-0.30528400	-0.24825100
C	6.48258700	1.21191000	0.12079700
C	6.75113900	2.11390400	-1.07796600
H	6.88785800	3.14512400	-0.73822300
H	7.66583600	1.79988900	-1.59285100
H	5.92271600	2.10373700	-1.78632900
C	7.58004100	1.39588200	1.17383800
H	8.56730300	1.13313900	0.78172200
H	7.59850100	2.44574000	1.48130300
H	7.38563400	0.78679900	2.06240800
C	5.74307300	-0.52455300	-1.68917800
H	6.55672600	-0.32963200	-2.39523600
H	5.43104500	-1.56750300	-1.80221500
H	4.89163600	0.11075300	-1.93139200
C	7.34926400	-1.25799400	0.07771200
H	7.05068600	-2.28072200	-0.17136600
H	8.23750800	-1.01062600	-0.51358200
H	7.61514800	-1.23109500	1.13675700
C	3.13392700	2.94943700	2.37892900
C	3.68727100	4.15433400	2.86064100
C	3.20799700	5.35162900	2.39448300
C	1.71889200	4.09067200	0.92376700
C	2.19557600	5.35012700	1.41076500
C	0.76710100	4.09853700	-0.12289200
C	1.67823300	6.55586000	0.87066900
C	0.29521800	5.28351100	-0.63766700
H	0.45081900	3.16213700	-0.54704400
C	0.74175200	6.52671000	-0.13342800
H	-0.41556500	5.25870600	-1.45724400
H	4.47323300	4.11108200	3.60718600
H	3.60003800	6.29697700	2.75985400
H	2.05156900	7.49915500	1.26063300
H	0.35632000	7.45144500	-0.55225700
N	2.19146400	2.89825500	1.43631400
C	2.44032000	0.63078200	-0.79286400
H	2.45740900	-0.44784400	-1.00547500
C	2.72127900	1.30870000	-1.93122600
H	2.86428500	0.73542300	-2.85627300
C	2.85378500	2.76145400	-2.16358800
C	2.26778800	3.33936000	-3.30420400
C	3.61457200	3.59287400	-1.32553500
C	2.39698400	4.70015900	-3.57288000
H	1.68926800	2.70749800	-3.97432400
C	3.76331200	4.95081900	-1.60432600
H	4.09137800	3.15730900	-0.45767800
C	3.14708100	5.51545300	-2.72089200
H	1.91684100	5.12578200	-4.45064900
H	4.35329100	5.57267700	-0.93592900
H	3.25410100	6.57638900	-2.93019500

XIVB

0 1

Mn	1.50673600	1.14278100	0.90503400
S	1.02086600	-1.27414200	0.72418900
O	-0.22183300	1.33509200	3.31684000
O	-0.80425800	1.95189500	-0.70149400
C	3.37832500	1.31377300	3.11217700
H	4.30612000	1.27269600	3.70123700
H	2.55455600	1.01425000	3.76940600
C	3.24444500	-1.05271500	2.38088300
H	3.87917800	-1.65852700	1.73151500
H	3.59873200	-1.19669600	3.40937900
C	-0.39395200	-2.08034000	2.72785200
H	-1.22457600	-2.41735600	3.33803300
C	0.49179600	1.21094300	2.40571900
C	1.82107600	-1.49175300	2.27693800
C	0.11292000	1.66452000	-0.04188600
C	-0.51909500	-1.72662800	1.42043300
H	-1.40285400	-1.73816800	0.79752000
N	3.42287200	0.37474100	1.97569600
C	0.94790900	-1.92783900	3.22560300
H	1.22932000	-2.09481900	4.26012600
B	4.59484000	0.58712800	1.11876100

O	5.21889700	-0.43779400	0.46249500
O	5.28895000	1.76199200	1.11808800
C	6.41898600	0.08999600	-0.17562700
C	6.57896900	1.52534700	0.49350700
C	6.84158600	2.66053900	-0.49092200
H	6.86907300	3.60948100	0.05374800
H	7.80594500	2.52594600	-0.99261200
H	6.05493100	2.72310100	-1.24324600
C	7.60481700	1.57022000	1.62996300
H	8.62506700	1.42500600	1.26172600
H	7.54872200	2.54930200	2.11519100
H	7.39556300	0.80738200	2.38604800
C	6.16855600	0.12363900	-1.68260900
H	7.04484800	0.50735300	-2.21493700
H	5.97038300	-0.89209300	-2.03589800
H	5.30004100	0.73496900	-1.92463300
C	7.55541200	-0.88328800	0.13188400
H	7.32724600	-1.85396900	-0.31833000
H	8.49915800	-0.52572200	-0.29353400
H	7.68928600	-1.03137800	1.20569300
C	3.15329000	2.73465100	2.65223200
C	3.72492200	3.78784300	3.39693800
C	3.47027600	5.08594000	3.03708500
C	2.15484300	4.22512200	1.16637500
C	2.67381000	5.34158200	1.89760100
C	1.40766500	4.48000300	-0.00935700
C	2.39188700	6.66074600	1.45828700
C	1.15626500	5.77257300	-0.41296500
H	1.07565600	3.64535200	-0.60391900
C	1.63987600	6.87603200	0.32771200
H	0.58424400	5.94344500	-1.31997400
H	4.35367000	3.54948700	4.24832400
H	3.88003000	5.91856100	3.60243200
H	2.78731900	7.49391200	2.03329400
H	1.42616200	7.88749000	-0.00463600
N	2.38060700	2.92913800	1.58388700
C	2.51203300	1.17334100	-0.94439100
C	3.28777100	2.18547200	-1.37365200
H	3.56350200	3.02216800	-0.73907100
C	2.20569000	0.10190800	-1.92728200
C	2.87563600	-1.13494000	-1.90063300
C	1.19788700	0.27772000	-2.89144000
C	2.55958800	-2.14715200	-2.80618700
H	3.64872400	-1.29582500	-1.15683900
C	0.87378500	-0.73865900	-3.79102700
H	0.66153800	1.22103700	-2.92244300
C	1.55338500	-1.95788500	-3.75573000
H	3.09849900	-3.09114400	-2.76591800
H	0.08941800	-0.57422200	-4.52609300
H	1.30242200	-2.74860300	-4.45762600
H	3.68711800	2.22288800	-2.39252400

XV
0 1

Mn	1.69342100	1.18832500	1.14591800
S	6.05181400	-1.67867900	3.22129100
O	0.07914000	0.62594100	3.59114200
O	-0.83918600	1.73686800	-0.23639300
C	3.65997600	1.47538000	3.18204500
H	4.65311800	1.45589100	3.64482300
H	2.93591400	1.19272100	3.95563300
C	3.37374000	-0.89956600	2.57810100
H	2.38730800	-0.97031000	3.04257100
H	3.38264100	-1.55041400	1.70142800
C	5.31729100	-1.86031100	5.68544400
H	5.32767100	-2.02346100	6.75723600
C	0.76063400	0.86097300	2.67567000
C	4.38128300	-1.33206200	3.60242800
C	0.16360100	1.57284200	0.32983500
C	6.41715900	-2.00433300	4.88631100
H	7.42020800	-2.28991000	5.17366700
N	3.55336600	0.49740700	2.08217500
C	4.15697500	-1.47319800	4.94840300
H	3.18173400	-1.30676500	5.39478600
B	4.63058200	0.61837600	1.08812700

O	5.13511100	-0.48105700	0.45123600
O	5.34292000	1.76570000	0.90704100
C	6.24346700	-0.03728600	-0.38978800
C	6.54731500	1.42098600	0.16298600
C	6.75923000	2.47388800	-0.91835200
H	6.89477700	3.45278600	-0.44735300
H	7.65868200	2.24978300	-1.50244000
H	5.90859700	2.53550500	-1.59711200
C	7.68997700	1.47014600	1.18156100
H	8.65598000	1.25275300	0.71528700
H	7.73313000	2.47576700	1.61105300
H	7.52588900	0.76020500	1.99747800
C	5.74927800	-0.07268200	-1.83348200
H	6.53715600	0.22453700	-2.53252100
H	5.44382600	-1.09553700	-2.07539700
H	4.89149600	0.57935400	-1.97518800
C	7.39065500	-1.02967500	-0.21849700
H	7.06516500	-2.01771100	-0.55751900
H	8.24875100	-0.72741800	-0.82867300
H	7.71229900	-1.11709400	0.81973100
C	3.34743200	2.86809600	2.70798000
C	4.03616300	3.95555600	3.28361100
C	3.72161400	5.23311300	2.90151900
C	2.09362100	4.28125900	1.34117700
C	2.73804300	5.42999000	1.90599200
C	1.15268000	4.49049400	0.30409400
C	2.39553500	6.72774800	1.44657400
C	0.84643400	5.76311400	-0.12520900
H	0.70017900	3.63976900	-0.17462500
C	1.46228700	6.89674500	0.45181800
H	0.12618500	5.89149600	-0.92742000
H	4.80616100	3.75618900	4.02098100
H	4.22460500	6.09286000	3.33547600
H	2.89422500	7.58243500	1.89580500
H	1.20545700	7.89193300	0.10178600
N	2.39380900	3.00522400	1.78419400
C	2.47917400	1.25308200	-0.69666100
H	2.30687900	0.32395400	-1.26892900
C	2.99665700	2.28023200	-1.40377800
H	3.20503000	3.21374400	-0.88009200
C	3.34729800	2.33462600	-2.83091200
C	3.05171500	1.30258200	-3.74269100
C	4.02129600	3.46638400	-3.32766400
C	3.43318000	1.39103600	-5.07762100
H	2.51444200	0.42548800	-3.39411200
C	4.40306300	3.55828400	-4.66496400
H	4.24622500	4.28119400	-2.64276600
C	4.11493400	2.51761400	-5.54900500
H	3.19268100	0.57879400	-5.75897400
H	4.92536200	4.44419700	-5.01734300
H	4.40936000	2.58444800	-6.59258700

XVI
0 1

Mn	1.73687600	1.42399300	1.10608700
S	6.30592300	-1.23808800	3.31690000
O	0.25021700	1.16180300	3.67239900
O	-0.82437900	1.91920500	-0.24160900
C	3.76170000	1.93884900	3.14395600
H	4.75301100	2.00588100	3.60565400
H	3.05673400	1.66789400	3.93909500
C	3.61684000	-0.47511000	2.74509500
H	2.64775500	-0.53930900	3.24706400
H	3.62600300	-1.20579500	1.93924500
C	5.75975300	-1.04096300	5.82657300
H	5.84800500	-1.05160100	6.90724400
C	0.87513200	1.24454100	2.69320200
C	4.68100600	-0.76934800	3.76218500
C	0.18662400	1.76408500	0.31081800
C	6.79007500	-1.34321700	4.97985500
H	7.80326200	-1.62525600	5.23303200
N	3.71245700	0.87905100	2.11958600
C	4.55792500	-0.71449300	5.12735600
H	3.62425500	-0.45343000	5.61539100
B	4.78889500	0.98528600	1.13003500

O	5.30460700	-0.10193500	0.48038900
O	5.49216400	2.14296900	0.94579900
C	6.39178700	0.36901800	-0.36864300
C	6.71060400	1.80268700	0.22499600
C	6.97464500	2.87882400	-0.82085800
H	7.11661100	3.84211700	-0.32033000
H	7.88758200	2.65098500	-1.38245300
H	6.14805800	2.97971400	-1.52346400
C	7.82952500	1.80252300	1.27131400
H	8.80338800	1.59068900	0.81866100
H	7.87395400	2.79252400	1.73564800
H	7.63977600	1.06728400	2.05809300
C	5.86794400	0.39967100	-1.80426800
H	6.63750600	0.74343000	-2.50215100
H	5.57707600	-0.61439900	-2.09390800
H	4.99583000	1.04586200	-1.89141900
C	7.53797300	-0.63252300	-0.26023900
H	7.20238800	-1.60494800	-0.63371300
H	8.38892000	-0.30901500	-0.86975500
H	7.87231200	-0.76343800	0.76965200
C	3.36975400	3.28528400	2.60238100
C	3.98960800	4.43066100	3.14930400
C	3.59796200	5.67438000	2.73230500
C	2.03996400	4.58047600	1.19619800
C	2.60725600	5.78275000	1.73016100
C	1.10237600	4.70246900	0.14217200
C	2.19123600	7.04412000	1.23151000
C	0.72513800	5.94092300	-0.32784800
H	0.71640000	3.81270400	-0.32105400
C	1.26217100	7.12682900	0.22228900
H	0.01104100	6.00153000	-1.14344700
H	4.76839000	4.29953900	3.89269100
H	4.04675000	6.57538600	3.14179100
H	2.63208400	7.93996300	1.66081400
H	0.94984500	8.09379500	-0.16042600
N	2.41736200	3.33742300	1.67264000
C	2.51520000	1.72520800	-0.78122300
H	2.11652400	1.11361800	-1.59618500
C	3.26203300	2.77001200	-1.20359000
H	3.68881200	3.45186200	-0.47092100
C	3.58503200	3.15993800	-2.58563600
C	3.25911900	2.38625500	-3.71647700
C	4.26532000	4.37307200	-2.80695800
C	3.60396100	2.80215700	-4.99855200
H	2.72767000	1.45069400	-3.58195700
C	4.61067900	4.79319700	-4.09019100
H	4.51689100	4.99164300	-1.94826700
C	4.28478100	4.00759500	-5.19670700
H	3.34071800	2.18199500	-5.85203300
H	5.13435100	5.73619900	-4.22629600
H	4.55352000	4.32900700	-6.19911200
O	0.91144800	-1.10831600	-1.09914500
B	1.68681900	-0.95734400	0.00626600
O	2.69985900	-1.86243800	0.11774700
C	2.49179200	-2.86471500	-0.92237900
C	1.57459500	-2.09840100	-1.94813600
C	1.79206300	-4.04530500	-0.24419800
H	1.64407800	-4.87641100	-0.94077000
H	2.41193600	-4.39547000	0.58639500
H	0.81837900	-3.75020600	0.15846900
C	3.85352700	-3.28820300	-1.45675800
H	4.42055300	-3.78095400	-0.66113600
H	3.74091200	-3.99472700	-2.28640200
H	4.43128900	-2.42890900	-1.79859600
C	2.36780300	-1.32630000	-3.00266800
H	2.84275500	-2.00640100	-3.71695900
H	1.68337100	-0.67261200	-3.55088000
H	3.13856000	-0.70324300	-2.54428500
C	0.49867100	-2.94942900	-2.61083300
H	-0.09923200	-2.32425500	-3.28057100
H	0.95290600	-3.75012900	-3.20506600
H	-0.17304500	-3.39581700	-1.87501100
H	1.34363100	-0.32571500	0.98468000

HBpin

O 1			
B	-0.68896800	-1.27936600	0.86846400
O	-1.21623700	-2.50557300	0.57526000
O	0.29488800	-1.30821300	1.81650200
C	-0.38113400	-3.49950800	1.24045400
C	0.31180500	-2.65630200	2.37337300
C	1.75636300	-3.04011400	2.67125200
H	2.15663600	-2.38533000	3.45121200
H	1.81503700	-4.07360400	3.03047400
H	2.38978500	-2.94027600	1.78767000
C	-0.50019800	-2.59999600	3.67059100
H	-0.48837500	-3.56120500	4.19413400
H	-0.06496600	-1.84166400	4.32780100
H	-1.54029600	-2.32229700	3.47493700
C	0.59928100	-4.01876500	0.18470500
H	1.22897100	-4.82157900	0.58115600
H	0.03080500	-4.41071700	-0.66360100
H	1.24681300	-3.21697700	-0.18279600
C	-1.27416900	-4.63193200	1.73337200
H	-1.72695800	-5.14127800	0.87730500
H	-0.68948100	-5.36726500	2.29730600
H	-2.07914500	-4.26145600	2.37107100
H	-1.05404500	-0.27583000	0.34483100

Styrene

O 1			
C	0.38380500	-1.26183500	1.32151400
H	0.78158500	-1.31169300	2.33500700
C	-1.08211600	-1.33789300	1.23869900
C	-1.82262200	-1.47007400	2.42442800
C	-1.78586300	-1.28448200	0.02251700
C	-3.21400500	-1.54704500	2.40241900
H	-1.29472900	-1.51276700	3.37412100
C	-3.17419000	-1.36106200	-0.00192700
H	-1.24168900	-1.18178800	-0.91130200
C	-3.89650000	-1.49286400	1.18774700
H	-3.76382900	-1.64920200	3.33390000
H	-3.69784700	-1.31772200	-0.95300500
H	-4.98086900	-1.55231700	1.16504300
C	1.25067700	-1.14190900	0.30901300
H	0.93854200	-1.08623100	-0.73012900
H	2.31948200	-1.09513800	0.49228600

KHMDs

O 1			
N	1.42731800	0.01696100	1.12218400
Si	0.64073500	1.06545300	0.06642900
Si	2.75920300	0.11921400	2.14599300
C	2.99700900	-1.59350300	2.99373300
H	2.12020800	-1.87613100	3.59870900
H	3.18922500	-2.39130100	2.25812200
H	3.85461700	-1.59282900	3.67760600
C	2.58893100	1.36618500	3.57115500
H	3.45350900	1.35046300	4.24759100
H	2.49143100	2.38638100	3.17938200
H	1.68963900	1.16162300	4.16577900
C	4.41349300	0.49029000	1.28533900
H	4.38519700	1.47840000	0.80924000
H	5.26092300	0.48127400	1.98324000
H	4.61750900	-0.24288700	0.49481700
C	-0.13767700	2.59761100	0.87979600
H	0.63833400	3.22779000	1.33204000
H	-0.69309000	3.21655300	0.16303400
H	-0.82693300	2.30818000	1.68308000
C	-0.82640100	0.11483700	-0.74105400
H	-0.48032800	-0.75656500	-1.32028200
H	-1.55483100	-0.22901700	0.01107000
H	-1.38403600	0.74785900	-1.44212300
C	1.69572200	1.69111300	-1.38650400
H	1.12193300	2.31713700	-2.08232500
H	2.53917700	2.28909600	-1.01939300
H	2.11805200	0.85258800	-1.95453600
K	0.37211100	-2.25897300	1.16254500

HMDSH

O 1			
N	1.36944800	-0.10287100	1.12010000
Si	0.68572200	0.101109800	-0.04116000
Si	2.68257000	0.11004400	2.25457000
C	3.28266100	-1.60610100	2.76099500
H	2.47706800	-2.19478100	3.21736500
H	3.66079900	-2.16650100	1.89820300
H	4.09269300	-1.53767800	3.49684300
C	2.13177500	1.05519300	3.79426300
H	2.95660000	1.18171400	4.50677800
H	1.76167800	2.05298800	3.53179400
H	1.32031400	0.52820600	4.31005400
C	4.08033100	1.07271700	1.42883500
H	3.75070400	2.06417500	1.09664300
H	4.91645300	1.22335500	2.12247200
H	4.46020000	0.53799700	0.55103900
C	0.54746500	2.72627800	0.73449800
H	1.52545100	3.11318400	1.04413800
H	0.12274000	3.44612200	0.02431800
H	-0.09630100	2.70441000	1.62099400
C	-1.02590400	0.36769700	-0.50827800
H	-0.97288600	-0.64108300	-0.93641500
H	-1.68830400	0.32798600	0.36415000
H	-1.49764200	1.01480200	-1.25729200
C	1.74777500	1.13957400	-1.59743800
H	1.31338000	1.83585000	-2.32580000
H	2.75659100	1.49443300	-1.35725600
H	1.84969800	0.16309500	-2.08558700
H	0.93240000	-1.01889500	1.14060400

CO

O 1			
C	-0.73541700	-1.20731600	0.82449100
O	0.40252300	-1.20731600	0.82449100

KBr

O 1			
Br	2.55142100	0.93424300	-0.83764900
K	3.35252300	3.30898000	-2.32859300

H₂

O 1			
H	-0.03022300	-1.20731600	0.82449100
H	-0.77301100	-1.20731600	0.82449100

Trans-borylated product

O 1			
B	0.79380300	-2.93052900	0.37112400
O	-0.42935400	-3.55967600	0.37037300
O	1.33265800	-2.80470300	1.63347300
C	-0.64537100	-4.08188600	1.70913900
C	0.29390100	-3.17076500	2.58007400
C	0.94213900	-3.86579900	3.77156900
H	1.58941500	-3.16010300	4.30143300
H	0.18017500	-4.22214100	4.47384100
H	1.55291600	-4.71440600	3.45699100
C	-0.37626600	-1.86712000	3.02577300
H	-1.13278400	-2.04505000	3.79673500
H	0.38716400	-1.19982700	3.43643100
H	-0.85161000	-1.35964700	2.18087500
C	-0.20642800	-5.54946600	1.68438000
H	-0.39908800	-6.04441200	2.64161200
H	-0.76693500	-6.07296000	0.90433500
H	0.85960800	-5.63775600	1.45400600
C	-2.12977900	-3.97967900	2.03950400
H	-2.70099200	-4.63109800	1.37093100
H	-2.31997900	-4.29869500	3.07044400
H	-2.49898400	-2.95973500	1.91480000
C	1.48877600	-2.41622000	-0.90566500
H	1.01701500	-2.60160000	-1.87027200
C	2.65877900	-1.74824500	-0.85191300
H	3.09746800	-1.58105500	0.13224200
C	3.44022200	-1.20354200	-1.96668600
C	3.03995500	-1.31654700	-3.31065500
C	4.64512700	-0.53595300	-1.68852900

C	3.81672200	-0.78161800	-4.33213800
H	2.11369000	-1.82737900	-3.55438100
C	5.42498500	0.00053600	-2.71067400
H	4.96720800	-0.44112700	-0.65440000
C	5.01315900	-0.12036200	-4.03783900
H	3.49036300	-0.87921600	-5.36390400
H	6.35296200	0.51232700	-2.47137000
H	5.61763900	0.29626800	-4.83852600

Cis-borylated product

O 1			
C	2.14925000	4.58786800	-0.42098600
C	3.32728000	4.49472100	-1.08121000
H	3.34535700	3.78290200	-1.90892000
B	1.62030200	5.42206000	0.76821600
O	0.29874500	5.29036400	1.13858200
O	2.29284600	6.32511100	1.56389400
C	0.11872700	5.99165800	2.39528300
C	1.30576500	7.01869300	2.37648500
C	0.96918300	8.31931800	1.64124700
H	0.27667900	8.93986000	2.21876300
H	1.89137400	8.88577400	1.48178300
H	0.52279100	8.11504500	0.66348900
C	1.92320400	7.32149900	3.73604700
H	2.75116100	8.02720200	3.61623900
H	1.18290900	7.77661500	4.40332700
H	2.31316100	6.41835700	4.20955100
C	-1.27161200	6.61623400	2.41343500
H	-2.02892200	5.82640900	2.40520500
H	-1.41494200	7.21633700	3.31898700
H	-1.43698500	7.25229400	1.54156500
C	0.24576200	4.94470800	3.50673100
H	0.05698700	5.37889000	4.49373400
H	-0.48733200	4.15224500	3.33045100
H	1.24157800	4.49119600	3.50916600
H	1.37554400	3.92702400	-0.81630600
C	4.62382100	5.16460800	-0.92491200
C	4.93155100	6.11274100	0.06912000
C	5.63302500	4.82380400	-1.84670600
C	6.19684000	6.68990100	0.12622900
H	4.18017800	6.39513200	0.79383800
C	6.89751000	5.40236900	-1.78817000
H	5.41346000	4.09200600	-2.62051800
C	7.18526300	6.34147300	-0.79753300
H	6.41460700	7.41944600	0.90192500
H	7.65604400	5.12045100	-2.51315900
H	8.17026600	6.79701100	-0.74428000

Gem-borylated product

O 1			
C	0.23821200	-0.25646300	0.05482200
C	1.62595100	-0.17573000	-0.07337900
C	2.25738700	1.06560700	-0.07981100
C	1.51944800	2.25592300	0.03566100
C	0.12583900	2.15730900	0.18265300
C	-0.50716400	0.91583200	0.18521200
H	-0.25559400	-1.22421400	0.06382600
H	2.21927500	-1.08230300	-0.15828300
H	3.33988700	1.11825700	-0.15213100
H	-0.45986000	3.06211000	0.29744700
H	-1.58747300	0.86453800	0.29206700
C	2.19165400	3.57926800	-0.00973400
C	3.27749200	3.78685600	-0.77914700
H	3.68943300	3.01628200	-1.42788600
H	3.77729600	4.75074800	-0.79014200
B	1.67648500	4.78607300	0.83350300
O	0.63717600	4.72876600	1.72993900
O	2.24263200	6.03708500	0.75178800
C	0.34444000	6.09220000	2.14325600
C	1.69961900	6.82799200	1.84291400
C	1.55962500	8.27170400	1.37571400
H	1.08303500	8.88410300	2.14929000
H	2.55020700	8.69017400	1.17299400
H	0.96897900	8.34140000	0.46011900
C	2.70352800	6.73644200	2.99620400

H	3.68053400	7.07795300	2.64207200
H	2.40321900	7.36189300	3.84282900
H	2.81039300	5.70482600	3.34500300
C	-0.81299300	6.57669300	1.26485600
H	-1.65615200	5.88899600	1.37930800
H	-1.14378100	7.57984600	1.55171300
H	-0.52672400	6.59257300	0.20884100
C	-0.07243000	6.07678800	3.60869100
H	-0.23148800	7.09686400	3.97572000
H	-1.01099800	5.52499700	3.71823400
H	0.67955200	5.59216800	4.23440400

VIII-CN-1

O 1

Mn	1.99051500	2.28047800	1.24041900
S	5.68018200	-0.22730600	4.84652000
O	0.14960200	2.98006600	3.46404700
O	0.01681000	2.71724600	-0.86672300
C	4.49083000	3.29392600	2.73503500
H	5.58347100	3.25264400	2.73381700
H	4.19433200	3.63026400	3.73497800
C	3.52708400	1.33030600	3.82731600
H	2.74680800	1.95258900	4.26958500
H	3.08582900	0.36672400	3.61032500
C	6.02458000	1.54652700	6.68060300
H	6.40417900	2.07628300	7.54703500
C	0.91648500	2.65726900	2.64968400
C	4.63457100	1.17431200	4.82818000
C	0.79388000	2.60568300	0.00012300
C	6.52334200	0.34903000	6.24693800
H	7.33339000	-0.23006500	6.66945100
N	3.90357500	1.95406700	2.51945400
C	4.94249400	2.00972200	5.87322600
H	4.38967200	2.92220700	6.07271600
B	4.75698600	1.11649300	1.68320000
O	4.77945800	-0.25186600	1.79021000
O	5.74631300	1.62255900	0.87372700
C	5.79337400	-0.74447000	0.86107600
C	6.68801700	0.53072300	0.64324200
C	7.27311100	0.65581600	-0.75517100
H	7.84357200	1.58582800	-0.83838000
H	7.95265100	-0.17931600	-0.95779100
H	6.49113600	0.66047400	-1.51273000
C	7.79455100	0.69068300	1.69049000
H	8.58356900	-0.05585800	1.55582200
H	8.23958700	1.68442300	1.58089500
H	7.40076300	0.60145700	2.70654700
C	5.07403000	-1.20382100	-0.40893400
H	5.78338300	-1.63610600	-1.12227100
H	4.35012900	-1.98151700	-0.14488300
H	4.53772200	-0.38371900	-0.89247000
C	6.50831700	-1.91824900	1.51934100
H	5.80179400	-2.74132700	1.66468000
H	7.32009600	-2.27885900	0.87808300
H	6.92013000	-1.64854500	2.49263200
C	4.01387300	4.35276600	1.78651900
C	4.87971300	5.41511000	1.44630000
C	4.39917300	6.45569200	0.69269000
C	2.20672500	5.38899900	0.76606000
C	3.02619600	6.48941200	0.36038900
C	0.81123300	5.47593100	0.54872400
C	2.44452500	7.57676100	-0.33887800
C	0.27038900	6.55843700	-0.10980400
H	0.17213700	4.69587100	0.93420600
C	1.09143700	7.60751800	-0.58397800
H	-0.80391300	6.60787400	-0.25974000
H	5.91638800	5.37274800	1.76263400
H	5.04828000	7.26682600	0.37328800
H	3.08820800	8.39182700	-0.65935400
H	0.64828200	8.44446100	-1.11501800
N	2.75171400	4.28825300	1.38880000
O	3.31166700	3.67599800	-1.13813500
O	3.32977800	1.45240200	-1.58713200
B	3.02338400	2.41767700	-0.62906800
C	3.53362000	2.11754000	-2.86525200

C	5.46471400	3.70635500	-2.16789800
H	6.04522000	3.64969900	-3.09501300
H	5.64455000	4.68178800	-1.70535600
H	5.81570200	2.94113800	-1.47287400
C	3.45840500	4.68711000	-3.31372900
H	3.76392600	5.64877700	-2.88929300
H	3.87781600	4.60815000	-4.32346200
H	2.36879500	4.68414000	-3.38269300
C	3.96154600	3.55678100	-2.42095700
C	2.18380600	2.08432400	-3.59137800
H	2.25137000	2.52972200	-4.58948100
H	1.86878900	1.04166200	-3.69984800
H	1.41331500	2.60918200	-3.02105100
C	4.57212000	1.35236400	-3.67559000
H	4.21595200	0.33481300	-3.86569800
H	4.73802500	1.83992700	-4.64311500
H	5.53039300	1.28857000	-3.15856700
C	0.90793600	0.23894500	1.55410300
C	1.84300000	0.20577600	0.52206800
H	2.78621400	-0.29762200	0.67489100
H	1.52318100	0.25545200	-0.50915200
H	-0.11306500	0.52077800	1.30982600
C	1.02215100	-0.50408900	2.82454300
C	0.11354100	-0.25824300	3.87106300
C	1.99264500	-1.50731800	3.01775400
C	0.20397500	-0.93370500	5.07973100
H	-0.65466900	0.49608500	3.73886600
C	2.09627400	-2.18712300	4.22402000
H	2.69489200	-1.73108100	2.22498600
C	1.20778300	-1.89904300	5.27325600
H	-0.49301000	-0.71843000	5.88293100
H	2.86302500	-2.94187300	4.36359900
C	1.31922500	-2.58801800	6.52164900
N	1.41337600	-3.14813000	7.53749500

VIII-CN-2

O 1

Mn	1.88665700	2.58736500	1.37575900
S	5.28632000	-0.28179200	4.97813200
O	-0.00502400	3.32204600	3.55632100
O	-0.16757200	2.94025500	-0.67157000
C	4.28046800	3.32122600	3.07509500
H	5.33975700	3.22409700	3.33602300
H	3.76351000	3.68875500	3.97013100
C	3.15136200	1.31703100	3.93532100
H	2.36353400	1.94404700	4.35690300
H	2.68114600	0.39730800	3.59284400
C	5.34999800	1.27712600	7.02752700
H	5.61811500	1.72323200	7.97871300
C	0.79517600	2.99358700	2.77639300
C	4.15620300	1.05261200	5.02015800
C	0.65382700	2.85579800	0.15909400
C	5.95900800	0.16621800	6.51349800
H	6.76469000	-0.41419500	6.94274200
N	3.68410400	2.01864700	2.73253300
C	4.31987400	1.77685700	6.17411400
H	3.70390900	2.63868300	6.41021300
B	4.50731300	1.17833200	1.87420100
O	4.45915900	-0.19295600	1.96218700
O	5.52976700	1.64880400	1.08757500
C	5.44784400	-0.72349700	1.02874500
C	6.40703600	0.51053000	0.83232800
C	6.99252700	0.63141400	-0.56600700
H	7.59726700	1.54048300	-0.63893900
H	7.63784400	-0.22704300	-0.78314900
H	6.20828700	0.67620600	-1.31975100
C	7.52464700	0.59171100	1.87729600
H	8.27234400	-0.19366600	1.72767800
H	8.02134100	1.56236200	1.78377800
H	7.12836900	0.50687500	2.89296500
C	4.70411700	-1.13590700	-0.24148500
H	5.39607500	-1.55514200	-0.97973800
H	3.97458200	-1.90922200	0.01348000
H	4.16712000	-0.29511900	-0.68502600
C	6.10671100	-1.94064800	1.66930800

H	5.36154100	-2.73194800	1.79631600	C	1.39914300	4.04333100	0.67326100
H	6.90048400	-2.32755900	1.02068100	H	1.21112600	4.57101400	1.59805700
H	6.53261300	-1.71011800	2.64679700	N	0.60001600	0.25003500	-1.14111400
C	4.10137300	4.37086800	2.01273900	C	1.89063900	3.54012000	-1.55768700
C	5.15547100	5.26091000	1.72450900	H	2.01845800	3.75569400	-2.61307700
C	4.94665400	6.29080100	0.83944800	B	1.27706600	-1.18825000	0.81587200
C	2.62799200	5.55615000	0.66425000	O	2.53223500	-0.66601900	1.05162000
C	3.65443900	6.48553000	0.30521500	O	1.30946100	-2.45521900	0.27466000
C	1.30804300	5.80152900	0.21680300	C	3.48949200	-1.74078800	0.88958300
C	3.34645100	7.56353100	-0.56481500	C	2.69691100	-2.80563200	0.02931200
C	1.03473500	6.86948500	-0.60643200	C	2.89245400	-4.25485700	0.47167400
H	0.51942200	5.14186400	0.54596600	H	2.28502400	-4.91224900	-0.15839200
C	2.06390800	7.74709200	-1.02471500	H	3.94057300	-4.55739300	0.36891700
H	0.01498800	7.04136000	-0.93775500	H	2.58415600	-4.40373800	1.50810300
H	6.12273000	5.09762900	2.18716500	C	2.96321200	-2.70190400	-1.47491700
H	5.75059300	6.96786600	0.56307000	H	3.97928400	-3.02783700	-1.72043900
H	4.14348200	8.24689700	-0.84652900	H	2.25933600	-3.35054100	-2.00578900
H	1.83232300	8.57526400	-1.68794000	H	2.82944100	-1.68312600	-1.84081900
N	2.90088900	4.45338100	1.44089400	C	3.82457800	-2.23061600	2.30339000
O	3.1534500	3.64748600	-1.20786100	H	4.58103800	-3.02197600	2.29263900
O	2.98946400	1.38751400	-1.38475500	H	4.21107300	-1.38775200	2.88373800
B	2.81008700	2.47775000	-0.53369200	H	2.93157500	-2.60629200	2.81154900
C	3.15701000	1.88184800	-2.74263100	C	4.74499200	-1.18179600	0.22724400
C	5.19980100	3.45163200	-2.37930800	H	5.19203600	-0.42493400	0.87892500
H	5.71171500	3.25109300	-3.32692300	H	5.48562600	-1.97269200	0.06381000
H	5.44840700	4.46801200	-2.05785000	H	4.52169200	-0.70950800	-0.73159200
H	5.57002000	2.76526700	-1.61577600	H	0.29430100	-0.78129100	1.34951900
C	3.15497800	4.38459900	-3.49212200	C	-1.34235800	-1.12732500	-1.42368300
H	3.52133500	5.37378400	-3.19901900	C	-1.98532500	-2.30009100	-1.88485600
H	3.50173800	4.17520800	-4.51100700	C	-3.21016300	-2.64281800	-1.38034900
H	2.06382400	4.42035300	-3.49018200	C	-3.14606700	-0.60073100	-0.03640800
C	3.67709100	3.34254200	-2.50646800	C	-3.83926400	-1.78260200	-0.44651300
C	1.77079200	1.83107500	-3.39524800	C	-3.81925500	0.30826300	0.81312400
H	1.80391000	2.15124200	-4.44226000	C	-5.13488600	-2.04889000	0.06221400
H	1.40518200	0.79990100	-3.36035200	C	-5.08785900	0.03123500	1.27724300
H	1.05674900	2.45657900	-2.85393300	H	-3.33577500	1.23783100	1.06988100
C	4.11486000	0.96838000	-3.49865300	C	-5.74970700	-1.16325100	0.91726700
H	3.69759600	-0.04242800	-3.55094700	H	-5.58532600	0.74824900	1.92344000
H	4.26143200	1.32905500	-4.52343500	H	-1.47987600	-2.91651200	-2.62074300
H	5.09172000	0.90788400	-3.01605600	H	-3.71738200	-3.55062000	-1.69581400
C	1.44064000	-0.43804700	1.27975600	H	-5.63638800	-2.96086900	-0.25077500
C	1.37889800	-1.85487000	1.26652200	H	-6.74459100	-1.36965900	1.29998400
C	2.23646600	-2.60131800	2.09759900	N	-1.86482500	-0.33173900	-0.48903700
C	0.47369000	-2.52899700	0.42252300	TS-II			
C	2.17925900	-3.98761800	2.07498600	0 1			
H	2.94944800	-2.08172800	2.72643700	Mn	1.62765900	1.20896900	1.45481300
C	0.43137200	-3.91390600	0.41388900	S	6.53017500	-1.36587300	3.30752200
H	-0.18463500	-1.95317500	-0.21947400	O	0.31834000	0.37299800	3.95567600
C	1.28099700	-4.67617800	1.23894800	O	-0.93996600	2.26100200	0.48491100
H	2.84469000	-4.55731300	2.71854200	C	3.81471700	1.66472500	3.55109900
H	-0.27174000	-4.41289400	-0.24488300	H	4.77941000	1.68074700	4.07340000
C	1.27118900	-6.14322500	1.26218300	H	3.04920500	1.42466500	4.30028600
H	1.98810600	-6.58979600	1.95049800	C	3.75309300	-0.75029800	3.12877300
C	0.49060400	-6.96004100	0.54256500	H	2.85446600	-0.83274800	3.74535700
H	-0.24975400	-6.59639800	-0.16431700	H	3.64119900	-1.46232700	2.31503900
H	0.57041200	-8.03774300	0.64249700	C	6.30406800	-1.36766000	5.87423600
N	1.54087100	0.72310500	1.32138900	H	6.53315500	-1.43999600	6.93168400
TS-I				C	0.84845900	0.76500600	2.99058400
0 1				C	4.94836300	-1.04795000	3.98780100
Mn	-0.53135300	1.06972000	0.18793500	C	0.07952700	1.84482500	0.85286200
S	1.53150000	2.29688600	0.67250200	C	7.23303600	-1.53714400	4.88577600
O	-1.94027100	3.32004900	-1.03646200	H	8.28660400	-1.75978000	4.98875600
O	-1.47036200	1.55077900	2.95587500	N	3.78283000	0.60829500	2.52843500
C	-0.02269000	-0.71331100	-2.00210100	C	5.00189800	-1.08582300	5.35711000
H	0.58656100	-1.61535900	-2.16638300	H	4.12586200	-0.91963100	5.97593200
H	-0.22655700	-0.29737100	-3.01146300	B	4.67186400	0.75082900	1.39186300
C	1.73739200	0.94089100	-1.73012900	O	5.06305900	-0.32892000	0.64330100
H	2.67430900	0.36929700	-1.61737100	O	5.25457300	1.93351600	1.02153500
H	1.59795900	1.11195000	-2.81128100	C	5.82341000	0.18775900	-0.48474000
C	1.65963300	4.55353100	-0.56002900	C	6.26104700	1.61980100	0.02047200
H	1.66910000	5.61653000	-0.77564800	C	6.22418400	2.71138400	-1.04282800
C	-1.38853000	2.44156900	-0.50973100	H	6.51680800	3.66639600	-0.59543100
C	1.85091900	2.27542500	-1.05928700	H	6.92281300	2.48677400	-1.85635300
C	-1.15778700	1.36110300	1.85110300	H	5.22149800	2.82603700	-1.45909100

C	7.60824800	1.62512800	0.74809000
H	8.43964900	1.44654600	0.05882100
H	7.75096100	2.60411700	1.21567600
H	7.63405100	0.86628100	1.53543500
C	4.87194200	0.22550900	-1.68233900
H	5.38807000	0.54798800	-2.59231100
H	4.47403500	-0.78064500	-1.84599100
H	4.02669700	0.89269400	-1.49630100
C	6.97570600	-0.77282000	-0.75696900
H	6.57476100	-1.74209100	-1.06859500
H	7.61368400	-0.39286500	-1.56258400
H	7.58781700	-0.93010600	0.13308600
C	3.53427300	3.03171800	2.98436600
C	4.19804900	4.15191700	3.53857200
C	3.95094100	5.40038100	3.03086200
C	2.47575500	4.35347600	1.39297500
C	3.08854900	5.53561400	1.91719100
C	1.68816700	4.46476300	0.22167500
C	2.84229200	6.78665700	1.29671500
C	1.47931600	5.69234000	-0.36767600
H	1.28528700	3.56239100	-0.21375000
C	2.04489900	6.86798000	0.17876500
H	0.87606000	5.75572800	-1.26845500
H	4.89157700	4.00120900	4.35912000
H	4.42867400	6.28289600	3.44818400
H	3.30665200	7.67519300	1.71645100
H	1.86141200	7.82763400	-0.29505700
N	2.66465400	3.12762400	1.98783800
O	-0.23571600	-1.03368800	0.42825800
B	0.98893200	-0.73536300	0.99639000
O	1.64213500	-1.88885300	1.40366500
C	0.89359800	-3.03038300	0.91138800
C	-0.53729800	-2.42128600	0.72369800
C	0.99124200	-4.15268300	1.93778300
H	0.37031200	-5.00588500	1.64164300
H	2.02811700	-4.49653100	2.01193100
H	0.67394800	-3.81527000	2.92673300
C	1.55015000	-3.45035300	-0.40774900
H	2.61097100	-3.64888400	-0.22650400
H	1.09194600	-4.35554300	-0.81978500
H	1.47604300	-2.65076700	-1.15115100
C	-1.34129200	-3.00520500	-0.43167800
H	-1.52340900	-4.07500100	-0.27665400
H	-2.31020000	-2.50050000	-0.49648300
H	-0.82644600	-2.87178500	-1.38556000
C	-1.36734000	-2.42848100	2.01243200
H	-2.25673800	-1.80977300	1.86034100
H	-1.68942800	-3.44011500	2.28102400
H	-0.80266900	-2.00348800	2.84746900
H	1.84001800	0.28164500	0.15280300
H	2.36163100	1.26019800	-0.20757200

TS-III

0 1

Mn	1.83271300	2.64671800	1.46572400
S	5.54671600	-0.46465300	4.95065100
O	0.52464100	3.22919200	4.06239700
O	-0.70252500	3.61531000	0.38667400
C	4.25118300	3.17250900	3.13872100
H	5.24173000	3.11647100	3.60122600
H	3.55499700	3.54454200	3.90117100
C	3.37029400	1.04536200	3.92439000
H	2.51173700	1.53752200	4.38042900
H	3.04065600	0.07467200	3.57638300
C	5.76219300	1.23214500	6.87363400
H	6.09543600	1.73736500	7.77340400
C	1.11159100	3.03118000	3.07736500
C	4.43761500	0.88652800	4.96937200
C	0.34784100	3.29905600	0.77817100
C	6.32866200	0.08089900	6.39839300
H	7.15360700	-0.48021700	6.81637700
N	3.77423800	1.84386000	2.72068300
C	4.68060800	1.68484100	6.05922600
H	4.08688800	2.56647400	6.27803100
B	4.76494300	1.14259700	1.91234700

O	4.78731500	-0.21949600	1.78705900
O	5.83185400	1.77937200	1.34198100
O	5.91175400	-0.55980000	0.92359000
C	6.79095600	0.75442300	0.95946900
C	7.40069500	1.15098800	-0.37831400
H	7.97998600	2.07176500	-0.25698500
H	8.07502600	0.37010500	-0.74680600
H	6.62470600	1.33505000	-1.11925100
C	7.86711800	0.74544600	2.04899900
H	8.66582200	0.03387100	1.81625100
H	8.30657700	1.74553100	2.11558800
H	7.44606100	0.49352800	3.02567900
C	5.32400500	-0.86044900	-0.45352100
H	6.10121600	-1.15255500	-1.16744400
H	4.61431800	-1.68915600	-0.36216600
C	4.79074800	0.01178900	-0.83115300
C	6.59123200	-1.79935000	1.49407000
H	5.88845300	-2.63793600	1.47487600
H	7.46286600	-2.07141000	0.88847800
H	6.91113900	-1.64953400	2.52597000
C	4.26100600	4.18330900	2.03498400
C	5.41681700	4.97138000	1.84201600
C	5.38137400	6.02100800	0.96417000
C	3.02670600	5.48384100	0.55930800
C	4.15657100	6.33690000	0.33262600
C	1.78719900	5.87358100	-0.00041700
C	4.02064100	7.48929000	-0.48316300
C	1.67473300	7.02587700	-0.74751600
H	0.91565600	5.27105000	0.17533300
C	2.80047100	7.83573500	-1.01352100
H	0.70332500	7.30499800	-1.14470600
H	6.31713600	4.71189900	2.38656300
H	6.25834700	6.63391500	0.77478900
H	4.89873000	8.10691500	-0.65247200
H	2.69800100	8.72984000	-1.62109700
N	3.12775800	4.34801000	1.35026400
O	1.77252400	3.11963700	-1.54090200
O	3.69875900	1.98310100	-1.09217500
B	2.48624600	2.43607000	-0.55713200
C	3.60674900	2.05890100	-2.54393100
C	3.21459300	4.59147500	-2.80910000
H	3.77667500	4.72293900	-3.73964800
H	2.43852600	5.35695300	-2.76366000
H	3.89174400	4.75036500	-1.96729000
C	1.62671400	3.03004800	-3.94115300
H	0.92799900	3.87149700	-3.97979900
H	2.18704000	3.00931000	-4.88315800
H	1.04147800	2.11180900	-3.85960600
C	2.56408900	3.20784900	-2.74956700
C	3.10223400	0.70382900	-3.05610400
H	3.03481500	0.69700900	-4.14858600
H	3.79448700	-0.08615900	-2.75456600
H	2.11554500	0.46162800	-2.65231700
C	4.98914100	2.34253100	-3.12119300
H	5.63383100	1.46640000	-3.00391700
H	4.92075500	2.56145400	-4.19276300
H	5.46386900	3.18842700	-2.62006000
C	0.78313600	0.78656800	1.45496100
C	1.63514800	0.87485300	0.29176800
H	2.51603300	0.23898900	0.30129700
H	1.11824500	0.83821600	-0.66940700
C	-0.26817800	1.01586600	1.28981100
H	0.94187000	-0.26987700	2.48182000
C	0.21195400	-0.18468700	3.68223200
C	1.77679600	-1.38705000	2.30717600
C	0.35868700	-1.13580000	4.68723400
H	-0.44855700	0.66398500	3.83459300
C	1.92938700	-2.33974700	3.31594500
H	2.33787400	-1.50017600	1.38721900
C	1.23150200	-2.21516100	4.51713200
H	-0.20267500	-1.03101200	5.61208100
H	2.59976600	-3.18099300	3.15964100
H	1.35547700	-2.95209700	5.30542900

TS-IV

O 1				C	1.28360600	-2.20385900	-3.82861500
Mn	1.87585600	1.54212600	1.09744600	H	0.37143100	-2.69109100	-3.47231400
S	3.91059900	1.44071300	6.59390000	H	1.36181400	-2.35983500	-4.90944800
O	-0.30591900	1.82745400	3.06366200	H	2.13698300	-2.68724800	-3.34290500
O	-0.00357300	2.27224400	-1.03630300	C	1.39621100	-0.71207900	0.93766600
C	3.14872700	2.86671800	3.50355300	C	2.49027100	-0.47175000	0.06701100
H	3.89155600	3.17130900	4.25107700	H	3.10741200	1.06055900	0.07072900
H	2.17430000	2.83628400	4.00733900	H	3.46645700	-0.81483400	0.40201700
C	3.18984400	0.47056500	4.00677900	C	1.48580400	-1.53320400	2.16105000
H	2.15823200	0.56203000	4.35504200	C	2.57488300	-2.38706700	2.41702200
H	3.27512500	-0.49238800	3.51490000	C	0.44313500	-1.50697600	3.10577100
C	6.09548200	0.09509600	6.41833400	C	2.64554400	-3.13625700	3.59176500
H	7.06042500	-0.34217400	6.65056200	H	3.38385300	-2.45501400	1.69684400
C	0.56684000	1.77015700	2.29043000	C	0.51149300	-2.25562800	4.27708800
C	4.17076200	0.49893000	5.14534800	H	-0.40893300	-0.85839300	2.92794600
C	2.74820800	1.95961700	-0.20093700	C	1.62015300	-3.06755100	4.53536000
C	5.43113100	0.94218200	7.26352600	H	3.50576000	-3.77711300	3.76783400
H	5.73726000	1.29321900	8.23955300	H	-0.30032000	-2.19907000	4.99756800
N	3.43077400	1.51879600	2.98415900	H	1.67686700	-3.64575400	5.45308900
C	5.37433200	-0.15867900	5.21224400	H	0.40300000	-0.66852300	0.50017900
H	5.71667700	-0.80618500	4.41373000				
B	4.67894200	1.36911400	2.25393000	TS-V			
O	5.23199400	0.14627100	1.95819100	O 1			
O	5.46078100	2.43520000	1.88941500	Mn	-1.34257300	0.70677700	-0.64553200
C	6.40516400	0.40536200	1.12966900	S	-2.66981800	-1.06560400	-1.70068200
C	6.75020000	1.89974100	1.49098200	O	-3.61833700	2.58860800	-0.38916500
C	7.27243600	2.73750800	0.33007200	O	-0.66084700	1.72856900	-3.31794900
H	7.46029500	3.75952200	0.67353900	C	-1.72827400	0.54312300	2.18908600
H	8.21299600	2.32826700	-0.05497300	H	-1.60677100	0.04813500	3.16225000
H	6.54606900	2.78190600	-0.48390100	H	-2.68625700	1.08054600	2.19832800
C	7.66714200	2.03406800	2.71084100	C	-3.02794100	-1.20472800	1.05158800
H	8.68603200	1.70059200	2.48947300	H	-2.80382500	-2.25336600	1.26414900
H	7.70491900	3.08649400	3.00774100	H	-3.70285200	-0.83601500	1.82968800
H	7.28317400	1.45877700	3.55905100	C	-5.14353800	-0.40407200	-1.99746300
C	5.99234800	0.22081100	-0.33196100	H	-6.08902200	-0.10306200	-2.43520500
H	6.84219100	0.37820000	-1.00362000	C	-2.74128500	1.83136600	-0.48850100
H	5.62945300	-0.79967700	-0.48178400	C	-3.70083000	-1.05014500	-0.27542100
H	5.18756100	0.90247600	-0.61636200	C	-0.90005300	1.38845800	-2.22996200
C	7.47875300	-0.60833500	1.50780600	C	-3.99119300	-0.51774900	-2.71033600
H	7.13353300	-1.61587100	1.25585900	H	-3.83242800	-0.36909000	-3.76947100
H	8.40375300	-0.41751400	0.95258900	N	-1.75549000	-0.42161700	1.08689600
H	7.70113100	-0.58131400	2.57663500	C	-4.97162000	-0.68558800	-0.59605900
C	3.12423100	3.89340900	2.40621800	H	-5.75527200	-0.55600800	0.14279900
C	3.47953100	5.23004300	2.69770200	B	-0.50348500	-1.26218000	0.95421100
C	3.49847700	6.15734700	1.68884100	O	-0.67475800	-2.60631600	0.62118800
C	2.94719600	4.35339700	0.13882200	O	0.50674000	-1.08065100	1.90054900
C	3.26425600	5.73048200	0.35955200	C	0.42666800	-3.36395900	1.17029300
C	2.85784400	3.88634400	-1.19356700	C	1.05278200	-2.37200900	2.24680800
C	3.37974000	6.60661600	-0.74944400	C	2.57737300	-2.28115900	2.20946400
C	3.00222400	4.75644400	-2.25188400	H	2.91132600	-1.54005100	2.94315500
H	2.71984700	2.82701400	-1.35067800	H	3.03420800	-3.24364000	2.46619300
C	3.23980200	6.13312800	-2.03367900	H	2.93988900	-1.97218200	1.22818400
H	2.93978000	4.37669200	-3.26694100	C	0.58749300	-2.65216300	3.68119400
H	3.72391800	5.49783000	3.72048300	H	0.97341900	-3.60318700	4.06255700
H	3.73347100	7.20015600	1.88416300	H	0.94990300	-1.84818700	4.32949400
H	3.60103500	7.65418800	-0.56265200	H	-0.50500800	-2.66884400	3.74496900
H	3.33565200	6.80709800	-2.87972100	C	1.37614700	-3.73496200	0.02786000
N	2.78045100	3.47984300	1.19257000	H	2.19033500	-4.37609800	0.38194300
O	3.24108200	-0.13754400	-2.39480200	H	0.81010100	-4.28664800	-0.72940300
O	1.03432000	-0.63900800	-2.03939300	H	1.80673000	-2.85694100	-0.44772100
B	2.25849900	-0.40777100	-1.47170500	C	-0.15989300	-4.64774600	1.76031200
C	1.21787300	-0.71474400	-3.47638100	H	-0.60770200	-5.23987000	0.95614400
C	3.49053200	-0.55434200	-4.76225500	H	0.61943600	-5.25413600	2.23483300
H	3.00461200	-0.50716500	-5.74314200	H	-0.93776400	-4.43869300	2.49820000
H	4.42046700	0.02074800	-4.81501300	C	-0.62919500	1.55285600	2.00455500
H	3.74704400	-1.59395800	-4.54849500	C	-0.07620000	2.17376600	3.14607500
C	2.41841000	1.53979600	-3.90159000	C	0.88359100	3.13711500	2.98951300
H	3.39752900	2.01958700	-3.80773700	C	0.73063100	2.78496500	0.57320100
H	2.01934900	1.75639400	-4.89780800	C	1.32138200	3.46674300	1.68586200
H	1.74565900	1.97534000	-3.15894400	C	1.21388500	3.08677900	-0.72211200
C	2.58774200	0.03371900	-3.68390900	C	2.33682700	4.43177900	1.46439200
C	0.01647400	-0.05989400	-4.14951100	C	2.20759000	4.02320500	-0.90556000
H	0.15749900	-0.00861900	-5.23510900	H	0.81208000	2.55592300	-1.56720000
H	-0.88120300	-0.65321100	-3.95036600	C	2.77429200	4.71070800	0.19130000
H	-0.15464900	0.94610200	-3.76233000	H	2.56296700	4.22779100	-1.91093200

H	-0.42176400	1.86983200	4.12834600
H	1.32548500	3.63928700	3.84585300
H	2.76443400	4.93849300	2.32551500
H	3.55495200	5.44719900	0.02676700
N	-0.26397600	1.84117200	0.75715000
C	0.34715200	-0.54826700	-0.93795600
H	0.19863400	-1.30046600	-1.72048200
C	1.63522000	-0.20479600	-0.71066400
H	1.85200400	0.48102500	0.10610400
C	2.84442100	-0.68570300	-1.38827400
C	2.81607500	-1.50095300	-2.53659600
C	4.10363300	-0.32509500	-0.87204900
C	3.99386800	-1.94561400	-3.12832300
H	1.85821800	-1.77945600	-2.96512100
C	5.28430900	-0.76895500	-1.46385800
H	4.14271500	0.31190300	0.00868700
C	5.23563800	-1.58501500	-2.59529000
H	3.94607100	-2.57368300	-4.01412500
H	6.24297900	-0.47787600	-1.04238800
H	6.15342000	-1.93274300	-3.06116500

TS-VA

0 1

Mn	1.56500800	0.94540700	1.06614300
S	1.32475400	-1.69376500	1.22132100
O	-0.16866400	1.25475100	3.45146700
O	-0.71521500	1.10423400	-0.78206400
C	3.61460100	1.63067000	2.98957500
H	4.64912400	1.70842800	3.35227900
H	2.96627300	1.45566100	3.85878100
C	3.47508400	-0.81803600	2.77489100
H	4.22272200	-1.44753700	2.28801000
H	3.79111000	-0.67125000	3.81314600
C	0.01423000	-2.26631100	3.36418600
H	-0.77030700	-2.58116400	4.04313500
C	0.52139600	1.10678900	2.52715000
C	2.13366800	-1.47865300	2.76867900
C	0.17778700	1.10871900	-0.03530100
C	-0.14105400	-2.21734800	2.01259000
H	-1.00505900	-2.48614200	1.42082500
N	3.44615600	0.49984700	2.06943200
C	1.31189300	-1.82697000	3.79788500
H	1.59775800	-1.72964100	4.83974500
B	4.31106700	0.56093600	0.84037900
O	4.95129400	-0.60220900	0.42353800
O	5.09428800	1.69250900	0.61696400
C	6.14659700	-0.22907100	-0.30536000
C	6.40417700	1.24965400	0.18944400
C	6.91778600	2.20154200	-0.88582100
H	7.04446000	3.20205200	-0.45960600
H	7.88961100	1.86811400	-1.26663600
H	6.21783200	2.27913800	-1.71898100
C	7.30200000	1.32481800	1.43073700
H	8.33986100	1.06008400	1.20462300
H	7.28226100	2.34941800	1.81486900
H	6.93849300	0.65892600	2.22023000
C	5.86116800	-0.33653900	-1.80521100
H	6.76770900	-0.15365200	-2.39165200
H	5.50832800	-1.34956600	-2.02219800
H	5.08605400	0.36294600	-2.11538100
C	7.24396400	-1.22225800	0.07305000
H	6.97052600	-2.21888200	-0.28713100
H	8.19742500	-0.94420300	-0.38977600
H	7.38318400	-1.28034700	1.15486000
C	3.20470400	2.94233200	2.37029900
C	3.80975900	4.12796500	2.83888300
C	3.36677500	5.33928400	2.37472500
C	1.78141000	4.13202100	0.96058000
C	2.32734700	5.37387900	1.41894400
C	0.77622300	4.17250900	-0.03385000
C	1.84047400	6.59587400	0.88777900
C	0.33050500	5.37267000	-0.53724000
H	0.38851300	3.24754500	-0.42223400
C	0.85821600	6.59911800	-0.07261100
H	-0.42554800	5.37224000	-1.31573600

H	4.61384800	4.05751300	3.56369500
H	3.80616900	6.27065900	2.72191500
H	2.26909400	7.52566700	1.25256900
H	0.49438900	7.53620000	-0.48316700
N	2.23429900	2.92617500	1.45706300
C	2.66896400	0.54890600	-0.74963900
H	2.66404500	-0.53173100	-0.93480500
C	2.74482600	1.21842800	-1.92716800
H	2.73712100	0.63416700	-2.85558900
C	2.81017500	2.66565800	-2.19316200
C	2.13877200	3.18377500	-3.31623100
C	3.57332900	3.55219400	-1.41417200
C	2.19215300	4.54025900	-3.62658100
H	1.55698100	2.50827400	-3.93923600
C	3.65214700	4.90423200	-1.74369800
H	4.11139100	3.16260500	-0.56121400
C	2.95400900	5.40917700	-2.84048000
H	1.64777400	4.91955200	-4.48772500
H	4.24965100	5.57013900	-1.12681900
H	3.00591300	6.46660800	-3.08523800

TS-VB

0 1

Mn	1.53501200	1.13293100	0.89717000
S	0.93543700	-1.37798200	0.70405700
O	-0.22809000	1.35731200	3.26035300
O	-0.67508000	1.96073000	-0.86556100
C	3.45288000	1.27379300	3.03698400
H	4.44807900	1.18264900	3.49623500
H	2.70952100	0.97341400	3.78742000
C	3.23180800	-1.04837800	2.24366900
H	3.85373600	-1.61005800	1.54511400
H	3.65421200	-1.19850600	3.24415000
C	-0.37605100	-2.08404200	2.81074400
H	-1.17485500	-2.39329700	3.47566600
C	0.46285900	1.23263700	2.33363100
C	1.81800400	-1.53375300	2.22055100
C	0.20369400	1.67303800	-0.15885200
C	-0.56776600	-1.78790100	1.49619600
H	-1.48128500	-1.83493100	0.91956100
N	3.30985400	0.39451300	1.86947600
C	0.98911100	-1.91663300	3.23118100
H	1.32295600	-2.03604800	4.25659300
B	4.28057900	0.69889500	0.74701900
O	5.06680600	-0.34889800	0.26057600
O	5.01162700	1.88633100	0.81488900
C	6.29708000	0.19976300	-0.26855100
C	6.37791000	1.60902600	0.44761800
C	6.87847400	2.74562900	-0.43923300
H	6.85911000	3.68279400	0.12647400
H	7.90850800	2.56496500	-0.76670900
H	6.24483000	2.86799400	-1.31910300
C	7.17439600	1.57962300	1.75844900
H	8.24550900	1.42934600	1.58866100
H	7.03554900	2.53621600	2.27197000
H	6.81314400	0.78498400	2.41920700
C	6.18692900	0.27775700	-1.79437400
H	7.12343000	0.63343000	-2.23671800
H	5.97879700	-0.72177300	-2.18645900
H	5.37317000	0.93212500	-2.10426500
C	7.42253000	-0.76496400	0.10276900
H	7.26522000	-1.71892400	-0.41017500
H	8.39491600	-0.36861500	-0.21027500
H	7.45254100	-0.95995300	1.17697700
C	3.21611500	2.71442100	2.65630100
C	3.81432300	3.73947300	3.42106800
C	3.58700500	5.04839500	3.08556000
C	2.22231200	4.25522400	1.22079500
C	2.78539200	5.34522900	1.95851500
C	1.45802200	4.54850000	0.06593600
C	2.53859300	6.67759900	1.54014100
C	1.24153500	5.85349100	-0.31874400
H	1.07240500	3.73278600	-0.52341200
C	1.77606600	6.93136800	0.42421800
H	0.65547100	6.05424600	-1.21059800

H	4.44789000	3.47028600	4.25971800
H	4.02387000	5.86101800	3.65981100
H	2.96941200	7.49077800	2.11831900
H	1.59061100	7.95306800	0.10691300
N	2.42767100	2.95022000	1.61078100
C	2.82653800	1.03763700	-0.96885500
C	3.24566900	2.18428600	-1.53773600
H	3.53665500	3.04451700	-0.94323200
C	2.43079400	-0.06550100	-1.88617800
C	2.99027500	-1.35492400	-1.81469300
C	1.42186800	0.15152600	-2.84380600
C	2.56391000	-2.37436300	-2.66524400
H	3.77343600	-1.54631000	-1.09201400
C	0.98516100	-0.87173900	-3.68453400
H	0.96112700	1.13226200	-2.90359100
C	1.55444000	-2.14382100	-3.60139800
H	3.02095900	-3.35838400	-2.59086700
H	0.19734500	-0.67295100	-4.40713200
H	1.21623000	-2.94262300	-4.25586900
H	3.36088300	2.29589800	-2.62084200



TS-VI


O 1

Mn	1.59166500	1.29090000	1.13195200
S	6.33958100	-1.22686100	3.53887100
O	0.32069500	0.99722800	3.80193000
O	-1.07858500	1.84902700	0.05585000
C	3.74238600	1.86555000	3.15207500
H	4.69355100	1.96077200	3.68858100
H	2.98329300	1.61153300	3.89905900
C	3.66208100	-0.57830600	2.76825600
H	2.66351200	-0.65933200	3.20461900
H	3.72593200	-1.29512700	1.94969100
C	5.57256400	-1.13803300	5.99791600
H	5.56983900	-1.17692900	7.08154000
C	0.87057400	1.13110900	2.78544700
C	4.65697200	-0.86292900	3.85627900
C	-0.02522900	1.64537900	0.50015200
C	6.68552400	-1.35761500	5.23497000
H	7.68793300	-1.59304200	5.56673900
N	3.79268200	0.77461200	2.15787200
C	4.41742200	-0.85452300	5.20671800
H	3.43316600	-0.65539400	5.61879300
B	4.91890800	0.89231800	1.24285800
O	5.55553500	-0.17897600	0.68503900
O	5.52150400	2.09821800	0.98738000
C	6.59470800	0.34474600	-0.19217600
C	6.80195700	1.80919700	0.35556600
C	7.06533400	2.86009400	-0.71514700
H	7.13234300	3.84768000	-0.24730400
H	8.01576300	2.65951000	-1.22201600
H	6.27175400	2.89027900	-1.46236000
C	7.85186000	1.90653100	1.46635900
H	8.86354800	1.75278300	1.07804900
H	7.80104500	2.90544900	1.91055400
H	7.66361500	1.17274500	2.25553000
C	6.04635900	0.29889200	-1.61845700
H	6.78073100	0.67306600	-2.33855300
H	5.81642600	-0.73876500	-1.86772100
H	5.12641200	0.87959900	-1.71116100
C	7.81623600	-0.55924200	-0.06792200
H	7.56387600	-1.56069700	-0.42943800
H	8.64208300	-0.17544500	-0.67710400
H	8.15249000	-0.64748300	0.96661200
C	3.39611900	3.19394500	2.52426900
C	4.11363000	4.33742100	2.94414700
C	3.83156100	5.55639200	2.38848500
C	2.14171900	4.45069400	1.01380300
C	2.83757400	5.64502700	1.38757200
C	1.16605600	4.54181700	-0.00892600
C	2.53440600	6.87158900	0.74222900
C	0.89931800	5.74497700	-0.62296200
H	0.65757900	3.64874000	-0.32730900
C	1.58392500	6.92398500	-0.24896000
H	0.15699400	5.78274400	-1.41420400



H	4.89468900	4.22097000	3.68721300
H	4.37186500	6.45087700	2.68700300
H	3.07568200	7.76371700	1.04602500
H	1.36027400	7.86233500	-0.74734400
N	2.42974500	3.23804800	1.60840500
C	2.18386400	1.51900100	-0.87864600
H	1.49849000	1.25879800	-1.68886700
C	3.16286100	2.37950000	-1.23688400
H	3.85063600	2.75452700	-0.48398400
C	3.36294300	3.00536700	-2.55371600
C	2.80712500	2.51042100	-3.74782400
C	4.13599300	4.17952500	-2.62969600
C	3.02061400	3.15893400	-4.96063300
H	2.20474200	1.60898700	-3.71969900
C	4.34827600	4.83205300	-3.84271500
H	4.55286000	4.58934500	-1.71289400
C	3.79404100	4.32260900	-5.01800500
H	2.58408500	2.75323200	-5.86988100
H	4.94416000	5.74088700	-3.86980700
H	3.95979100	4.82486100	-5.96700700
O	0.81846500	-1.08087200	-1.07157500
B	1.75752000	-0.68459500	-0.14491800
O	2.92839600	-1.41610600	-0.22100000
C	2.65532100	-2.54541900	-1.09335100
C	1.48039000	-2.00058900	-1.98060900
C	2.23421100	-3.70718100	-0.18588600
H	2.06120200	-4.62466200	-0.75739200
H	3.03172300	-3.89721500	0.53904300
H	1.32134000	-3.46322200	0.36600100
C	3.92543400	-2.90803500	-1.85074400
H	4.71062800	-3.17610500	-1.13691300
H	3.74892000	-3.76699700	-2.50794200
H	4.28498300	-2.07542400	-2.45564700
C	1.97227900	-1.19671600	-3.18721600
H	2.39355000	-1.85097200	-3.95748300
H	1.12462100	-0.65645300	-3.61989800
H	2.72930300	-0.46599200	-2.89309500
C	0.46497300	-3.04884000	-2.42002400
H	-0.31933700	-2.57243900	-3.01634700
H	0.94392700	-3.81741700	-3.03730100
H	-0.00875700	-3.53091600	-1.56236900
H	1.30658700	-0.43227600	1.00924000



11. IR spectra of manganese complexes:











12. ^1H , ^{13}C , and ^{11}B spectra of synthesized compounds.













9.18
9.16
8.21
8.20
7.93
7.92
7.90
7.86
7.84
7.66
7.65
7.63
7.49
7.30
7.29
6.52
6.44

4.71
4.68
4.47
4.24
4.22



Mn5


^1H NMR in CDCl_3 (500 MHz)



222.38
221.22
220.46


160.82
149.54
148.57
143.61
139.55
131.78
129.92
128.77
128.66
127.79
117.80
111.24
110.94



59.81
51.05







Mn5



^{13}C NMR in CDCl_3 (126 MHz)









































— 30.07




(*E*)-2-(4-(*tert*-butyl)styryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^{11}B NMR in CDCl_3 (161 MHz)







7.43 7.42 7.40 7.36 7.21 7.19 6.14 6.10 2.94 2.93 2.91 2.90 2.89 2.87 2.86 1.31 1.25 1.24




(*E*)-2-(4-isopropylstyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^1H NMR in CDCl_3 (500 MHz)








— 30.42




(*E*)-2-([1,1'-biphenyl]-4-yl)vinyl-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^{11}B NMR in CDCl_3 (161 MHz)






7.47
7.45
7.44
7.37
7.33
7.04
7.02
7.00
6.09
6.05



— 1.31







(*E*)-2-(4-fluorostyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^1H NMR in CDCl_3 (500 MHz)

































— 30.26




(*E*)-2-(3-methoxystyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^{11}B NMR in CDCl_3 (161 MHz)






7.38
7.35
7.34
7.32
7.31
7.31
7.30
7.28
7.27
7.26
7.21
7.19
7.01
7.00
6.99
6.20
6.17



— 1.34



(*E*)-2-(3-fluorostyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^1H NMR in CDCl_3 (500 MHz)









147.97
139.49
134.71
129.94
128.89
127.08
125.33

83.64


24.94




(*E*)-2-(3-chlorostyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^{13}C NMR in CDCl_3 (126 MHz)





29.92




(*E*)-2-(3-chlorostyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^{11}B NMR in CDCl_3 (161 MHz)






— 30.21



(*E*)-2-(3,5-dimethoxystyryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^{11}B NMR in CDCl_3 (161 MHz)




7.32
7.28

— 6.72


6.06
6.03



— 3.84



— 1.29




(*E*)-4,4,5,5-tetramethyl-2-(3,4,5-trimethoxystyryl)-1,3,2-dioxaborolane
 ^1H NMR in CDCl_3 (500 MHz)








— 30.57




(*E*)-4,4,5,5-tetramethyl-2-(2-(naphthalen-2-yl)vinyl)-1,3,2-dioxaborolane
 ^{11}B NMR in CDCl_3 (161 MHz)






7.84
7.78
7.76
7.61
7.59
7.56
7.55
7.53
7.47
7.43
6.26
6.22



— 1.33







(*E*)-4,4,5,5-tetramethyl-2-(2-(3'-(trifluoromethyl)-[1,1'-biphenyl]-4-yl)vinyl)-1,3,2-dioxaborolane
 ^1H NMR in CDCl_3 (500 MHz)













— 30.03




(*E*)-2-(4-(furan-2-yl)styryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^{11}B NMR in CDCl_3 (161 MHz)






— 8.87
 — 8.59
 — 7.88
 — 7.87
 — 7.60
 — 7.59
 — 7.57
 — 7.56
 — 7.45
 — 7.41
 — 6.25
 — 6.21



— 1.32




(*E*)-3-(4-(2-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)vinyl)phenyl)pyridine
 ^1H NMR in CDCl_3 (500 MHz)

















[(1E)-2-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)ethenyl]-ferrocene:
 ^{11}B NMR in CDCl_3 (161 MHz)










2-((E)-4-(((1R,2S,5R)-2-isopropyl-5-methylcyclohexyl)oxy)styryl)-
 4,4,5,5-tetramethyl-1,3,2-dioxaborolane
 ^1H NMR in CDCl_3 (500 MHz)

















— 30.15




(*S,E*)-2-(4-(2-(6-methoxynaphthalen-2-yl)propoxy)styryl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane
¹¹B NMR in CDCl₃ (161 MHz)







9.74
9.73
9.73


— 6.42



3.86
3.84
3.62
3.61






































13. References:

1. Jana, A. *et al.* A Phosphine-Free Manganese Catalyst Enables Stereoselective Synthesis of (1 + n)-Membered Cycloalkanes from Methyl Ketones and 1,n-Diols. *ACS Catal.* **10**, 2615-2626, (2020).
2. Das, K., Kumar, A., Jana, A. & Maji, B. Synthesis and characterization of N,N-chelate manganese complexes and applications in CN coupling reactions. *Inorg. Chim. Acta* **502**, 119358, (2020).
3. CCDC-2192558. Contains the supplementary crystallographic data.
4. Shi, X., Li, S. & Wu, L. H₂-Acceptorless Dehydrogenative Boration and Transfer Boration of Alkenes Enabled by Zirconium Catalyst. *Angew. Chem. Int. Ed.* **58**, 16167-16171, (2019).
5. Chen, J., Cai, C., Gao, K. & Xia, Y. Method for synthesizing alkenyl boronate compound from olefin compound and diborate ester. CN111943967A (2020).
6. Zhao, Q. *et al.* Group 4 Metallocene Complexes Supported by a Redox-Active O,C-Chelating Ligand. *Organometallics* **41**, 1488-1500, (2022).
7. Mamidala, R., Pandey, V. K. & Rit, A. AgSbF₆-Catalyzed anti-Markovnikov hydroboration of terminal alkynes. *Chem. Commun.* **55**, 989-992, (2019).
8. Wen, H., Zhang, L., Zhu, S., Liu, G. & Huang, Z. Stereoselective Synthesis of Trisubstituted Alkenes via Cobalt-Catalyzed Double Dehydrogenative Borylations of 1-Alkenes. *ACS Catal.* **7**, 6419-6425, (2017).
9. Zhong, M. *et al.* Copper-Photocatalyzed Hydroboration of Alkynes and Alkenes. *Angew. Chem. Int. Ed.* **60**, 14498-14503, (2021).
10. Nguyen, B. H., Perkins, R. J., Smith, J. A. & Moeller, K. D. Solvolysis, Electrochemistry, and Development of Synthetic Building Blocks from Sawdust. *J. Org. Chem.* **80**, 11953-11962, (2015).
11. Das, J. P. & Roy, S. Catalytic Hunsdiecker Reaction of α,β -Unsaturated Carboxylic Acids: How Efficient Is the Catalyst? *J. Org. Chem.* **67**, 7861-7864, (2002).
12. Bi, M.-X., Qian, P., Wang, Y.-K., Zha, Z.-G. & Wang, Z.-Y. Decarboxylative bromination of α,β -unsaturated carboxylic acids via an anodic oxidation. *Chin. Chem. Lett.* **28**, 1159-1162, (2017).
13. Liu, Y. *et al.* Photosensitized [2+2]-Cycloadditions of Alkenylboronates and Alkenes. *Angew. Chem. Int. Ed.* **61**, e202200725, (2022).
14. Moro, A. V., Cardoso, F. S. P. & Correia, C. R. D. Heck arylation of styrenes with arenediazonium salts: short, efficient, and stereoselective synthesis of resveratrol, DMU-212, and analogues. *Tetrahedron Lett.* **49**, 5668-5671, (2008).
15. Penthala, N. R., Thakkar, S. & Crooks, P. A. Heteroaromatic analogs of the resveratrol analog DMU-212 as potent anti-cancer agents. *Bioorg. Med. Chem. Lett.* **25**, 2763-2767, (2015).
16. Jia, X., Frye, L. I., Zhu, W., Gu, S. & Gunnoe, T. B. Synthesis of Stilbenes by Rhodium-Catalyzed Aerobic Alkenylation of Arenes via C-H Activation. *J. Am. Chem. Soc.* **142**, 10534-10543, (2020).
17. Frisch, M. J. T., G. W.; Schlegel, H. B.; Scuseria, G. E.; Robb, M. A.; Cheeseman, J. R.; Scalmani, G.; Barone, V.; Petersson, G. A.; Nakatsuji, H.; Li, X.; Caricato, M.; Marenich, A. V.; Bloino, J.; Janesko, B. G.; Gomperts, R.; Mennucci, B.; Hratchian, H. P.; Ortiz, J. V.; Izmaylov, A. F.; Sonnenberg, J. L.; Williams-Young, D.; Ding, F.; Lipparini, F.; Egidi, F.; Goings, J.; Peng, B.; Petrone, A.; Henderson, T.; Ranasinghe, D.; Zakrzewski, V. G.; Gao, J.; Rega, N.; Zheng, G.; Liang, W.; Hada, M.; Ehara, M.; Toyota, K.; Fukuda, R.; Hasegawa, J.; Ishida, M.; Nakajima, T.; Honda, Y.; Kitao, O.; Nakai, H.; Vreven, T.; Throssell, K.; Montgomery, J. A., Jr.; Peralta, J. E.; Ogliaro, F.; Bearpark, M. J.; Heyd, J. J.; Brothers, E. N.; Kudin, K. N.; Staroverov, V. N.; Keith, T. A.; Kobayashi, R.; Normand, J.; Raghavachari, K.; Rendell, A. P.; Burant, J. C.; Iyengar, S. S.; Tomasi, J.; Cossi, M.; Millam, J. M.; Klene, M.; Adamo, C.; Cammi, R.; Ochterski, J. W.; Martin, R. L.; Morokuma, K.; Farkas, O.; Foresman, J. B.; Fox, D. J. . (Gaussian, Inc., Wallingford CT, 2016).

18. Becke, A. D. Density-functional thermochemistry. III. The role of exact exchange. *J. Chem. Phys.* **98**, 5648-5652, (1993).
19. Lee, C., Yang, W. & Parr, R. G. Development of the Colle-Salvetti correlation-energy formula into a functional of the electron density. *Phys. Rev. B: Condens. Matter* **37**, 785-789, (1988).
20. Hay, P. J. & Wadt, W. R. Ab initio effective core potentials for molecular calculations. Potentials for the transition metal atoms Sc to Hg. *J. Chem. Phys.* **82**, 270-283, (1985).
21. Wadt, W. R. & Hay, P. J. Ab initio effective core potentials for molecular calculations. Potentials for main group elements Na to Bi. *J. Chem. Phys.* **82**, 284-298, (1985).
22. Weigend, F. & Ahlrichs, R. Balanced basis sets of split valence, triple zeta valence and quadruple zeta valence quality for H to Rn: Design and assessment of accuracy. *Phys. Chem. Chem. Phys.* **7**, 3297-3305, (2005).
23. Tomasi, J., Mennucci, B. & Cammi, R. Quantum Mechanical Continuum Solvation Models. *Chem. Rev.* **105**, 2999-3094, (2005).
24. Cossi, M., Barone, V., Cammi, R. & Tomasi, J. Ab initio study of solvated molecules: a new implementation of the polarizable continuum model. *Chem. Phys. Lett.* **255**, 327-335, (1996).
25. Cancès, E., Mennucci, B. & Tomasi, J. A new integral equation formalism for the polarizable continuum model: Theoretical background and applications to isotropic and anisotropic dielectrics. *J. Chem. Phys.* **107**, 3032-3041, (1997).
26. Barone, V. & Cossi, M. Quantum Calculation of Molecular Energies and Energy Gradients in Solution by a Conductor Solvent Model. *J. Phys. Chem. A* **102**, 1995-2001, (1998).
27. Morris, R. H. Estimating the Acidity of Transition Metal Hydride and Dihydrogen Complexes by Adding Ligand Acidity Constants. *J. Am. Chem. Soc.* **136**, 1948-1959, (2014).
28. Fraser, R. R., Mansour, T. S. & Savard, S. Acidity measurements on pyridines in tetrahydrofuran using lithiated silylamines. *J. Org. Chem.* **50**, 3232-3234, (1985).