

Table 2. Demographics and clinical characteristics.

	WBCT	OSCT	Overall	<i>P value</i>
	N=70 n(%)	N=53 n(%)	N=123 n(%)	
Age (years)*	29 (23-50)	28 (22 - 39)	29 (22-47)	
Male	65 (92.8%)	41 (77.45)	106 (86.1%)	
ISS*	16(11-25)	10 (9-17)	16 (9-24)	<i>P</i> <0.001
RTS*	6.9(5.9-7.8)	7.9(5.9-7.8)	7.8(5.9-7.8)	0.01
Vital Signs				
HR*	85(65-103)	98(85-113)	91(75-109)	NS
RR*	17(15-18)	18(16-20)	18(16-20)	NS
Shock	8(11.4%)	10 (18.9%)	18 (14.6%)	NS
GCS*	12(7-15)	15(10-15)	14(7-15)	NS
Trauma Mechanism				
Penetrating	10 (14.3%)	34(64.1%)	44 (35.8%)	<i>P</i> <0.001
Blunt	60 (85.7%)	19 (35.9%)	79 (64.8%)	<i>P</i> <0.001
Body Zone Injured				
Head	51 (71.9%)	9 (17%)	60 (48.8%)	
Cervical	12 (17.1%)	2 (3.8%)	14 (11.4%)	
Thorax	49 (70%)	42 (79.3%)	91 (74%)	
Abdomen	35 (50%)	18 (34%)	53 (43.1%)	
Perineal	9 (12.9%)	4 (7.6%)	13 (10.6%)	

Extremities	28 (40%)	21 (39.6%)	49 (39.8%)
Multiple Trauma	57 (81.4%)	31 (58.5%)	88 (71.5%)

* = Median (Interquartile range)

ISS= Injury Severity Score; RTS= Revised Trauma Score; HR= Heart Rate (beats per minute); RR= Respiratory Rate; GCS=Glasgow Coma Scale; Multiple Trauma= 2 or more body zones injured).