

checkCIF/PLATON report

Structure factors have been supplied for datablock(s) lsy1128_1

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: lsy1128_1

Bond precision: C-C = 0.0023 Å

Wavelength=1.54178

Cell: a=9.4679 (7) b=12.0255 (9) c=13.0782 (10)
 alpha=108.106 (3) beta=109.861 (3) gamma=92.837 (3)
Temperature: 100 K

	Calculated	Reported
Volume	1310.94 (18)	1310.94 (17)
Space group	P -1	P -1
Hall group	-P 1	-P 1
Moiety formula	C33 H30 N2 O S	C33 H30 N2 O S
Sum formula	C33 H30 N2 O S	C33 H30 N2 O S
Mr	502.65	502.65
Dx, g cm ⁻³	1.273	1.273
Z	2	2
Mu (mm ⁻¹)	1.313	1.313
F000	532.0	532.0
F000'	534.01	
h,k,lmax	11,14,15	11,14,15
Nref	4808	4728
Tmin,Tmax	0.690,0.702	0.065,0.167
Tmin'	0.626	

Correction method= # Reported T Limits: Tmin=0.065 Tmax=0.167
AbsCorr = MULTI-SCAN

Data completeness= 0.983

Theta(max)= 68.310

R(reflections)= 0.0359 (4494)

wR2(reflections)=
0.0985 (4728)

S = 1.049

Npar= 336

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.



Alert level C

PLAT911_ALERT_3_C Missing FCF Refl Between Thmin & STh/L= 0.600 61 Report

0	1	1,	0	-2	3,	-1	-2	4,	-1	-7	12,	-7	-3	12,	-4	5	12,
-1	-11	13,	-1	-10	13,	0	-10	13,	1	-10	13,	-1	-9	13,	0	-9	13,
1	-9	13,	-1	-8	13,	0	-8	13,	1	-8	13,	2	-8	13,	-1	-7	13,
0	-7	13,	-5	-5	13,	-6	-3	13,	-6	-2	13,	-7	-1	13,	-6	-1	13,
-6	1	13,	-5	2	13,	-5	3	13,	-3	-10	14,	-2	-10	14,	-2	-9	14,
-1	-9	14,	0	-9	14,	-2	-8	14,	-1	-8	14,	0	-8	14,	-2	-7	14,
-1	-7	14,	0	-7	14,	1	-7	14,	-2	-6	14,	1	-6	14,	-5	-4	14,
-6	-3	14,	-6	-2	14,	-7	0	14,	-6	1	14,	-5	2	14,	-4	2	14,
-4	-8	15,	-3	-8	15,	-2	-8	15,	-3	-7	15,	-2	-7	15,	-2	-6	15,
-1	-6	15,	-6	-3	15,	-5	-3	15,	-6	-2	15,	-5	-2	15,	-5	-1	15,
-4	-1	15,															



Alert level G

PLAT007_ALERT_5_G Number of Unrefined Donor-H Atoms 1 Report
H2

PLAT154_ALERT_1_G The s.u.'s on the Cell Angles are Equal ..(Note) 0.003 Degree

PLAT883_ALERT_1_G Absent Datum for _atom_sites_solution_primary .. Please Do !

PLAT912_ALERT_4_G Missing # of FCF Reflections Above STh/L= 0.600 19 Note

PLAT913_ALERT_3_G Missing # of Very Strong Reflections in FCF 1 Note
0 -2 3,

PLAT941_ALERT_3_G Average HKL Measurement Multiplicity 4.4 Low

PLAT969_ALERT_5_G The 'Henn et al.' R-Factor-gap value 3.532 Note
Predicted wR2: Based on SigI**2 2.79 or SHELX Weight 9.39

PLAT978_ALERT_2_G Number C-C Bonds with Positive Residual Density. 13 Info

PLAT992_ALERT_5_G Repd & Actual _reflns_number_gt Values Differ by 4 Check

- 0 **ALERT level A** = Most likely a serious problem - resolve or explain
- 0 **ALERT level B** = A potentially serious problem, consider carefully
- 1 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
- 9 **ALERT level G** = General information/check it is not something unexpected
-
- 2 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
- 1 ALERT type 2 Indicator that the structure model may be wrong or deficient
- 3 ALERT type 3 Indicator that the structure quality may be low
- 1 ALERT type 4 Improvement, methodology, query or suggestion
- 3 ALERT type 5 Informative message, check
-
-

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

