

Supplementary data

Proteomic analysis reveals WNT3a, TGFβ, and cAMP-dependent cell type differentiation in gastric antral mucosoids

Marzieh Ehsani ^{1,2}, Alvaro Quevedo-Olmos ¹, Ayham Moustafa ^{3,4,5}, Manuela Moritz ⁴, Bente Siebels ⁴, Annika Brauer ^{6,7,8}, Shihan Wang ¹, Xiaochen Zhang ¹, Lucas Riedel ¹, Marion Tina van Mackelenbergh ^{6,7}, Jürgen Ordemann ⁹, Susanne Wiegand ¹⁰, Jan Hahn ^{4,5}, Nina Hedemann ^{6,7}, David Holthaus ^{1,6,7,10 #*}, and Thomas F. Meyer ^{1,11 #*}

¹ Laboratory of Infection Oncology, Institute of Clinical Molecular Biology, Christian-Albrechts-Universität zu Kiel and University Hospital Schleswig-Holstein, Kiel, Germany

² Department of Neurology, Christian-Albrechts-University Kiel & University Hospital Schleswig-Holstein, Kiel, Germany

³ Department of Radiotherapy and Radiooncology, University Medical Center Hamburg-Eppendorf, Hamburg, Germany

⁴ Section Mass Spectrometry and Proteomics, University Medical Center Hamburg Eppendorf, Hamburg, Germany

⁵ Mildred Scheel Cancer Career Center HaTriCS4, University Medical Center Hamburg-Eppendorf, Hamburg, Germany.

⁶ Department of Gynaecology and Obstetrics, Christian-Albrechts-University Kiel & University Hospital Schleswig-Holstein, Kiel, Germany

⁷ Unit for 3D-Patient Avatars and Personalized Medicine, Department of Gynaecology and Obstetrics, Christian-Albrechts-University Kiel & University Hospital Schleswig-Holstein, Kiel, Germany

⁸ Group of Inflammatory Carcinogenesis, Institute for Experimental Cancer Research, University Hospital Schleswig-Holstein, Kiel, Germany

⁹ Department of Bariatric and Metabolic Surgery, Helios Klinikum, Berlin, Germany

¹⁰ Department of Otorhinolaryngology, Head and Neck Surgery, Christian-Albrechts-University Kiel & University Hospital Schleswig-Holstein, Kiel, Germany

¹¹ Department of Molecular Biology, Max Planck Institute for Infection Biology, Berlin, Germany

Shared authorship

* **Correspondence:**

Dr. David Holthaus

david.holthaus@uksh.de

Prof. Dr. Thomas F. Meyer



t.meyer@ikmb.uni-kiel.de

Figure 2F: Uncropped Western blotting membranes

Longer exposure

Shorter exposure

β -actin



ChgA

