

Data Collection Sheet

Title: Health-seeking behaviour of patients and use of antifungals in the treatment of dermatophytosis in Bangladesh.

ID no:

--	--	--

Date:

--	--	--	--	--	--

Particular of the patient:

a. Name:

b. Age: (in years)

--

c. Gender : 1) Male 2) Female

--

d. Residence: 1) Urban 2) Rural

--

e. Contact no:

--	--	--	--	--	--	--	--	--	--	--

f. Diagnosis of dermatophytosis:

--

1) Clinical

2) Microscopy

3) Culture

3) Histopathology

g. Prescribed by whom?

--

1) Registered General practitioner

2) Dermatologist

3) Non prescribed

4) Other specialists

h. If non-prescribed, how did patient buy it?

1. Self, OTC
2. Suggested by pharmacist, OTC
3. Suggested by friend or family member, OTC
4. Shared product of close relative/family member with similar complaints

i. Has any of the family members been affected in last year?

1. Yes
2. No

j. What systemic antifungals has been consumed so far?

1. Fluconazole
2. Terbinafin
3. Itraconazole
4. Voriconazole
5. Posaconazole
6. None
7. Multiple antifungal consumption
8. Unable to mention the name
9. other

k. At what dosage the patient is taking VORICONAZOLE?

1. 50mg
2. 200mg

l. How long (weeks) VORICONAZOLE has been consumed?:

m. Which topical antifungal has been used?

1. terbinafine
2. Naftifine
3. Miconazole
4. Econazole
5. Ciclopiroxolamine
6. Amorolfina
7. Luliconazole
8. Sertaconazole
9. None
10. Others

11 Topical steroids or Steroid containing fixed drug cream.

12. Unable to mention the name

n. Which topical steroid?

1. Clobetasone propionate
2. Betamethasone
3. Mometasone
4. Hydrocortisone
5. Triamcinolone

6. None

O. Duration of application of topical medicine containing steroids: wks

p. Use of systemic corticosteroid: 1. yes 2. No

q. Name of systemic steroid: 1. Inj. Triamcinolone 2. Oral/Inj.

Dexamethasone, 3. Tab./Inj. Hydrocortisone, 4. Oral Prednisolone, 5. Oral.

Methylprednisolone, 6. Oral. Betamethasone, 7. Oral Deflazacort,