



Fig7A CD11B Repeat1

Brightfield





Luminescence

Lane order: THP-1 | M0 | M1 | M2



CD11B(170KDa)
Representative blot
shown in Figure 7A

Overlay



β -actin(42KDa)




Fig7A CD11B Repeat2

Brightfield

Luminescence

Overlay

Lane order: THP-1 | M0 | M1 | M2











Fig7A CD11B Repeat3

Brightfield



Luminescence



Overlay



Lane order: THP-1 | M0 | M1 | M2






Fig7A CD204 Repeat1

Brightfield

Luminescence

Overlay

Lane order: THP-1 | M0 | M1 | M2









Fig7A CD204 Repeat2



Brightfield

Luminescence


Overlay

Lane order: THP-1 | M0 | M1 | M2



130KDa
100KDa
72KDa
50KDa
40KDa
30KDa
25KDa
20KDa
15KDa



CD204 (80KDa)



130KDa
100KDa
72KDa
50KDa
40KDa
30KDa
25KDa
20KDa



β -actin (42KDa)








Fig7A CD204 Repeat3

Brightfield



Luminescence



Lane order: THP-1 | M0 | M1 | M2

Overlay






Fig7A CD86 Repeat1

Brightfield

Luminescence




Overlay

Lane order: THP-1 | M0 | M1 | M2



CD86 (60KDa)

Representative blot
shown in Figure 7A



β -actin (42KDa)







Fig7A CD86 Repeat2

Brightfield



Luminescence



Lane order: THP-1 | M0 | M1 | M2

Overlay






Fig7A CD86 Repeat3


Brightfield



Luminescence



Overlay



Lane order: THP-1 | M0 | M1 | M2








Fig7A CD163 Repeat1

Brightfield



Luminescence



Lane order: THP-1 | M0 | M1 | M2

Overlay







Fig7A CD163 Repeat2

Brightfield

Luminescence

Overlay

Lane order: THP-1 | M0 | M1 | M2











Fig7A CD163 Repeat3


Brightfield



Luminescence



Overlay



Lane order: THP-1 | M0 | M1 | M2






Fig7A CD206 Repeat1

Brightfield




Luminescence

Overlay

Lane order: THP-1 | M0 | M1 | M2



CD206 (166KDa)
Representative blot
shown in Figure 7A



β -actin (42KDa)




Fig7A CD206 Repeat2

Brightfield

Luminescence

Overlay

Lane order: THP-1 | M0 | M1 | M2








Fig7A CD206 Repeat3

Brightfield

Luminescence

Overlay

Lane order: THP-1 | M0 | M1 | M2









Fig8B TLR2(M2-si group) Repeat1

Brightfield

Luminescence

Overlay

Lane order: M2-NC | M2-siTLR2






si-NC si-1 si-2 si-3



TLR2 (100KDa)

Representative blot
(si-1=M2-siTLR2)
shown in Figure 8B



β -actin (42KDa)




Fig8B TLR2(M2-si group) Repeat2

Brightfield

Luminescence

Overlay

Lane order: M2-NC | M2-siTLR2










Fig8B TLR2(M2-si group) Repeat3


Brightfield



Luminescence



Overlay



Lane order: M2-NC | M2-siTLR2






Fig8B TLR2(M2-Pam3CSK4 group) Repeat1

Brightfield

Luminescence

Overlay

Lane order: M2-Control | M2-Pam3CSK4









Fig8B TLR2(M2-Pam3CSK4 group) Repeat2

Brightfield



Luminescence

Overlay

Lane order: M2-Control | M2-Pam3CSK4



TLR2 (100KDa)



β -actin (42KDa)




Fig8B TLR2(M2-Pam3CSK4 group) Repeat3






Fig8B CD86(M2-si group) Repeat1-3


Brightfield



Luminescence



Overlay



Lane order: M2-NC | M2-siTLR2






Fig8B CD86(M2-Pam3CSK4 group) Repeat1-3

Brightfield

Luminescence

Overlay

Lane order: M2-Control | M2-Pam3CSK4









Fig8B CD86(M2-Pam3CSK4 group) Repeat1-3

Brightfield

Luminescence

Overlay

Lane order: M2-Control | M2-Pam3CSK4




Fig8B CD163(M2-si group) Repeat1-3

Brightfield

Luminescence

Overlay

Lane order: M2-NC | M2-siTLR2









Fig8B CD163(M2-Pam3CSK4 group) Repeat1-3

Brightfield

Luminescence

Overlay

Lane order: M2-Control | M2-Pam3CSK4










Fig8B CD206(M2-si group) Repeat1

Brightfield




Luminescence

Overlay

Lane order: M2-NC | M2-siTLR2



CD206 (166KDa)
Representative blot
shown in Figure 8B



β -actin (42KDa)




Fig8B CD206(M2-si group) Repeat2

Brightfield

Luminescence

Overlay

Lane order: M2-NC | M2-siTLR2








Fig8B CD206(M2-si group) Repeat3

Brightfield

Luminescence

Overlay

Lane order: M2-NC | M2-siTLR2









Fig8B CD206(M2-Pam3CSK4 group) Repeat1-3

