




A









B






C







A**B****C**

A**Open field****B****Risperidone sensitivity****C****Pole test**


Syllable frequency



Syllable mean length




Syllable proportion




Syllable description by gross appearance:

1	Rearing – stand 1	12	Rearing – final 2	23	Forward move 6	34	Sitting 11
2	Transient 1	13	Sitting 2	24	Sitting 6	35	Pause 3
3	Rearing move 1	14	Forward move 3	25	Sitting 7	36	Transient 4
4	Rearing – stand 2	15	Rearing – stand 4	26	Sitting 8	37	Forward move 11
5	Rearing -stand 3	16	Forward move 4	27	Forward move 7	38	Transient 5
6	Rearing – raising	17	Sitting 3	28	Forward move 8	39	Forward move 12
7	Sitting 1	18	Transient 2	29	Transient 3	40	Sitting 12
8	Rearing – final 1	19	Sitting 4	30	Forward move 9	41	Sitting 13
9	Rearing – start	20	Sitting 5	31	Sitting 9	42	Transient 6
10	Forward move 1	21	Forward move 5	32	Sitting 10	43	Forward move 13
11	Forward move 2	22	Pause 1	33	Forward move 10	44	Forward move 14


Syllable 26 "Sitting 8"




Syllable 32 "Sitting 10"




Syllable 28 "Forward move 8"



Syllable 33 "Forward move 10"







Syllable 1 "Rearing - stand 1"



[illegible][illegible]

C

A**Head-fix EEG epicranial recording set-up****B****Raw EEG signals****C****Examples of fast ripples****D****E**