

Annexure

Annex A

Service Record Form

(To be filled up by the data collector)

Research Title: Feasibility, Acceptability, and Adaptation of the S-Condom Uterine Balloon Tamponade (UBT) in Managing Atraumatic Postpartum Haemorrhage (PPH) at a Tertiary Care Facility in Bangladesh

SL	A. General Information	
1	Participant ID Number	
2	Date of Data collection	
3	Name of the Participant	
4	Age of the Participant	
	B. Clinical Information	
5	Parity	
6	Gestational age at delivery	
7	Onset of labour	a) Spontaneous b) Induced
8	Mode of delivery	a) VD: NVD/VBAC/Ventouse/Forcep/Destructive b) LSCS: Elective/ Emergency
9	Onset of PPH	a) Inpatient b) Refd. By other facility: Public / Private c) Home
10	Identifiable risk factors (Can be multiple answers)	a) Multiple pregnancy b) Hypertensive disorder c) Polyhydramnios

		d) Placental- Placenta praevia/ Abruptio placenta e) Use of oxytocin -Induction/Augmentation f) Use of misoprostol in induction of labour g) Labour complication: I. Prolong Labour II. Obstructed Labour III. Precipitate Labour h) Amnionitis i) Epidural analgesia j) Birth weight-Obesity k) Coagulopathy / Bleeding disorder
11	Preventive measure <i>(Can be multiple answers)</i>	a. AMTSL: Yes/No b. Oxytocin c. Carbetocin d. Misoprostol
	C. Treatment Information	
12	1 st line Treatment <i>(Can be multiple answers)</i>	a) Oxytocin: Dose: b) Carbetocin: Dose: c) Ergometrine: Dose: d) Misoprostol: Dose: e) Tranexamic acid: Dose: f) Bimanual compression:
13	Next intervention-Fluid amount needed for inflation of S condom UBT	Fluid.....ml
14	Any complication following the procedure <i>(Can be multiple answers)</i>	a) Abdominal pain: b) Fever: c) Allergic reaction to latex: d) Foul smelling vaginal discharge: e) Slippage and rupture of condom: f) Others (Specify)
15	Technical difficulties <i>(Can be multiple answers)</i>	<i>(Please specify, if any)</i>

16	Time required to inflate balloon (min) Time required to control bleeding (min)	
17	Estimated amount of blood loss (ml)	
18	Duration of condom catheter in situ (Hour)	
19	Other intervention required	Yes/ No
20	Types of intervention <i>(Can be multiple answers)</i>	a) Uterine/ ovarian artery ligation b) Internal iliac artery ligation c) Compression sutures d) Hysterectomy
21	Transfusion <i>(Can be multiple answers)</i>	a) Whole blood: unit b) PCV: unit c) FFP: unit d) Platelet: unit e) Cryoprecipitate: unit
22	Need for ICU support	Yes/ No
23	Indication for ICU admission <i>(Can be multiple answers)</i>	
24	Duration of ICU stay (day)	
25	Maternal outcome	a) Alive b) Dead c) Cause of death
26	Foetal outcome	a) Alive b) Stillborn/ Neonatal death/IUD
27	Duration of hospital stay (day)	

Comment (if any):

Annex--B

Questionnaire for Structured Interview with Women (PPH Patient)

(To be filled up by data collector)

Research Title: Feasibility, Acceptability, and Adaptation of the S-Condom Uterine Balloon Tamponade (UBT) in Managing Atraumatic Postpartum Haemorrhage (PPH) at a Tertiary Care Facility in Bangladesh

SL	Socio demographic Information	
1	Participant ID Number	
2	Date of Data collection	
3	Name of the Participant	
4	Age of the Participant	
5	Residence	Rural/ Urban
6	Mobile No	
7	Educational qualification	a) No Education b) Sign only c) Primary d) Secondary e) SSC f) HSC g) Graduate & above h) Other (Specify)
8	Occupation <i>(Can be multiple answers)</i>	a) Housewife b) Service c) Agriculture d) Business e) Garments worker f) Day labour g) Student h) Other (Specify)
9	Husband's occupation <i>(Can be multiple answers)</i>	a) Agriculture b) Service a) Business b) Garments worker c) Day labour

		d) Student e) Driver f) Other (Specify)
10	Monthly family income	a) $\leq 10,000$ b) 10,001-20,000 c) $> 20,000$
11	Satisfaction score	a) Very satisfied b) Satisfied c) Neutral d) Dissatisfied e) Very dissatisfied
12	Tolerance to device	a) Abdominal pain: b) Fever: c) Allergic reaction to latex: d) Foul smelling vaginal discharge: e) Others (Specify)

Annex C
Follow Up Data Record Form
(By Phone call)

Date of phone call:

Time of Follow up: 2 weeks / 6 weeks

Whether the woman has/had any health problem since discharge:

If yes, what are those?:

Any specific adverse effects like pruritus, foul smelling vaginal discharge, fever, abdominal pain: