

ZNF213 facilitates ER alpha signaling in breast cancer cells

Huijie Yang^{1, 2†}, Xulei Lv^{3†}, Xin Li², Lanzhi Mao², Zhiguo Niu², Ting Wang^{1*}, Ting Zhuang^{2*} and Qingsong Huang^{2*}

¹Department of Pharmacology And Tianjin Key Laboratory of Inflammation Biology, School of Basic Medical Sciences, Tianjin Medical University, Tianjin, 300070, China.

²Xinxiang Key Laboratory of Tumor Migration, Invasion and Precision Medicine, Henan Key Laboratory of Immunology and Targeted Drugs, School of Laboratory Medicine, Henan Collaborative Innovation Center of Molecular Diagnosis and Laboratory Medicine, Xinxiang Medical University, Xinxiang 453003, Henan Province, P.R. China.

³Department of Anesthesiology, The fourth medical Center of Chinese PLA General Hospital, No 51, Fucheng Road, Haidian District, Beijing, 100048, China.

† Huijie Yang and Xulei Lv contribute equally to the study.

Figure 2-E






Figure 2-G



Thermo Scientific PageRuler Pierce 26616

Figure 3-A




Figure 3-B




Figure 4-B






Figure 4-E



Input

Myc-ZNF213




Figure 4-F




Figure 4-G




Figure 5-A




Figure 5-B




Figure 5-C




Figure 5-D




Figure 5-E




Figure 5-F

