

RAADS-14 Rus

Пожалуйста, оцените, насколько верно каждое из утверждений наиболее точно описывает вас в настоящее время и в детстве (до 16 лет), и поставьте отметку в соответствующей графе. Пожалуйста, ограничьте свой выбор одним ответом для каждого пункта.

Переживания и индивидуальные особенности, которые могут вас характеризовать	Верно и сейчас, и в детстве	Верно только сейчас	Было верно только для возраста до 16 лет	Неверно и никогда не было верно
1. Во время разговора с другими людьми мне сложно понять, что они чувствуют	☐	☐	☐	☐
2. Мне очень неприятно ощущать прикосновение некоторых обычных материалов к своей коже, хотя других они, похоже, не раздражают	☐	☐	☐	☐
3. Мне очень сложно действовать и работать в коллективах	☐	☐	☐	☐
4. Мне сложно понять, что от меня ожидают другие люди	☐	☐	☐	☐
5. Я часто не знаю как вести себя при взаимодействии с другими людьми	☐	☐	☐	☐
6. Я могу поболтать о пустяках с другими людьми	☐	☐	☐	☐
7. Когда я чувствую, что перегружен ощущениями, мне нужно уединиться, чтобы приглушить их.	☐	☐	☐	☐
8. Как находить друзей и общаться – загадка для меня	☐	☐	☐	☐

Переживания и индивидуальные особенности, которые могут вас характеризовать		Верно и сейчас, и в детстве	Верно только сейчас	Было верно только для возраста до 16 лет	Неверно и никогда не было верно
9.	Когда я разговариваю с кем-то, мне трудно понять, когда моя очередь говорить или слушать	☐	☐	☐	☐
10.	Иногда мне приходится затыкать уши, чтобы приглушить нестерпимый шум (например, звук пылесоса или слишком громкий или многословный разговор)	☐	☐	☐	☐
11.	Мне бывает очень сложно понять выражение лица, позу и значение жестов собеседника.	☐	☐	☐	☐
12.	Я концентрируюсь на деталях, а не на общей идее	☐	☐	☐	☐
13.	Я воспринимаю сказанное слишком буквально, поэтому часто упускаю, что пытается сказать собеседник	☐	☐	☐	☐
14.	Меня очень расстраивает, когда мне приходится изменять привычный образ действий	☐	☐	☐	☐

Подсчет баллов

Большинство вопросов имеют прямое кодирование.

Верно и сейчас, и в детстве = 3, Верно только сейчас = 2, Было верно только для возраста до 16 лет = 1, Неверно и никогда не было верно = 0

В вопросах, отмеченных буквой R следует использовать обратное кодирование (Верно и сейчас, и в детстве = 3, Верно только сейчас = 2, Было верно только для возраста до 16 лет = 1, Неверно и никогда не было верно = 0).

Для оценки каждой из шкал сложите результаты соответствующих вопросов: Социальная ментализация (СМ) (5 пунктов, минимальное значение 0, максимальное значение 15): 1, 4, 9, 11, 13

Сложности социального взаимодействия (ССВ) (5 пунктов, минимальное значение 0, максимальное значение 15): 3, 5, 6R, 8

Сенсорное восприятие и когнитивный стиль (СВиКС) (4 пункта, минимальное значение 0, максимальное значение 12): 2, 7, 10, 12, 14

Итоговая оценка получается сложением результатов по всем трём шкалам и может использоваться при скрининге расстройств аутистического спектра (минимально возможное значение 0 баллов, максимально возможное значение 42 балла).

Интерпретация результатов:

От 0 до 16 баллов — низкая выраженность аутистических характеристик и очень низкий риск наличия РАС;

От 17 до 21 балла — умеренная выраженность аутистических характеристик, низкий риск наличия РАС;

От 22 до 29 баллов — высокая выраженность аутистических характеристик, значительный риск наличия РАС;

От 30 до 42 баллов — очень высокая выраженность аутистических характеристик, высокий риск наличия РАС.

RAADS-14

Please choose one of the following alternatives:

This is true or describes me now and when I was young.

This was true or describes me only now (refers to skills acquired).

This was true only when I was young (16 years or younger).

This was never true and never described me.

Please answer the questions according to what is true for you. Check only one column per statement!

Some life experiences and personality characteristics that may apply to you	True now and when I was young	True only now	True only when I was younger than 16	Never true
1. It is difficult for me to understand how other people are feeling when we are talking	☐	☐	☐	☐
2. Some ordinary textures that do not bother others feel very offensive when they touch my skin	☐	☐	☐	☐
3. It is very difficult for me to work and function in groups	☐	☐	☐	☐
4. It is difficult to figure out what other people expect of me	☐	☐	☐	☐
5. I often don't know how to act in social situations	☐	☐	☐	☐
6. I can chat and make small talk with people	☐	☐	☐	☐
7. When I feel overwhelmed by my senses, I have to isolate myself to shut them down	☐	☐	☐	☐
8. How to make friends and socialize is a mystery to me	☐	☐	☐	☐
9. When talking to someone, I have a hard time telling when it is my turn to talk or to listen	☐	☐	☐	☐
10. Sometimes I have to cover my ears to block out painful noises (like vacuum cleaners or people talking too much or too loudly)	☐	☐	☐	☐

Some life experiences and personality characteristics that may apply to you		True now and when I was young	True only now	True only when I was younger than 16	Never true
11.	It can be very hard to read someone's face, hand, and body movements when we are talking	☐	☐	☐	☐
12.	I focus on details rather than the overall idea	☐	☐	☐	☐
13.	I take things too literally, so I often miss what people are trying to say	☐	☐	☐	☐
14.	I get extremely upset when the way I like to do things is suddenly changed	☐	☐	☐	☐

RAADS-14 Screen

Scoring:

- All items (except item 6 which is reversed and therefore marked with*) range from 3 to 0.
- The score ranges from a minimum of 0 to a maximum of 42.

RAADS-14 Screen contains three subdomains:

- Mentalizing deficits: items 1, 4, 9, 11, 12, 13, 14 (explaining 32.5% of the variance)
- Social anxiety: items 3,5,6,8 (explaining 8.5% of the variance)
- Sensory reactivity: items 2,7,10 (explaining 6.4% of the variance)

Median score for different populations:

- **32** in 135 adults with normal intelligence diagnosed with autism spectrum disorder (ASD).
- **15** in 344 adults with normal intelligence diagnosed with attention deficit hyperactivity disorder (ADHD).
- **11** in the collapsed group of 164 adults with other psychiatric disorders, specified as psychotic disorder (n=30), mood disorder (n=59), anxiety disorder or OCD (n=67) and borderline personality disorder (n=39). The sums of reported diagnoses exceed the number of patients in the group because of co-occurring diagnoses.
- **3** in 590 non-psychiatric controls

A cut-off score of 14 or above reached a sensitivity of 97% and a specificity of:

- 46% for the ADHD group.
- 64% for the other psychiatric disorders group (described above).
- 95% for the non-psychiatric controls.

The discriminatory power of the first five items in the RAADS-14 Screen:

- A cut-off point of 4 or greater from a maximum of 15 points yielded a sensitivity of 93% and a specificity of 45% in the ADHD sample, 49% in the other psychiatric disorders group, and 90% in the non-psychiatric sample.

RAADS-14-Screen is an abridged version of Ritvo Autism and Asperger Diagnostic Scale-Revised (RAADS-R). Cite: Eriksson JM, Andersen MJ, Bejerot S. RAADS-14 Screen: validity of a screening tool for Autism Spectrum Disorder in an adult psychiatric population. Molecular Autism 2013; 4:49.