

Harnessing UAV Technology for Disaster Risk Management: A Conceptual Evidence-Maturity Framework and Institutional Readiness Blueprint for Ethiopia

Mekibib Fisiha Tesfamariam

mekibib.gsr-1257-17@aau.edu.et

Addis Ababa University College of Development Studies <https://orcid.org/0009-0006-3449-4493>

Systematic Review

Keywords: unmanned aerial vehicles, drones, disaster risk management, disaster response, artificial intelligence, institutional integration, Ethiopia, conceptual framework

Posted Date: September 24th, 2026

DOI: <https://doi.org/10.21203/rs.3.rs-11133625/v1>

License:  This work is licensed under a Creative Commons Attribution 4.0 International License.
[Read Full License](#)

Additional Declarations: The authors declare no competing interests.

Natural Hazards

Harnessing UAV Technology for Disaster Risk Management: A Conceptual Evidence-Maturity Framework and Institutional Readiness Blueprint for Ethiopia Mekibib Fisiha Tesfamariam^{1*}, Dr. Sitotaw Haile Erena², Dr. Solomon Tsehay Feleke³ --Manuscript Draft--

Manuscript Number:	NHAZ-D-26-03953
Full Title:	Harnessing UAV Technology for Disaster Risk Management: A Conceptual Evidence-Maturity Framework and Institutional Readiness Blueprint for Ethiopia Mekibib Fisiha Tesfamariam ^{1*} , Dr. Sitotaw Haile Erena ² , Dr. Solomon Tsehay Feleke ³
Article Type:	Manuscript
Keywords:	Keywords: unmanned aerial vehicles; drones; disaster risk management; disaster response; artificial intelligence; institutional integration; Ethiopia; conceptual framework.
Corresponding Author:	Mekibib Fisiha Tesfamariam, MA Addis Ababa University College of Development Studies Addis Ababa, ETHIOPIA
Corresponding Author Secondary Information:	
Corresponding Author's Institution:	Addis Ababa University College of Development Studies
Corresponding Author's Secondary Institution:	
First Author:	Mekibib Fisiha Tesfamariam, MA
First Author Secondary Information:	
Order of Authors:	Mekibib Fisiha Tesfamariam, MA Sitotaw Haile Erena, PHD Solomon Tsehay Feleke, PHD
Order of Authors Secondary Information:	
Funding Information:	
Abstract:	Abstract Background: Unmanned aerial vehicles (UAVs/drones) are rapidly expanding within disaster risk management (DRM) for localized data acquisition and damage mapping. However, a critical socio-technical gap remains regarding how these technical workflows transition into sustained operational deployment and institutionalized policy frameworks, particularly in resource constrained environments. In East Africa, and specifically Ethiopia, this challenge is intensified by a shifting hazard landscape characterized by recurrent Awash River basin flash floods, complex structural landslides in the mountainous Amhara and Gamo highlands, and a highly restrictive airspace regulatory environment. Objective: This paper introduces an original six-level evidence-maturity framework (L1–L6) designed to evaluate the progression of UAV integration from baseline data acquisition to measurable disaster risk reduction outcomes, establishing the foundational parameters for an Ethiopian UAV Disaster Readiness Index (EUDRI). Methods: Moving beyond conventional database-centric systematic reviews that focus strictly on technical performance metrics, this study applies a qualitative and thematic synthesis of validated global literature. The analysis tracks socio-technical dimensions across six distinct maturity levels: data acquisition (L1), information generation (L2), decision support (L3), operational deployment (L4), institutional integration (L5), and measurable DRM outcomes (L6). Results: Synthesis of the evidence base demonstrates a heavy concentration of literature at technical execution stages (L1–L2), frequently limited to small-scale rural experiments under 1 km² in high-income nations. In contrast, empirical validation for sustained operational deployment (L4) and institutional policy integration (L5) remains

	severely limited due to organizational friction and infrastructure deficits. The analysis reveals that technology adoption fails not from hardware scarcity, but from a "Socio-Technical Disconnect" where legal barriers and lack of automated data-sharing protocols paralyze operational deployment during the critical first 24 "golden hours" of a disaster. Conclusion: To bridge this technical-to-operational divide, this paper provides a tailored readiness pathway for developing-country settings. We outline a multi-agency operational blueprint and policy governance framework explicitly optimized for the socio-institutional and hazard profile of Ethiopia. By contextualizing the EUDRI across five structural pillars (Regulatory Alignment, Technical Infrastructure, Operational Deployment, Data Governance, and Human Capital), this study demonstrates that systemic institutional readiness and proactive civil-military harmonization must supersede mere hardware procurement to achieve tangible, long-term reductions in societal vulnerability and disaster-induced losses.
Suggested Reviewers:	Francesco Nex University of Twente Faculty of Geo-Information Science and Earth Observation: Universiteit Twente Faculteit Geo-Informatie Wetenschappen en Aardobservatie f.nex@utwente.nl Dr. Francesco Nex is a leading expert in UAV-based emergency mapping and disaster informatics based in the Netherlands. He has published extensively on drone field-usability and tactical rescue deployments, making him highly qualified to review the L1-L6 framework developed in this manuscript. Danielle Popescu, Politehnica Bucharest National university of Science and Technology Politehnica Bucharest dumitru.popescu@upb.ro Dr. Danielle Popescu is a highly cited researcher specializing in advanced remote sensing and deep-learning architectures for post-disaster flood management based in Romania. His computational expertise is ideal for evaluating the technical execution metrics discussed in this study. Joy Obando department of geography and environmental science obando.joy@ku.ac.ke Dr. Joy Obando is an expert in environmental hazards and disaster risk management in East Africa, based in Kenya. Her regional knowledge of climate-induced vulnerabilities makes her ideal to assess our localized framework. Hitoshi Tanaka Tohoku university, Department of Civil And Environmental Engineering hitoshi.tanaka.a1@tohoku.ac.jp Dr. Hitoshi Tanaka is a renowned scholar in disaster risk reduction and institutional hazard management frameworks based in Japan. He has significant experience analyzing emergency response policies and civil aviation alignments following catastrophic climate and geophysical events. Mirela Krol Gdansk University of Technology: Politechnika Gdanska mirela.krol@pg.edu.pl Dr. Mirela Krol specializes in multi-UAV system architecture and socio-technical networking frameworks for sudden-onset hazard response based in Poland. Her background fits perfectly with the operational readiness blueprints and network vulnerabilities addressed in our work.
Opposed Reviewers:	

To:

The Editor-in-Chief

Natural Hazards

Springer Berlin Heidelberg

Subject: Submission of Original Research Manuscript

Dear Editor-in-Chief,

I am writing to submit our original research manuscript titled "**Harnessing UAV Technology for Disaster Risk Management: A Conceptual Evidence-Maturity Framework and Institutional Readiness Blueprint for Ethiopia**" for consideration for publication as a regular research article in *Natural Hazards*.

This study addresses a critical gap within disaster risk governance and emergency informatics: the socio-technical disconnect between technical feasibility and institutional deployment. While contemporary hazard mitigation literature focuses heavily on isolated engineering performance metrics for Unmanned Aerial Vehicles (UAVs) and remote sensing data processing (Levels 1–3 Maturity), it systematically under-evaluates the operational field mobilization, legal frameworks, and long-term socio-economic outcomes (Levels 4–6 Maturity) required by public administrative frameworks, particularly in resource-constrained national environments.

Grounded in Socio-Technical Systems (STS) Theory, this paper introduces an original Six-Level Evidence-Maturity Framework (L1–L6) to map the lifecycle of aerial data translation. Moving from the theoretical to the applied, we establish the parameters for the **Ethiopian UAV Disaster Readiness Index (EUDRI)**. The EUDRI contextualizes readiness across five core pillars—Regulatory Alignment, Technical Infrastructure, Operational Deployment, Data Governance, and Human Capital—tailored directly to the specific climate hazard profile (e.g., Awash River basin flash floods, highland escarpment landslides) and complex security regulations of Ethiopia.

We believe this paper aligns perfectly with the scope of *Natural Hazards*, as it bridges the gap between hardware engineering capabilities and proactive civil protection policies, offering an actionable roadmap for developing-country configurations.

This manuscript is original, has not been published previously, and is not currently under consideration for publication elsewhere. All authors have read and approved the final manuscript for submission. We have no conflicts of interest to disclose.

Thank you very much for your time and consideration of our work.

Sincerely,

Mekibib Fisiha Tesfamariam (PhD Candidate)

Corresponding Author

Department of Disaster Risk Management and Development

Addis Ababa University, Addis Ababa, Ethiopia

Email: mekibib.gsr-1257-17@aaau.edu.et

Harnessing UAV Technology for Disaster Risk Management: A Conceptual Evidence-Maturity Framework and Institutional Readiness Blueprint for Ethiopia
Mekibib Fisiha Tesfamariam^{1*}, Dr. Sitotaw Haile Erena², Dr. Solomon Tsehay Feleke³

Affiliations:

¹ PhD Candidate, College of Development Studies, Addis Ababa University, Addis Ababa, Ethiopia

² Assistant Professor, College of Development Studies, Addis Ababa University, Addis Ababa, Ethiopia

³ Assistant Professor, College of Development Studies, College of Development Studies, Addis Ababa University, Addis Ababa, Ethiopia

***Corresponding Author Email:**

mekibib.gsr-1257-17@aau.edu.et

Harnessing UAV Technology for Disaster Risk Management: A Conceptual Evidence-Maturity Framework and Institutional Readiness Blueprint for Ethiopia

Highlights

- UAV software metrics and sensing tools often fail to cross into operational deployment.
- A robust six-level framework links raw drone data directly to state risk reduction.
- Global drone informatics reveal severe data biases toward high-income regions.
- The Ethiopian UAV Disaster Readiness Index (EUDRI) maps institutional gaps.
- Phased strategic roadmaps bypass rigid security blocks during sudden flood crises.

Abstract

Background: Unmanned aerial vehicles (UAVs/drones) are rapidly expanding within disaster risk management (DRM) for localized data acquisition and damage mapping. However, a critical socio-technical gap remains regarding how these technical workflows transition into sustained operational deployment and institutionalized policy frameworks, particularly in resource constrained environments. In East Africa, and specifically Ethiopia, this challenge is intensified by a shifting hazard landscape characterized by recurrent Awash River basin flash floods, complex structural landslides in the mountainous Amhara and Gamo highlands, and a highly restrictive airspace regulatory environment.

Objective: This paper introduces an original six-level evidence-maturity framework (L1–L6) designed to evaluate the progression of UAV integration from baseline data acquisition to measurable disaster risk reduction outcomes, establishing the foundational parameters for an Ethiopian UAV Disaster Readiness Index (EUDRI).

Methods: Moving beyond conventional database-centric systematic reviews that focus strictly on technical performance metrics, this study applies a qualitative and thematic synthesis of validated global literature. The analysis tracks socio-technical dimensions across six distinct maturity levels: data acquisition (L1), information generation (L2), decision support (L3), operational deployment (L4), institutional integration (L5), and measurable DRM outcomes (L6).

Results: Synthesis of the evidence base demonstrates a heavy concentration of literature at technical execution stages (L1–L2), frequently limited to small-scale rural experiments under 1 km² in high-income nations. In contrast, empirical validation for sustained operational deployment (L4) and institutional policy integration (L5) remains severely limited due to organizational friction and infrastructure deficits. The analysis reveals that technology adoption fails not from hardware scarcity, but from a "Socio-Technical Disconnect" where legal barriers and lack of automated data-sharing protocols paralyze operational deployment during the critical first 24 "golden hours" of a disaster.

Conclusion: To bridge this technical-to-operational divide, this paper provides a tailored readiness pathway for developing-country settings. We outline a multi-agency operational blueprint and policy governance framework explicitly optimized for the socio-institutional and hazard profile of Ethiopia. By contextualizing the EUDRI across five structural pillars (Regulatory Alignment, Technical Infrastructure, Operational Deployment, Data Governance, and Human Capital), this

study demonstrates that systemic institutional readiness and proactive civil-military harmonization must supersede mere hardware procurement to achieve tangible, long-term reductions in societal vulnerability and disaster-induced losses.

Keywords: unmanned aerial vehicles; drones; disaster risk management; disaster response; artificial intelligence; institutional integration; Ethiopia; conceptual framework.

1. Introduction

1.1 Background and Socio-Technical Context

In the contemporary era of anthropogenically accelerated climate change, the frequency, intensity, and spatial unpredictability of natural hazards have escalated on a global scale. Disaster Risk Management (DRM) paradigms have consequently been forced to transition from reactive emergency response mechanisms toward predictive, highly adaptive, and spatially explicit risk reduction frameworks. The efficacy of these modern DRM systems is fundamentally predicated upon the continuous acquisition, processing, and dissemination of high-fidelity, real-time geospatial data. Such data is critical across all phases of the disaster management cycle, spanning proactive mitigation and preparedness to real-time emergency response, damage mapping, and long-term recovery workflows.

For decades, conventional institutional information pipelines have relied heavily on a combination of ground-based civilian surveys, fixed monitoring infrastructure (such as hydrological gauging stations), and orbital satellite remote sensing. While these traditional observations remain indispensable structural pillars of national early warning architectures, their operational utility during acute, sudden-onset disaster crises is increasingly constrained by systemic vulnerabilities. Ground surveys are frequently paralyzed by the physical destruction of transport infrastructure, rendering hazard zones inaccessible to civilian response teams and survey equipment.

Orbital satellite configurations, despite providing expansive macroscopic coverage, exhibit profound operational liabilities during emergency contexts. Optical satellite payloads are inherently incapacitated by heavy cloud covers, which routinely accompany catastrophic meteorological events such as flash floods, monsoons, and tropical cyclones. Furthermore, the orbital temporal resolution—the revisit time of a satellite over a specific disaster zone—frequently introduces data latency periods ranging from several hours to multiple days. This temporal lag is highly detrimental during the "golden hours" of search and rescue operations, where information currency is measured in minutes. Even when cloud-free imagery is obtained, the spatial resolution of freely accessible satellite configurations is often insufficient for granular structural damage

assessments, such as identifying micro-fissures in compromised hillside slopes or detecting individual stranded survivors in complex urban debris fields.

To overcome these structural blockages, Unmanned Aerial Vehicles (UAVs) commonly designated as drones, Unmanned Aerial Systems (UAS), or Remotely Piloted Aircraft Systems (RPAS) have emerged as a disruptive technological platform in digital disaster management. Operating within the lower troposphere, below dense cloud layers, UAVs effectively bypass the atmospheric interference that cripples orbital platforms. They offer unprecedented spatial resolution, frequently capturing sub-decimeter imagery (pixel sizes under 5 cm) that reveals real-time structural failures, localized flood extent lines, and debris configurations with meticulous clarity.

Furthermore, the operational flexibility of modern UAV configurations allows for rapid, on-demand deployment without the systemic bureaucratic or logistical delays associated with mobilizing manned aerial reconnaissance. UAV platforms can be rapidly outfitted with a diverse array of modular payloads, including high-definition optical sensors, thermal infrared cameras for nocturnal search and rescue, multispectral and hyperspectral imagers for environmental degradation monitoring, and Light Detection and Ranging (LiDAR) active sensors capable of penetrating dense forest canopies to map underlying landslide topologies [1, 2].

When these flexible hardware configurations are mathematically integrated with Geographic Information Systems (GIS), automated remote sensing architectures, and state-of-the-art Artificial Intelligence (AI) and Machine Learning (ML) algorithmic frameworks, they can execute complex, real-time spatial analytics. These include automated obstacle routing for humanitarian logistics, deep-learning-based building collapse segmentation, and wireless sensor network localization support in areas where terrestrial communication towers have been entirely obliterated [3, 4].

However, a profound socio-technical paradox resides at the center of current UAV-DRM research. While the engineering literature is saturated with experimental trials demonstrating the mathematical precision of drone sensors, the automated speed of machine learning image classification, and the fluid efficiency of algorithmic flight paths, these technical successes rarely translate into sustained institutional utilization by national emergency response frameworks. A highly specialized UAV platform can generate exceptionally accurate, sub-decimeter three-dimensional flood models, yet this digital asset remains fundamentally redundant if a country's National Disaster Risk Management agencies lack the regulatory frameworks to legally fly the drone, the secure data pipelines to transmit the large imagery files, the standard operating procedures (SOPs) to interpret the data, or the institutional mandates to allocate rescue resources based on algorithmic outputs.

Therefore, technical capacity does not inherently constitute operational or institutional effectiveness. UAV adoption in disaster contexts cannot be treated merely as a localized hardware procurement exercise; it must be conceptualized as an extensive, multi-level socio-technical pathway that stretches from raw aerial data acquisition to final, measurable reductions in societal vulnerability and disaster-induced losses.

1.2 Problem Statement

The contemporary body of academic literature addressing UAV utilization within disaster risk management environments suffers from severe fragmentation, intellectual siloing, and geographic biases. Research is deeply divided across disparate scientific domains, including remote sensing engineering, humanitarian supply-chain logistics, computational computer science, physical geography, and public policy studies.

The vast majority of empirical publications concentrate heavily on isolated technical problems, such as refining convolutional neural network (CNN) architectures for deep-learning image segmentation, optimizing multi-agent drone path planning algorithms for wildfire monitoring, or maximizing wireless signal propagation over active search and rescue environments [5]. While these computational milestones successfully establish the baseline technological feasibility of UAV payloads under highly controlled, simulated, or small-scale experimental conditions, there is a severe shortage of academic work that critically evaluates the operational deployment and sustained institutionalization of these systems within real-world, chaotic emergency management frameworks.

This structural divide between engineering capabilities and institutional realities manifests as four critical knowledge and policy gaps in the global literature:

- **The Technical to Operational Chasm:** There is an extensive over-evaluation of mathematical sensor performance and a corresponding under-evaluation of real-world operational effectiveness. The literature routinely reports hardware performance metrics, such as root-mean-square error (RMSE) in digital elevation models or F1-scores in deep learning victim detection. However, it systematically fails to measure operational variables, such as information latency (the time elapsed between drone landing and decision-maker visualization), field mobilization times under severe meteorological constraints, or the impact of aerial intelligence on lowering the search-time metrics of rescue squads.
- **The Institutional Integration Deficit:** The organizational processes required to absorb UAV data into public agencies remain profoundly under-studied. For a technology to become institutionalized, it must be legally and structurally embedded within civil aviation mandates, inter-agency data-sharing protocols, secure national cloud architectures, and standard operating procedures (SOPs) of emergency operation centers. The literature offers almost no guidance on how bureaucratic public agencies can manage the immense data

volumes generated by daily drone operations or resolve inter-departmental conflicts regarding airspace jurisdiction and data confidentiality.

- **The Outcome Measurement Vacuum:** Current research rarely tracks or quantifies long-term disaster risk reduction outcomes that are explicitly attributable to UAV-enabled interventions. Success is consistently defined as the completion of a mapping mission or the technical accuracy of an algorithmic output, rather than tangible, high-level socio-economic indicators such as measurable reductions in mortality rates, accelerated institutional response times, or minimized infrastructure reconstruction costs.
- **Severe Geographic and Socio-Economic Biases:** The empirical baseline of UAV-DRM research is structurally skewed toward high-income nations. A significant portion of published global field trials are executed across highly controlled environments within wealthy geographical regions. These settings feature robust, pre-existing digital infrastructure, stable high-speed cellular networks, dense distributions of certified technical personnel, and highly organized civil aviation frameworks.

Consequently, the findings and operational models derived from these studies are fundamentally incompatible with the socioeconomic and infrastructural realities of developing, resource constrained environments. Lower-income countries which disproportionately bear the brunt of global climate fatalities frequently operate in environments characterized by intermittent electrical grids, complete lack of localized high-speed computing clusters, severe deficits in certified domestic aviation pilots, and highly restrictive or entirely ambiguous national security regulations regarding civilian airspace usage.

This paper directly addresses these multi-dimensional gaps by shifting the academic discourse away from database-centric literature counting or localized hardware experiments. Instead, it constructs a comprehensive, unifying Socio-Technical Evidence-Maturity Framework (L1–L6) that tracks the progression of drone data from raw physical acquisition to final institutional execution. Furthermore, this study explicitly translates this global theoretical framework into an actionable, context-sensitive operational blueprint: the Ethiopian UAV Disaster Readiness Index (EUDRI), designed to provide a highly practical implementation path for resource-constrained, high-vulnerability national environments.

1.3 Theoretical Framework: Socio-Technical Systems (STS) Theory

To critically evaluate why the proliferation of sophisticated UAV hardware has failed to catalyze systemic transformations in public emergency management, this study grounds its analysis in Socio-Technical Systems (STS) Theory. Originally formulated in the mid-20th century by the Tavistock Institute to examine industrial labor transformations, and subsequently expanded within contemporary science and technology studies (STS), STS theory posits that any organizational framework is comprised of two deeply interconnected, non-linear sub-systems: the Technical Sub-system and the Social Sub-system.

The Technical Sub-system encompasses the physical artifacts, hardware components, software code, algorithmic structures, and specific processing techniques utilized to execute a task. In the context of this study, this sub-system includes the physical UAV airframes (rotary-wing vs. fixed-wing), payload sensors (optical, LiDAR, thermal), AI image-segmentation software, and GIS computational architectures.

The Social Sub-system comprises the human capital, psychological behaviors, organizational cultures, bureaucratic hierarchies, standard operating procedures, legal structures, and institutional

policies that govern how individuals and public agencies operate. In our context, this includes national civil aviation laws, the training and certification pipelines for emergency pilots, the internal workflows of the National Disaster Risk Management Commission (NDRMC), data security mandates enforced by security agencies, and the operational coordination between civil, military, and international humanitarian actors.




Figure 1. *The Socio-Technical Systems (STS) Matrix for UAV Integration in Public Emergency Architectures.*

The foundational axiom of STS theory is that organizational optimization can never be achieved by focusing exclusively on the technical sub-system while neglecting or treating the social sub-system as a passive variable. When an advanced technology is abruptly introduced into an unaligned, rigid social sub-system, severe institutional friction occurs. This friction manifests as bureaucratic bottlenecks, complete operational rejection by field operators, data fragmentation, and an absolute failure to achieve the technology's theoretical performance outcomes.

Applying STS theory to the disaster informatics domain reveals that the current failure of UAV technology to achieve long-term institutionalization is a direct consequence of a profound structural mismatch: a highly sophisticated, hyper-dynamic technical sub-system is being forced into highly fragmented, rigid, and outdated institutional social sub-systems. True readiness and novelty do not emerge from procuring more advanced drones, but from systematically aligning the social sub-system (policy, law, workflow) to safely absorb and operationalize the outputs of the technical sub-system.

1.4 Research Questions

1. What are the principal applications of UAV technology across disaster types and phases of disaster risk management?
2. How are UAVs integrated with GIS, remote sensing, AI, and machine-learning technologies in DRM?

3. What evidence exists regarding the operational effectiveness and institutional integration of UAV-enabled DRM systems?
4. What research, implementation, institutional, and policy gaps constrain UAV integration into DRM, particularly in developing-country contexts such as Ethiopia?

1.5 Significance

The framework contributes conceptually by treating UAV adoption as a progression from data acquisition to measurable DRM outcomes. Empirically, it synthesizes evidence across hazards, applications, sensors, analytical technologies, and operational contexts. Methodologically, it applies a six-level evidence-maturity framework. For policy and practice, it identifies institutional, regulatory, technical, and interoperability requirements. For Ethiopia, it provides an evidence base for assessing readiness and priorities for UAV-enabled DRM.

2. Methodology & Qualitative Policy Synthesis Justification

The structural realignment of this manuscript from a standard, database-centric scoping review to an authoritative Conceptual Framework and Qualitative Policy Synthesis is dictated by both pragmatic tracking limitations and foundational epistemological considerations. Conventional systematic literature syntheses, guided by strict architectural reporting frameworks such as the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA 2020) principles, are fundamentally optimized for quantitative, homogeneous empirical datasets. Such frameworks require rigorous, uninterrupted verification of historical query records, duplicate logs, and complete database-specific export tracking sequences across multidisciplinary indexes like Scopus, Web of Science, and IEEE Xplore.

When original primary database-export logs become operationally uncoupled from the synthesis process—as explicitly acknowledged in the provisional tracking baseline of this study's historical trajectory—strictly executing a quantitative PRISMA meta-analysis introduces critical internal validity liabilities. Attempting to present fabricated or unverified numerical flow parameters violates the scientific integrity of empirical reporting. Consequently, this study deliberately pivots toward a qualitative and thematic framework synthesis paradigm, which is uniquely resilient to structural tracking anomalies and optimized for unpacking highly heterogeneous, socio-technical phenomena.

From an epistemological standpoint, evaluating the systemic integration of emergent aviation technologies like UAVs within state-level public safety systems demands an analytical lens that transcends simple statistical paper counting. Traditional meta-analyses in the drone informatics domain frequently suffer from acute reductive biases, grouping papers solely based on technical performance parameters such as sensor resolution, algorithmic flight optimization metrics, or deep-learning classification accuracy. While these quantitative metrics are valuable for computer science benchmarking, they completely isolate the physical technology from the bureaucratic, regulatory, and socio-institutional realities of the organizations tasked with deploying them. A scoping review that merely counts the proliferation of technical engineering papers fails to answer

the critical, existential question plaguing contemporary disaster informatics: why does high technical feasibility routinely stall at the threshold of real-world operational execution?

To resolve this analytical impasse, this study adopts a multi-dimensional Qualitative Policy Synthesis methodology. This approach treats verified global and regional literature not merely as empirical data points to be quantitatively aggregated, but as rich qualitative case studies containing structural narratives of socio-technical success, friction, and failure. Guided by the axioms of Socio-Technical Systems (STS) Theory, our qualitative synthesis establishes clear conceptual boundaries that decouple technical execution parameters from institutionalized risk-governance outcomes. By focusing the analysis on the structural and organizational friction points that manifest when raw aerial data attempts to cross into public administrative workflows, this qualitative methodology transforms an incomplete literature tracking sequence into a powerful, generative diagnostic tool. This tool is designed to isolate structural evidence gaps globally and establish operational baselines locally for resource-constrained national environments like Ethiopia.

3. The Six-Level Evidence-Maturity Model (L1–L6)

To systematically operationalize our socio-technical analysis, this study introduces an original Six-Level Evidence-Maturity Framework (L1–L6), as conceptually mapped out in the research architecture. This model establishes a standardized continuum that tracks the life cycle of UAV-derived intelligence from the initial physical interaction with the troposphere to the final, measurable reduction of community vulnerability. By breaking down the disaster response workflow into distinct, sequential socio-technical thresholds, this framework allows researchers and policy-makers to precisely locate where technological interventions fail to transition from experimental pilot projects into sustained public administrative systems.

3.1 L1: Physical Data Acquisition and Sensor Deployment

Level 1 represents the foundational technical tier of the maturity continuum, focusing exclusively on the deployment of physical UAV hardware and the raw capture of electromagnetic data within the lower atmosphere. Technical indicators at this maturity level are strictly engineering-centric, including parameters such as battery discharge rates under varying thermal conditions, rotor thrust optimization, kinematic flight path efficiency, and raw sensor performance (e.g., optical pixel pitch, LiDAR pulse repetition frequencies, and multispectral band alignment).

The global literature demonstrates an overwhelming saturation at L1, with hundreds of field trials establishing that drones can successfully navigate complex topologies and capture sub-decimeter imagery across diverse hazard environments. However, our socio-technical analysis reveals that L1 operations exist in an institutional vacuum. At this stage, the raw imagery, point clouds, or thermal matrices captured by the drone are merely unorganized digital artifacts stored on local

311 flash media. They possess zero operational value for disaster managers because they have not yet
312 undergone any form of translation or semantic contextualization.

313 3.2 L2: Information Generation and Semantic Interpretation

314 Level 2 introduces the initial computational shift from raw physical data to structured digital
315 information. At this threshold, the unorganized aerial artifacts captured at L1 are processed using
316 orthomosaic photogrammetry, digital elevation modeling, or automated computer vision
317 algorithms. Key performance indicators at L2 are centered on analytical and statistical accuracy,
318 such as root-mean-square errors (RMSE) in geometric positioning, pixel-level classification
319 accuracy, and F1-scores for convolutional neural network (CNN) building-collapse segmentation
320 models.

321 The global evidence base at L2 exhibits advanced technological maturity, driven by rapid
322 innovations in deep learning and automated remote sensing. Drones integrated with artificial
323 intelligence can rapidly map massive flood plains, auto-detect stranded civilian targets, and
324 segment active landslide paths with exceptional accuracy. Nevertheless, an acute socio-technical
325 friction point manifests at the exit boundary of L2: while the technical system has successfully
326 transformed raw pixels into a highly accurate semantic thematic map, this information asset
327 remains trapped inside specialized computing clusters. It has not yet been formatted or routed to
328 influence a real-time emergency decision loop.

329 3.3 L3: Spatial Decision Support and Algorithmic Optimization

330 Level 3 marks the critical junction where structured information is mathematically transformed
331 into actionable decision models. At this stage, the thematic maps and deep-learning outputs
332 generated at L2 are integrated into spatial optimization algorithms to directly solve core disaster
333 logistics and early warning problems. Technical indicators include the processing latency of
334 routing algorithms for humanitarian relief fleets, the statistical validity of flood-inundation
335 warning triggers, and the optimization of airspace communication coverage via Flying Ad-Hoc
336 Networks (FANETs).

337 The global literature at L3 is increasingly progressive but remains heavily reliant on theoretical
338 simulations. Researchers routinely demonstrate that UAV-derived models can optimize vehicle
339 routing or detect survivors to guide resource allocation. However, from a socio-technical
340 perspective, L3 represents the final tier of pure technical execution. The optimized routes and
341 warning triggers generated at this level remain entirely academic until they are executed in an
342 active emergency field theater by human operational actors. This creates the structural chasm
343 separating pure technical execution from actual governance and operational impact.

3.4 L4: Operational Field Deployment and Emergency Mobilization

Level 4 represents a profound socio-technical shift, crossing the boundary from computational execution into real-world human mobilization. Maturity at L4 requires the physical deployment of UAV platforms and their analytical outputs within an active disaster zone or a highly realistic, multi-agency emergency simulation. Key indicators completely shift from technical engineering metrics to human-centric operational variables, including field mobilization latency (the time from initial disaster alert to physical drone launch), cross-border pilot usability parameters, information latency (the time elapsed before a field commander views the map), and tactical coordination efficiency between drone crews and ground rescue teams.

Global empirical evidence at L4 drops precipitously, revealing a severe operational deficit. Isolated field trials such as the multi-disciplinary usability tests conducted by European rescue organizations prove that while drone data drastically enhances rescue worker situational awareness and tactical safety, deployment is consistently bottlenecked by severe real-world constraints including heavy rain, high-velocity wind shears, and communication link dropouts [6].

3.5 L5: Institutional Integration and Standard Operating Procedures (SOPs)

Level 5 addresses the long-term sustainability and systemic institutionalization of UAV workflows within formal government safety architectures. Maturity at this level dictates that UAV operations are no longer treated as isolated, ad-hoc pilot experiments led by enthusiastic individual researchers. Instead, drone data flows must be legally and structurally embedded within civil aviation mandates, state-level data security protocols, secure national cloud storage frameworks, and the formalized standard operating procedures (SOPs) of National Emergency Operation Centers.

Critical policy indicators include the institutionalization of certified emergency pilot training pipelines, formalized budget allocations for airframe maintenance, and multi-agency data interoperability agreements that allow real-time drone streams to legally cross institutional boundaries. The global literature base identifies L5 as a severe, critical structural gap. Public administrative structures are inherently rigid and risk-averse; consequently, they frequently exhibit intense bureaucratic resistance to absorbing dynamic, high-volume aerial data streams, leading to a systemic failure to achieve the optimal institutional integration envisioned in Figure 1.

3.6 L6: Measurable Disaster Risk Reduction Outcomes

Level 6 represents the ultimate pinnacle of the evidence-maturity continuum, focusing entirely on high-level, quantifiable socio-economic impacts. Maturity at L6 requires empirical proof that a UAV-enabled intervention directly caused a measurable reduction in societal vulnerability, mortality rates, or economic losses during a disaster event. Key metrics are strictly outcome-oriented, including quantifiable reductions in survivor extraction times, minimized infrastructure reconstruction expenditures due to predictive mitigation modeling, and accelerated community recovery velocities.

The global literature at L6 is virtually non-existent, manifesting as an absolute outcome measurement vacuum. This deficiency is a direct cascading consequence of the structural failures at L4 and L5: because public safety agencies rarely achieve sustained institutional integration, it is statistically impossible to collect the long-term, longitudinal empirical data required to prove that drones save human lives or minimize macro-economic losses. Breaking this cycle requires a fundamental policy shift that treats UAV integration as a unified socio-technical pipeline, a realignment that this study executes through the formulation of the Ethiopian UAV Disaster Readiness Index.

Table 1: The Global L1–L6 Maturity Model Matrix

Level	Definition (□□□)	Core Technical & Operational Focus (□□ □□□□)	Analytical Maturity & Structural Gaps (□□□□□ □□□ □□ □□□□)
L1	Data Acquisition (□□□ □□□□□)	Sensor deployment, kinetic flight paths, and raw electromagnetic data collection.	High Technical Maturity: Strongly documented across hundreds of global pilot studies.
L2	Information Generation (□□□ □□□□□)	Photogrammetry processing, AI/ML image classification, and deep-learning hazard segmentation.	Advanced Computational Maturity: Heavily dominated by automated remote sensing algorithms.
L3	Decision Support (□□□□ □□□)	Spatial optimization modeling, algorithmic vehicle routing, and simulated early warning triggers.	Emerging: Highly progressive in mathematical environments but predominantly limited to theoretical simulations.
L4	Operational Deployment (□□□□ □□□□)	Real-time emergency field mobilization, tactical rescue team coordination, and pilot field-usability tests.	Critical Operational Deficit: Documented in multidisciplinary usability tests but highly constrained by real-world meteorological environments.
L5	Institutional Integration (□□□□ □□□□)	Civil aviation mandates, standard operating procedures (SOPs), and secure state data-governance networks.	Critical Policy Gap: Weakly addressed due to bureaucratic resistance and a lack of standardized data workflows.
L6	Measurable Outcomes (□□□□ □□□)	Quantifiable reduction in community vulnerability, lower mortality rates, and accelerated recovery velocities.	Critical Measurement Vacuum: Rarely evaluated beyond intermediate technical accuracy metrics due to systemic failures at L4 and L5.

392 4. Discussion: Bridging the Technical-to-Operational Divide

393 The qualitative synthesis of the global evidence base, when interpreted through the lens of Socio-
394 Technical Systems (STS) Theory, exposes a deep developmental bottleneck in modern disaster
395 informatics. The contemporary literature operates under a tech-centric bias, assuming that
396 improvements in the technical sub-system such as a 2% increase in a convolutional neural
397 network's scene segmentation accuracy or a more fluid multi-agent drone routing algorithm
398 automatically result in superior public safety during a national crisis. However, our structured
399 evaluation demonstrates that these localized computational successes remain isolated inside a
400 technical vacuum. The transition from technical feasibility (L1–L3) to operational governance and
401 impact (L4–L6) is blocked by rigid, unaligned social sub-systems within state emergency
402 administrations.

403 When an operational theater is analyzed, technical metrics like pixel resolution or sensor pitch
404 become secondary to human-centric organizational variables. During a sudden-onset flash flood
405 in a resource-constrained environment, the survival vector of stranded citizens is governed by
406 information latency and mobilization efficiency. If an advanced thermal drone successfully maps
407 a remote debris field with sub-decimeter accuracy at Level 2, but the administrative workflow
408 requires a physical flash-drive transfer due to a lack of inter-agency cloud networks, the aerial
409 intelligence becomes functionally obsolete. This systemic delay represents the "Technical-to-
410 Operational Chasm" formalized in this study's research architecture.

411 Bridging this divide requires shifting the focus of national investments away from continuous
412 hardware procurement toward building automated organizational data-absorption pipelines. True
413 innovation does not emerge from inventing more complex algorithms, but from aligning the legal,
414 data-governance, and operational workflows of bureaucratic agencies to safely operationalize the
415 insights generated by existing technologies.

416 Furthermore, this framework synthesis challenges the scalability of high-income UAV deployment
417 models within lower-income environments. The global literature assumes a pre existing baseline
418 of digital infrastructure, stable high-speed data networks, and a dense distribution of local technical
419 support personnel. In developing countries like Ethiopia, these operational assumptions are
420 frequently invalidated by the physical reality of the disaster landscape. Emergency field crews
421 routinely operate under severe electrical grid deficits, total lack of localized high-speed internet
422 connectivity, and intense institutional friction caused by ambiguous or highly restrictive airspace
423 security regulations enforced by national security agencies.

424 The formulation of the Ethiopian UAV Disaster Readiness Index (EUDRI) directly addresses this
425 gap by contextualizing tech deployment within these specific structural limitations. By embedding
426 strict weight factors for regulatory harmonization (25%) and localized human capital sustainability
427 (20%), the EUDRI matrix ensures that technology transfer is no longer an ad-hoc, donor-dependent
428 hardware dumping exercise. Instead, it provides a structured blueprint for lower-income states to

429 build self-sustaining, legally protected, and operationally decoupled emergency aviation networks
430 optimized for their unique socio-institutional and hazard profiles.

431 5. Policy Framework and Institutional Readiness Blueprint for 432 Ethiopia

433 5.1 Formulation of the Ethiopian UAV Disaster Readiness Index 434 (EUDRI)

435 To effectively translate the global socio technical insights established by the L1–L6 maturity
436 continuum into an actionable public policy instrument, this study formulates the Ethiopian UAV
437 Disaster Readiness Index (EUDRI). When transitioning from high-income empirical testbeds to
438 resource-constrained developing macro-environments, top-tier disaster informatics frameworks
439 routinely fail if they do not account for deep systemic deficits in digital infrastructure, localized
440 human capital, and institutional agility. Within the specific geopolitical and socio economic
441 landscape of Ethiopia, disaster vulnerabilities are characterized by acute, sudden onset climate
442 emergencies including catastrophic flash flooding in the lowlands of Afar and Somali regions,
443 severe translational landslides in the high-altitude mountainous terrains of Amhara and Gamo
444 zones, and complex urban displacement patterns in Addis Ababa and Dire Dawa.

445 Managing these dynamic hazards requires a structural diagnostic tool that shifts the focus of public
446 administration away from ad-hoc hardware procurement toward comprehensive socio-technical
447 system alignment. The EUDRI architecture resolves this operational challenge by establishing a
448 formalized, multi dimensional diagnostic matrix constructed across five distinct readiness pillars.
449 Each pillar is evaluated on a standardized 5-point Likert scale, allowing the National Disaster Risk
450 Management Commission (NDRMC) to quantitatively benchmark state-level administrative
451 capabilities and systematically eliminate bureaucratic bottlenecks before deploying aerial asset
452 arrays into active crisis environments.

453 5.1.1 Contextualizing the Hazard Landscape under EUDRI

454 The structural formulation of the EUDRI is deeply anchored in the country's unique
455 geomorphological and socio political matrix. Unlike high-income testbeds where stable
456 communication infrastructure can be taken for granted, an Ethiopian deployment must operate
457 under the assumption of catastrophic compounding failures. For instance, during sudden-onset
458 flash floods in the Afar or Somali regions, or structural mass movements along the high-altitude

escarpments of the Amhara region, ground transportation and cellular network infrastructure are routinely decapitated.

Consequently, the EUDRI does not evaluate UAVs as standalone flying sensors; rather, it benchmarks the state's capacity to establish localized "Independent Emergency Data Hubs." The index explicitly requires that regional DRM bureaus possess the multi-agency infrastructure to run decentralized edge-computing algorithms capable of processing high-resolution orthomosaics without relying on a centralized internet connection to Addis Ababa cloud servers.

Table 2: The EUDRI Socio-Technical Evaluation Matrix for Ethiopia

Readiness Pillar (□□□□□□ □□□)	Core Assessment Parameters (□□ □□ □□□□□□)	Institutional Stakeholders (□□□□□□ □□□□)	Weight (□□□□)
1. Regulatory Alignment (□□□ □□□□ □□□□□)	Flight permissions, BVLOS approval, spectrum allocation, and emergency drone registration waivers.	Ethiopian Civil Aviation Authority (ECAA), INSA, Ministry of Innovation & Technology (MInT)	25%
2. Technical Infrastructure (□□□□□□ □□ □□□□ □□□)	Availability of thermal/multispectral sensors, localized AI/ML models for landslide/flood detection, and offline GIS capabilities.	Addis Ababa University (AAU), Space Science & Geospatial Institute (SSGI)	20%
3. Operational Deployment (□□□□ □□□□ □□□)	Mobilization latency during sudden-onset disasters (e.g., flash floods), pilot field safety protocols, and cross-agency coordination triggers.	NDRMC, Regional Disaster Risk Management Bureaus, Ethiopian Red Cross Society	20%
4. Data Governance (□□□□ □□□□ □□ □□□□)	Secure cloud infrastructure, real-time video streaming pathways, privacy protocols for urban settings, and standardized metadata.	Information Network Security Administration (INSA), MInT	15%
5. Human Capital (□□□ □□□ □□ □□□□□)	Certified emergency UAV pilots, local maintenance expertise, academic research pipelines, and dedicated government budget line.	Universities, Technical Training Institutes, NDRMC	20%

5.2 Deep-Dive Structural Analysis of the EUDRI Pillars

Pillar 1: Regulatory Alignment and Airspace Harmonization (25% Weight)

The regulatory sub-system constitutes the primary structural gatekeeper governing the operationalization of civilian UAV technology within the Ethiopian state. Historically, drone operations in Ethiopia have faced intense regulatory constraints dictated by legitimate sovereign

national security concerns. Under the administrative oversight of the Information Network Security Administration (INSA) and the Ethiopian Civil Aviation Authority (ECAA), civilian importation, registration, and operation of unmanned aerial systems are governed by highly restrictive verification protocols designed to prevent unauthorized surveillance and airspace interference. However, during acute humanitarian crises such as severe climate-induced flooding or catastrophic geophysical mass movements these rigid national security vetting structures introduce severe administrative delays that paralyze emergency response timelines.

If a humanitarian agency or a regional emergency operation bureau must undergo standard multi-month security vetting cycles to acquire localized airspace clearance, the critical "golden hours" of victim extraction are entirely forfeited. Therefore, EUDRI Pillar 1 mandates a structural transition from static prohibition to dynamic, risk-stratified airspace harmonization. This requires the formalization of automated emergency drone registration waivers and the pre-allocation of specific localized radio frequency spectrums to prevent communication interference between civilian emergency response drones and state defense communication architectures.

Furthermore, the legal framework must evolve to accommodate Beyond Visual Line of Sight (BVLOS) operations. In complex topologies like the deep canyons of the Blue Nile gorge or the expansive lowlands of the Great Rift Valley, requiring a drone pilot to maintain direct visual contact with the airframe fundamentally restricts the technological utility of the platform, rendering long-range remote sensing impossible. Harmonizing Pillar 1 requires ECAA and INSA to establish pre-approved, spatial-temporal "emergency air corridors" that automatically activate upon the declaration of a state of disaster, allowing immediate, legal BVLOS mapping over affected zones.

5.2.1 Deep-Dive Policy Mechanics for Airspace Harmonization (Pillar 1)

To operationalize Pillar 1, the EUDRI framework targets the historic bottleneck of civilian-military airspace friction. In Ethiopia, INSA and ECAA maintain highly centralized vetting structures to protect sovereign security interests. To transform this from a barrier into an enabler during humanitarian crises, the index proposes a "**Three-Tiered Fast-Track Airspace Waiver Matrix**" mapped to specific emergency triggers:

1. **Green Tier (Routine Pre-Disaster Mapping):** Pre-approved seasonal flight corridors allocated to the Space Science & Geospatial Institute (SSGI) and universities for predictive terrain analysis and early warning baseline mapping in known flood-prone woredas.
2. **Amber Tier (Localized Vulnerability/Slow-Onset Disasters):** A 48-hour accelerated clearance loop managed through an integrated INSA-NDRMC digital portal for mapping drought-induced land degradation or monitoring minor landslide fissures.

3. **Red Tier (Acute Sudden-Onset State of Emergency):** Instantaneous, automated activation of spatial-temporal "Humanitarian Drone Corridors" up to 400 feet Above Ground Level (AGL) upon the official declaration of a regional or federal disaster. Under the Red Tier, certified emergency UAV pilots are legally cleared for BVLOS operations over the affected zone, bypassing standard multi-month security vetting cycles while using pre-allocated radio frequency spectrums to prevent tactical interference with national defense networks.

Pillar 2: Technical and Analytical Infrastructure Integration (20% Weight)

Pillar 2 addresses the physical and computational constraints that manifest when state of the art sensory technology interacts with the infrastructural realities of a developing macro economy. The global remote sensing literature assumes an operating environment supported by uninterrupted high-speed telecommunications networks, continuous access to national cloud computing clusters, and reliable municipal electrical grids. In rural Ethiopia, these foundational technological assumptions are routinely invalidated. Emergency field crews operating in isolated woredas often face total lack of terrestrial cellular connectivity, combined with localized power grid failures induced by the disaster itself.

Consequently, the EUDRI framework strictly rejects the uncritical adoption of high-income technical workflows that rely on real-time internet data transmission to external cloud servers for photogrammetric processing. Instead, Pillar 2 enforces the localized integration of offline GIS computational architectures and ruggedized field edge-computing clusters capable of processing vast imagery datasets completely decoupled from the internet.

Furthermore, the technical payloads must be meticulously matched to Ethiopia's specific hazard profile. While basic optical sensors are sufficient for daylight mapping, they are entirely ineffective for nocturnal search and rescue or for penetrating dense agricultural and forest canopies during translational landslide hazards. Therefore, Pillar 2 requires the institutional acquisition and calibration of specialized multispectral and active LiDAR payloads under the technical stewardship of the Space Science & Geospatial Institute (SSGI) and Addis Ababa University (AAU). This structural arrangement ensures that advanced remote sensing outputs are translated into highly accurate, localized digital elevation models (DEMs) and flood inundation vectors without creating dependency on external international technological actors.

Pillar 3: Operational Deployment and Tactical Workflow Mobilization (20% Weight)

Pillar 3 shifts the analytical lens from technological assets to human tactical execution within active emergency field theaters. The historical baseline data reveals that the NDRMC routinely struggles with high mobilization latency during sudden-onset climate emergencies, driven by fragmented communication lines between federal decision-makers in Addis Ababa and localized disaster management committees at the zonal and woreda levels. Pillar 3 operationalizes the transition from ad-hoc reactive deployment to structured, automated mobilization workflows. This requires the formal design of standardized field safety protocols and multi-agency coordination triggers that explicitly define who commands the airspace when federal drone crews, regional

police units, and international humanitarian actors (such as the Ethiopian Red Cross Society) converge on a single disaster zone.

Operational readiness under Pillar 3 is measured by time-to-target variables rather than hardware specifications. Federal and regional disaster bureaus must establish pre-positioned "UAV Rapid Response Kits"—ruggedized, mobile deployment cases containing standard airframes, pre-charged battery modules, portable generator units, and localized edge-computing terminals—strategically cached near high-vulnerability hazard centers like the Awash River basin. Upon receipt of a flash-flood satellite trigger, these tactical teams must be capable of deploying within a highly compressed window, minimizing information latency to ensure that real-time mapping arrays reach the incident commander within minutes of physical field arrival.

Pillar 4: Secure Data Governance and Interoperability Protocols (15% Weight)

Pillar 4 confronts the complex socio-technical challenges of information security, data integrity, and cross-institutional sharing. UAV mapping missions generate immense volumes of raw, uncompressed geospatial metadata, high-resolution orthomosaics, and sensitive computational imagery. Within a public administrative environment, this data can easily become trapped within isolated departmental silos due to a institutional lack of standardized data formatting and mutual bureaucratic mistrust regarding data confidentiality. In the absence of clear data governance protocols, an advanced image-segmentation map generated by university researchers may never reach the active rescue teams on the ground because of security concerns raised by military or civilian security agencies.

EUDRI Pillar 4 resolves this administrative gridlock by establishing a centralized, highly secure national data repository under the joint governance of INSA and the Ministry of Innovation & Technology (MInT). This structure utilizes standardized metadata schemas to ensure total interoperability across varying GIS platforms used by different ministries.

Furthermore, Pillar 4 constructs explicit privacy and ethical protocols governing civilian drone flights over densely populated urban settlements. It ensures that while aerial intelligence is aggressively captured to optimize disaster rescue and damage mapping, the personal privacy rights of citizens are protected through automated pixel-level obfuscation of non-disaster civilian metadata. This structural approach minimizes institutional friction by ensuring that all security agencies can fully endorse emergency drone operations without fearing compromised national security data streams.

Pillar 5: Human Capital Sustainability and Academic Pipelines (20% Weight)


The final pillar of the EUDRI matrix addresses the long-term sustainability of the technological ecosystem, focusing on human capability development and domestic funding structures. A common failure mode for international technology transfer initiatives in lower-income countries is the "procurement-without-sustainability" trap. International non-governmental organizations or foreign bilateral donors frequently donate advanced UAV hardware to local agencies without establishing the corresponding internal training infrastructures, hardware maintenance capabilities, or software subscription budgets required to sustain the technology beyond the initial pilot phase. Once the external donor departs or a highly specialized airframe suffers a structural mechanical failure, the technology is completely abandoned, rendering the initial investment redundant.

EUDRI Pillar 5 structurally eliminates this vulnerability by mandating the establishment of localized certified emergency UAV pilot training pipelines embedded directly within Ethiopian

higher education institutions and domestic technical vocational training institutes. Rather than relying on expensive external international certification programs, the state must institutionalize domestic curriculum standards that train local analysts not only in safe remote flight mechanics but also in advanced GIS photogrammetry and localized AI/ML data interpretation. Furthermore, Pillar 5 requires the Ministry of Finance to establish a dedicated, permanent government budget line for UAV airframe maintenance and data storage infrastructure under the direct administrative custody of the NDRMC. This guarantees that the human capital and technical assets required to run the country's aerial disaster response remain completely sustainable, autonomous, and resilient to foreign funding fluctuations.

5.3 Implementation Pathway and Strategic Policy Roadmap

The operationalization of the EUDRI framework within the Ethiopian public administrative system cannot be executed overnight; instead, it must follow a highly structured, phased chronological trajectory that allows rigid institutional workflows to adapt naturally to the dynamic demands of the technical sub-system. This study designs a comprehensive three-tiered strategic implementation roadmap stretching from immediate short-term regulatory waivers to long-term macro-institutional transformations.



1. Short-term Tactical Horizon (1–2 Years): Immediate Regulatory and Operational Reforms

The immediate phase of the policy roadmap focuses entirely on dismantling the primary regulatory barriers that currently paralyze emergency drone deployment. The top priority is the formalization of a Joint Emergency Fast-track Regulatory Waiver System co-authored by the ECAA and INSA. Under this protocol, when the federal government or regional states declare a state of climate emergency, standard multi-month drone registration and flight clearance verification cycles are automatically bypassed for certified emergency response teams. This is achieved by creating pre-approved, geographically bounded spatial-temporal "emergency air corridors" over known high-vulnerability hazard zones, such as the major flood plains of the Awash, Omo, and Baro rivers.

Concurrently, MInT must secure dedicated radio frequency spectrum allocations exclusively reserved for emergency drone arrays to ensure uninterrupted command-and-control links during field operations. On the hardware front, this phase requires the immediate compilation of the "UAV Rapid Response Kits" and their tactical pre-positioning within regional disaster management bureaus in flood-prone states like Afar and Somali.

2. Medium-term Strategic Horizon (3–5 Years): Technical Interoperability and Institutional Pipelines

The medium-term horizon shifts the policy focus from basic regulatory survival to advanced technical integration and human capability sustainability. This phase mandates the construction of the centralized national data repository overseen by INSA and MInT, forcing full multi-agency GIS data interoperability across disparate state apparatuses. Real-time drone mapping streams and high-resolution orthomosaics generated during localized emergencies must be dynamically linked to the National Early Warning System managed by the SSGI. This enables automated translational data streaming, where high-resolution aerial assessments are immediately overlaid on macroscopic satellite imagery to provide federal decision-makers in Addis Ababa with comprehensive situational awareness.

Simultaneously, the academic pipeline is formally activated through the institutionalization of the certified emergency pilot and geospatial analyst curriculum at Addis Ababa University and regional polytechnic institutes. This effectively stops dependency on foreign international technical experts and builds a continuous domestic pipeline of highly skilled personnel capable of executing advanced AI/ML scene segmentation and photogrammetric terrain adjustments.

3. Long-term Transformational Horizon (5+ Years): Full Decoupled Regional Autonomy and Governance

The final phase of the strategic roadmap achieves full socio-technical maturity, transforming Ethiopia's disaster management architecture into a predictive, highly resilient digital ecosystem. At this horizon, disaster response capabilities are completely decentralized away from the federal center in Addis Ababa. Every regional disaster risk management bureau across all states is outfitted with autonomous, fully self-sufficient drone response hubs, featuring localized edge-computing clusters, specialized thermal and LiDAR sensor arrays, and dedicated teams of locally certified operators.

Financially, the ecosystem is secured by a permanent national UAV operations and maintenance budget line embedded within the state's macro-fiscal framework, ensuring absolute resilience against foreign aid fluctuations. Structurally, the civil-military coordination framework is fully institutionalized, allowing seamless, safe, and collaborative airspace sharing between civilian disaster drones, commercial aviation traffic, and national security forces, ultimately achieving the L6 maturity target of measurable, long-term reductions in national disaster fatalities and infrastructure rebuilding costs.

6. Limitations and Future Research Directions

6.1 Methodological and Structural Limitations

The structural design and qualitative synthesis executed in this study feature distinct conceptual boundaries and methodological limitations that must be transparently acknowledged to guide future empirical validation tracks.

- **Absence of Quantitative Meta-Pooling:** First, this framework deliberately moves away from strict database-centric quantitative meta-analysis. This structural pivot was dictated by the operational uncoupling and unavailability of the original database-specific export queries, duplicate logs, and complete screening tracking records from the initial historical literature trajectory. While this thematic and qualitative framework synthesis successfully insulates the paper's internal validity from missing data flaws, it inherently sacrifices the capacity to present exact statistical pooling metrics, such as calculating the precise percentage growth of drone publications over a fixed chronological trajectory or performing meta-regressions on algorithmic F1-scores. The reported frequencies and maturity distributions remain conceptual indicators designed to illuminate structural knowledge gaps rather than absolute empirical totals.
- **Subjectivity in Pillar Weighting Matrix:** Second, the multi-dimensional diagnostic matrix of the EUDRI, while highly practical for state-level public policy benchmarking, represents a theoretical framework that requires extensive empirical calibration across decentralized regional nodes. The assigned weights for each readiness pillar (e.g., 25% for regulatory alignment vs. 15% for data governance) were formulated based on an intensive qualitative analysis of Ethiopia's historic institutional bottlenecks and bureaucratic friction points. However, these priority coefficients have not yet been subjected to mathematical multi-criteria decision-making optimization algorithms, such as the Analytic Hierarchy Process (AHP) or expert Delphi validation rounds, introducing a baseline level of subjective consensus.
- **Platform Heterogeneity vs. Index Generalization:** Additionally, the immense technological and mechanical heterogeneity across contemporary unmanned aircraft systems introduces operational variances that cannot be fully captured within a generalized diagnostic index. The economic, logistical, and computational workflows required to deploy specialized, high-cost VTOL fixed-wing platforms outfitted with active LiDAR payloads drastically differ from the operational deployment of low-cost, civilian-grade rotary-wing quadcopters utilizing basic optical sensors. The EUDRI currently treats these assets under a unified macro-readiness umbrella, which may mask specific micro-operational vulnerabilities within distinct regional disaster management configurations.

6.2 Future Research Directions

To bridge the structural gaps identified in this study and transition the EUDRI from a conceptual blueprint into a dynamic, field-validated operational instrument, future research tracks must prioritize the following empirical frontiers:

- **Empirical Validation and Multi-Criteria Optimization (AHP):** Future studies should focus on executing multi-criteria decision-making (MCDM) validation trials to mathematically refine and optimize the EUDRI pillar weights. Applying the Analytic Hierarchy Process (AHP) through structured, nationwide Delphi surveys involving stakeholders from ECAA, INSA, SSGI, and regional disaster management committees will replace qualitative assumptions with verified empirical coefficients.

- **Sub-National Pilots and Longitudinal Latency Tracking:** Empirical field research must be conducted by running simulated sudden-onset disaster drills across varying geographic and administrative tiers in Ethiopia. Specifically, longitudinal validation trials should be executed in the high-vulnerability flash flood zones of the Awash River basin and the landslide-prone escarpments of the Amhara and Gamo highlands. These pilots must actively measure human-centric operational variables, such as field mobilization latency, real-time wireless information latency over Flying Ad-Hoc Networks (FANETs), and cross-agency data-sharing velocities during simulated internet grid collapses.
- **Integration of Edge-Computing and Localized AI Models:** On the technical subsystem frontier, future disaster informatics research should focus on optimizing lightweight, localized deep-learning architectures (such as MobileNet or Tiny-YOLO) explicitly tailored for ruggedized field edge-computing clusters. Research should examine how these low-power computing units can execute automated flood boundary segmentation and structural damage detection completely decoupled from national telecommunications networks, thereby removing the infrastructure dependency that currently limits Level 2 (L2) and Level 3 (L3) maturity.
- **Long-Term Impact Quantification (L6 Verification):** Finally, to eliminate the global "Outcome Measurement Vacuum" at Level 6, a coordinated effort must be made to track long-term, longitudinal socio-economic indicators. Future studies should design robust econometric frameworks to quantify disaster risk reduction outcomes that are explicitly attributable to UAV-enabled interventions—measuring concrete variables such as the percentage reduction in survivor extraction times, minimized municipal infrastructure rebuilding costs through predictive mitigation mapping, and the acceleration of community economic recovery velocities over a multi-year post-disaster timeline.

7. Conclusion

This study establishes a comprehensive socio-technical realignment for the integration of Unmanned Aerial Vehicle (UAV) technology within disaster risk management (DRM) systems. By applying an original Six-Level Evidence-Maturity Framework (L1–L6), this paper exposes a critical structural ceiling in global disaster informatics: while the engineering literature is heavily saturated with advanced technical milestones in raw data acquisition (L1) and computational information generation (L2), empirical validation drops precipitously at the operational deployment (L4) and institutional integration (L5) boundaries. To bridge this technical-to-operational chasm, this study moves beyond baseline descriptive literature tracking to construct a context-sensitive public policy instrument: the Ethiopian UAV Disaster Readiness Index (EUDRI).

The EUDRI framework provides an original, scalable diagnostic matrix designed to guide public administrations in lower-income, high-vulnerability settings away from isolated hardware procurement toward comprehensive organizational alignment. By explicitly mapping the structural parameters governing regulatory harmonization, technical edge-computing infrastructure, tactical field mobilization, secure data governance, and academic human capital pipelines, the index

establishes an actionable roadmap to safely absorb dynamic aerial intelligence into state-level civil protection frameworks.

The primary frontier in disaster informatics is no longer the capacity of an aerial platform to capture high-resolution imagery, but the systemic capacity of governance frameworks to absorb that data into real-time operational decision loops. For countries like Ethiopia, operationalizing the phased EUDRI implementation pathway remains a vital policy prerequisite to transition from fragmented, reactive technical interventions toward a unified, institutionalized, and predictive digital disaster management ecosystem capable of achieving measurable reductions in human fatalities and national infrastructure losses.

References

- [1] Daud, S. M. S. M., Yusof, M. Y. P., Heo, C. C., Khoo, L. S., Singh, M. K. C., Mahmood, M. S., & Nawawi, H. (2022). Applications of drone in disaster management: A scoping review. *Science & Justice*, 62(1), 30–42. doi.org
- [2] Kucharczyk, M., & Hugenholtz, C. H. (2021). Remote sensing of natural hazard-related disasters with small drones: Global trends, biases, and research opportunities. *Remote Sensing of Environment*, 264, 112577. doi.org
- [3] Abbas, S., Abu Talib, M., Ahmed, I., & Belal, O. (2024). Integration of UAVs and FANETs in disaster management: A review on applications, challenges and future directions. *Transactions on Emerging Telecommunications Technologies*, 35(5), e70023. doi.org
- [4] Abdelnabi, A. A. B., & Rabadi, G. (2024). Human detection from unmanned aerial vehicles' images for search and rescue missions: A state-of-the-art review. *IEEE Access*, 12, 152009–152035. doi.org
- [5] Haeri Boroujeni, S. P., Razi, A., Khoshdel, S., Afghah, F., Coen, J. L., O'Neill, L., & Mitchell, R. (2024). A comprehensive survey of research towards AI-enabled unmanned aerial systems in pre-, active-, and post-wildfire management. *Information Fusion*, 108, 102369. doi.org
- [6] Stöcker, C., Nex, F., Koeva, M., & Gerke, M. (2021). Drones in emergency response—evidence from cross-border, multi-disciplinary usability tests. *International Journal of Disaster Risk Reduction*, 65, 102567. doi.org
- [7] Al-Sabbagh, M. H., & El-Moussaoui, A. (2025). A comprehensive overview on UAV-based applications for flood management. *Measurement Science and Technology*, 36(2), 024001. doi.org
- [8] Erdelj, M., Król, M., & Natalizio, E. (2017). Wireless sensor networks and multi-UAV systems for natural disaster management. *Computer Networks*, 124, 72–86. doi.org
- [9] Kedys, J., Tchappi, I., & Najjar, A. (2024). UAVs for disaster management—an exploratory review. *Procedia Computer Science*, 231, 129–136. doi.org
- [10] Nair, V. G., D'Souza, J. M., Asha, C. S., & Rafikh, R. M. (2024). A scoping review on unmanned aerial vehicles in disaster management: Challenges and opportunities. *Journal of Robotics and Control*, 5(6), 1420-1435. doi.org
- [11] Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., ... & Moher, D. (2021). The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ*, 372(n71), 1-9. doi.org

- [12] Page, M. J., Moher, D., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., ... & McKenzie, J. E. (2021). PRISMA 2020 explanation and elaboration: Updated guidance and exemplars for reporting systematic reviews. *BMJ*, 372(n160), 1-28. doi.org
- [13] Popescu, D., Ichim, L., & Stoican, F. (2021). An integrated approach for post-disaster flood management via the use of cutting-edge technologies and UAVs: A review. *Sustainability*, 13(14), 7925. doi.org
- [14] Rethlefsen, M. L., Kirtley, S., Waffenschmidt, S., Ayala, P. P., Moher, D., Page, M. J., ... & PRISMA-S Group. (2021). PRISMA-S: An extension to the PRISMA Statement for Reporting Literature Searches in Systematic Reviews. *Systematic Reviews*, 10(1), 1-19. doi.org
- [15] Shrestha, R., Shrestha, S., & Khanal, S. (2021). Search and rescue operation using UAVs: A case study. *Expert Systems with Applications*, 182, 115201. doi.org
- [16] Tanaka, H., & Yamamoto, T. (2024). Leveraging drones for effective disaster management: A comprehensive analysis of the 2024 Noto Peninsula earthquake case in Japan. *Progress in Disaster Science*, 23, 100348. doi.org
- [17] Tarekegn, G., & Abebe, M. (2025). UAV imagery in natural disasters: Real-time damage assessment of flash flooding events. *Ecological Informatics*, 85, 103433. doi.org
- [18] Wang, J., & Liu, Y. (2021). UAV-assisted wireless localization for search and rescue. *IEEE Systems Journal*, 15(3), 4210-4221. doi.org
- [19] Zhang, X., & Cho, S. (2021). UAV-based real-time survivor detection system in post-disaster search and rescue operations. *IEEE Journal of Miniaturization for Air and Space Systems*, 2(4), 188-195. doi.org
- [20] Zhou, Y., & Martinez, J. (2025). Unmanned aerial systems in search and rescue: A global perspective on current challenges and future applications. *International Journal of Disaster Risk Reduction*, 118, 105199. doi.org