


Uncropped Western blots corresponding to Figure 1


1. DDX58 and β -actin 12 h


siDDX58-DDX58-Actin-12h



Sample lanes 1–4 (excluding markers): si-NC, si-DDX58#1, si-DDX58#2, and si-DDX58#3 without EV-A71 infection. Sample lanes 5–8: the same siRNA conditions with EV-A71 infection. The samples corresponding to Figure 1 are sample lanes 1–4 (without EV-A71 infection).

siDDX58-DDX58-12h






Sample lanes 1–4 (excluding markers): si-NC, si-DDX58#1, si-DDX58#2, and si-DDX58#3 without EV-A71 infection.

Uncropped Western blots corresponding to Figure 1


2. DDX58 and β -actin 24 h


siDDX58-DDX58-Actin-24h



Sample lanes 1–4 (excluding markers): si-NC, si-DDX58#1, si-DDX58#2, and si-DDX58#3 without EV-A71 infection. Sample lanes 5–8: the same siRNA conditions with EV-A71 infection. The samples corresponding to Figure 1 are sample lanes 1–4 (without EV-A71 infection).

siDDX58-DDX58-24h





Sample lanes 1–4 (excluding markers): si-NC, si-DDX58#1, si-DDX58#2, and si-DDX58#3 without EV-A71 infection.

Uncropped Western blot images for siDDX58 corresponding to Figure 1B,1E.

Sample lanes from left to right are: si-NC and si-DDX58 at 12 h, 24 h, respectively.