Research Square

Preprints are preliminary reports that have not undergone peer review.
They should not be considered conclusive, used to inform clinical practice,
or referenced by the media as validated information.

Why Groundwater Systems Behave Contrary to Expectations

Yohannes Yihdego

yohannesyihdego@gmail.com

La Trobe University

Perspective

Keywords: hydrogeology, groundwater modelling, groundwater recovery, conceptual models, groundwater budgets, uncertainty, seepage, groundwater connectivity, environmental assessment, groundwater interpretation

Posted Date: October 31st, 2026

DOI: https://doi.org/10.21203/rs.3.rs-11258399/v1

License: This work is licensed under a Creative Commons Attribution 4.0 International License.
Read Full License

Additional Declarations: No competing interests reported.

Abstract

Groundwater systems frequently behave in ways that challenge intuitive interpretation. Environmental assessments, numerical models, and hydrogeological investigations often rely upon assumptions that appear reasonable but may not accurately represent system behaviour. Positive groundwater inflow does not necessarily imply groundwater recovery, hydraulic connectivity does not automatically imply environmental impact, and stable groundwater levels do not necessarily indicate groundwater-system equilibrium. Similarly, engineered seepage controls may redistribute groundwater movement rather than eliminate it.

This paper examines a series of recurring misconceptions encountered in hydrogeological investigations and groundwater modelling. Through analysis of groundwater budgets, particle tracking, hydraulic gradients, groundwater recovery, seepage assessment, uncertainty evaluation, and receptor sensitivity, the study demonstrates why groundwater systems frequently respond differently from stakeholder expectations. The paper proposes a practical interpretation framework for improving hydrogeological understanding and reducing misinterpretation of groundwater-model outputs.

The findings highlight the importance of process-based interpretation and demonstrate that groundwater assessment requires integration of conceptual understanding, numerical analysis, and environmental context. The paper argues that many apparent groundwater anomalies are not failures of groundwater systems but failures of human interpretation.

1. Introduction

Groundwater systems are among the most complex environmental systems routinely evaluated by scientists, engineers, regulators, and decision-makers. Unlike rivers, reservoirs, or surface-water systems, groundwater processes are largely hidden from direct observation and must be inferred from limited measurements, conceptual understanding, hydrogeological investigations, and numerical modelling.

As a consequence, groundwater systems frequently appear to behave in ways that challenge intuition. Positive groundwater inflow may occur without groundwater recovery. Hydraulic connectivity may exist without environmental impact. Travel times may be short while environmental consequences remain negligible, and conversely, impacts may emerge decades after the original source has disappeared. Groundwater systems often continue to respond long after the original disturbance has ceased, creating outcomes that appear counterintuitive when interpreted through simplified assumptions. Climate–groundwater studies similarly demonstrate that delayed responses, storage effects, and recharge propagation frequently create lagged groundwater behaviour that differs substantially from stakeholder expectations (Cuthbert et al., 2020; Rodell et al., 2023).

Many of these apparent contradictions are not failures of groundwater systems themselves. Similar observations have been reported in recent groundwater-system and Earth-system studies where

groundwater behaviour was shown to respond to complex interactions among storage, connectivity, climate variability, and human pressures rather than simple hydraulic relationships (Famiglietti, 2023; Cuthbert et al., 2020). Rather, they arise because groundwater behaviour is frequently interpreted using assumptions more appropriate for surface-water systems, engineering systems, or short-term observations. Groundwater systems store water, dissipate hydraulic disturbances slowly, respond over long timescales, and operate within interconnected flow networks that are not always apparent from groundwater-level observations alone (Anderson et al., 2015; Barthel et al., 2023; Borzì, 2025).

Modern groundwater assessments increasingly rely on numerical modelling, groundwater budgets, particle tracking, travel-time analysis, connectivity assessment, and environmental risk evaluation. While each of these tools provides useful information, they also create opportunities for misunderstanding when interpreted in isolation. A groundwater level, groundwater flux, or travel time rarely tells the complete story.

This paper examines a series of recurring misconceptions encountered in hydrogeology and groundwater modelling. Particular attention is given to situations where groundwater behaviour appears inconsistent with stakeholder expectations and where interpretation errors create confusion regarding groundwater recovery, environmental impact, seepage behaviour, connectivity, and model reliability. This challenge is increasingly recognised worldwide, with studies showing that groundwater-system behaviour often reflects complex interactions among storage dynamics, climate influences, and human pressures that are not immediately apparent from observations alone (Scanlon et al., 2023; Famiglietti, 2023; Mukherjee et al., 2022; Scanlon et al., 2023).

The relationship between groundwater observations, interpretation, assumptions, and decision-making is illustrated in Fig. 1. Contemporary groundwater research increasingly highlights the importance of distinguishing observed data from conceptual interpretation, particularly where management decisions rely on incomplete understanding of aquifer-system processes (Taylor, 2020; MacDonald et al., 2021; Villholth et al., 2021).

1.1 Study Objectives

The objectives of this study are to:

- identify common misconceptions in hydrogeology and groundwater modelling;
- explain the hydrogeological mechanisms responsible for these misconceptions;
- distinguish between observation and interpretation;
- demonstrate the importance of integrated hydrogeological assessment; and
- develop a practical framework for improving groundwater-system understanding and decision-making.

The novelty of this paper lies in bringing together a series of recurring hydrogeological misconceptions and showing that many apparent groundwater anomalies arise not from failures of groundwater systems themselves, but from the way groundwater behaviour is interpreted (Irvine et al., 2024; Dwivedi et al., 2025). By integrating examples from groundwater recovery, seepage assessment, groundwater connectivity, travel-time interpretation, uncertainty assessment, and conceptual modelling, the paper provides a unifying framework for understanding why groundwater systems frequently behave differently from stakeholder expectations. Reliable interpretation requires consideration of groundwater-surface water interactions, hydraulic connectivity, uncertainty, and regional flow-system behaviour rather than reliance on individual observations in isolation (Yang et al., 2025; Scanlon et al., 2023; Zipper et al., 2021).

2. Misconception 1: Positive Groundwater Inflow Means Recovery

One of the most common assumptions in groundwater assessment is that positive groundwater inflow automatically implies groundwater recovery.

In reality, groundwater inflow represents only one component of the groundwater budget. Positive inflow may occur while storage continues to decline if groundwater outflow, evaporation, or other losses exceed incoming groundwater volumes.

The possible outcomes associated with positive groundwater inflow are summarised in Table 1.

Table 1
Positive groundwater inflow does not necessarily imply groundwater recovery or groundwater-level rise.

Observation	Possible Reality
Positive inflow	Recovery occurring
Positive inflow	Outflow larger
Positive inflow	Evaporation offsets gains
Positive inflow	Storage still declining

As shown in Table 1, identical inflow observations may correspond to several very different hydrogeological outcomes. Similar conclusions have been reported in groundwater-budget studies where water-level behaviour could not be explained using inflow information alone (Yihdego & Khalil, 2017).

3. Misconception 2: Connectivity Means Impact

Groundwater connectivity:

 pathway exists

Environmental harm:

 receptor affected

These are not the same.

The distinction between hydraulic connectivity and environmental consequence is illustrated in Fig. 2. Hydraulic connectivity simply demonstrates that groundwater movement between two locations is physically possible. Contemporary groundwater-connectivity studies increasingly demonstrate that pathways and connectivity establish the potential for interaction but do not independently determine environmental significance (Brunner et al., 2009; Barthel & Banzhaf, 2016; Yang et al., 2025).

Contemporary connectivity reviews similarly demonstrate that pathway existence, groundwater movement, and environmental significance should be considered separately because environmental consequence depends strongly on receptor characteristics and environmental context (Dwivedi et al., 2025).

4. Misconception 3: Recovery Means Equilibrium

Groundwater recovery and groundwater equilibrium are often assumed to represent the same condition. Long-term groundwater-storage studies indicate that groundwater-level recovery may occur while groundwater-system adjustment continues through storage redistribution, delayed recharge propagation, and groundwater exchange processes (Rodell et al., 2023; Cuthbert et al., 2020).

Recovery generally refers to:

- groundwater-level rebound;
- storage replenishment;
- reduction of hydraulic disturbance.

Equilibrium refers to:

- balanced groundwater budgets;
- stable groundwater exchange;
- limited storage change.

Many groundwater systems recover for years or decades before equilibrium develops. Similar behaviour has been documented in groundwater hydrograph analyses where groundwater levels stabilised while groundwater-system processes continued adjusting (Yihdego et al., 2017).

Consequently, groundwater recovery should not be interpreted as proof that groundwater-system adjustment has finished.

The relationship between calibration performance and predictive reliability is illustrated in Fig. 3.

5. Misconception 4: Liners Eliminate Seepage

A common engineering assumption is that low-permeability liners eliminate seepage.

In reality, liners frequently modify groundwater movement rather than eliminate it.

The actual behaviour of lined systems is summarised in Table 2.

Table 2
Common assumptions regarding liners and the hydrogeological realities of groundwater redistribution.

Assumption	Reality
Reduce seepage everywhere	Often redistribute flow
Eliminate risk	Typically reduce specific pathways
Remove groundwater movement	Modify groundwater movement

As shown in Table 2, engineering controls frequently alter hydraulic gradients and groundwater pathways. Similar observations have been reported in studies of groundwater-pathway modification where engineering controls changed flow directions and connectivity patterns rather than eliminating groundwater movement entirely (Barthel & Banzhaf, 2016). Consequently, evaluation of seepage-control measures should focus on groundwater-system behaviour as well as seepage magnitude.

Similar groundwater-flow redistribution behaviour has been documented in hydraulic barrier and groundwater mound studies where engineering controls altered flow patterns rather than eliminating groundwater movement (Yihdego, 2016).

6. Misconception 5: Calibration Means Prediction

Groundwater models may:

- calibrate well;
- reproduce groundwater levels;
- achieve acceptable statistical performance;

yet still produce unreliable predictions.

The relationship between calibration and prediction is illustrated in Fig. 3.

Calibration demonstrates consistency with observations under known conditions. The well-known concept of equifinality demonstrates that multiple model structures can reproduce the same observations while implying different interpretations of groundwater-system behaviour and future outcomes (Beven, 2006). Recent groundwater uncertainty studies continue to demonstrate that predictive reliability is frequently constrained more by conceptual understanding and geological interpretation than calibration performance alone (Delottier et al., 2023; Fienen et al., 2025). Prediction requires confidence in system behaviour under unknown future conditions.

Consequently, calibration should be viewed as a necessary but insufficient condition for reliable prediction (Hill & Tiedeman, 2007; Doherty, 2015). Recent groundwater-model evaluations continue to emphasise that prediction reliability depends on conceptual understanding and model purpose rather than calibration performance alone (Konikow & Bredehoeft, 2020). Similar conclusions have emerged from contemporary groundwater-model evaluation studies where multiple conceptual representations produced comparable calibration outcomes but substantially different forecasts of future groundwater behaviour (Hugman & Doherty, 2022).

7. Why These Misconceptions Persist

Groundwater systems are inherently difficult to observe directly. Unlike rivers and surface-water systems, groundwater movement occurs beneath the surface and often over long timescales. Consequently, interpretations frequently rely upon incomplete observations and simplified assumptions.

Several factors contribute to persistent misunderstanding:

- groundwater processes occur out of sight;
- environmental assessments often focus on outcomes rather than processes;
- groundwater budgets are underutilised;
- uncertainty is poorly communicated;
- stakeholders frequently seek simple answers to complex hydrogeological questions;
- numerical model outputs are sometimes interpreted without adequate conceptual context.

Recent groundwater-system investigations increasingly argue that many interpretation errors arise because hydrogeological observations are evaluated independently rather than within the broader context of connectivity, storage behaviour, environmental interaction, and system dynamics (Irvine et al., 2024; Dwivedi et al., 2025).

Similar observations have been reported within environmental modelling where uncertainty communication often proves more challenging than numerical simulation itself (Refsgaard et al., 2007).

In addition, groundwater practitioners often communicate model results in terms of groundwater levels, seepage rates, or travel times without explaining the physical processes controlling those outcomes.

This can lead to situations where technically correct conclusions are misunderstood or challenged because the underlying hydrogeological reasoning has not been communicated effectively.

Many apparent inconsistencies therefore arise from interpretation failure rather than hydrogeological failure. Understanding groundwater requires moving beyond individual observations and considering the behaviour of the groundwater system as a whole.

8. A Framework for Better Interpretation

The examples described throughout this paper demonstrate that no single groundwater metric is sufficient for understanding groundwater-system behaviour.

Reliable interpretation requires integration of:

- groundwater observations;
- conceptual models;
- groundwater budgets;
- connectivity analysis;
- travel-time assessment;
- receptor sensitivity;
- environmental consequence.

Contemporary groundwater-assessment frameworks increasingly emphasise integration of pathways, connectivity, environmental receptors, and consequence evaluation rather than reliance on individual hydrogeological indicators alone (Benavides Höglund et al., 2025; Yang et al., 2025).

The proposed framework is illustrated in Fig. 4.

Figure 4 emphasises the importance of progressing from observation to interpretation rather than treating individual groundwater metrics as definitive answers. The framework also highlights why many apparent groundwater anomalies arise when one component of the system is considered in isolation. Groundwater modelling literature has repeatedly warned against mistaking numerical outputs for understanding and highlighted the risks of over-interpreting model results without adequate conceptual context (Voss, 2011a; Voss, 2011b). Similar integrated approaches have been recommended in recent groundwater decision-support studies where environmental significance emerged from interactions among pathways, receptors, and management objectives rather than groundwater behaviour alone (Benavides Höglund et al., 2025).

9. Conclusions

Groundwater systems rarely behave according to simple intuition.

The conceptual relationships illustrated in Figs. 1–4 and the examples summarised in Tables 1–2 demonstrate that many commonly accepted assumptions regarding groundwater recovery, connectivity, travel time, seepage, and model reliability are incomplete when considered in isolation.

This study demonstrates that:

- positive groundwater inflow does not necessarily imply recovery;
- groundwater connectivity does not automatically imply environmental harm;
- travel time alone does not define consequence;
- recovery is not the same as equilibrium;
- liners frequently redistribute rather than eliminate groundwater movement;
- successful calibration does not guarantee reliable prediction.

The principal contribution of this paper is the recognition that many apparent groundwater anomalies are not failures of groundwater systems but failures of interpretation. Improved groundwater understanding requires integration of conceptual models, groundwater budgets, pathway analysis, travel times, receptors, and uncertainty communication.

By focusing on groundwater-system behaviour rather than individual observations, practitioners can develop more transparent, defensible, and scientifically robust groundwater assessments.

Declarations

Author Contributions

Y.Y. conceived the study, developed the conceptual framework, conducted the analysis and literature synthesis, prepared the figures and tables, interpreted the findings, wrote the manuscript, revised the manuscript, and approved the final version.

Funding

No specific funding was received for this research.

Competing Interests

The author declares no competing interests.

Data Availability

Not applicable.

Ethics Approval

Not applicable.

Consent to Participate

Not applicable.

Consent for Publication

Not applicable.

Conflict of Interest

The author declares that there are no competing interests, financial interests, or personal relationships that could have influenced the work reported in this manuscript.

Clinical Trial Registration

Not applicable. This study does not involve human participants, patient data, animals, clinical trials, or clinical interventions.

Acknowledgements

The author acknowledges the contribution of previous hydrogeological investigations, groundwater modelling studies, environmental assessments, and professional groundwater-engineering experience that helped shape the concepts discussed in this paper.

References

1. Anderson MP, Woessner WW, Hunt RJ. Applied Groundwater Modeling: Simulation of Flow and Advective Transport. Academic; 2015.
2. Barthel R, Banzhaf S. Groundwater and surface water interaction at the regional scale. Hydrogeol J. 2016;24:249–56.
3. Barthel R, Foster S, Villholth KG, Custodio E. Conventional and emerging challenges in hydrogeology. Hydrogeol J. 2023;31(1):3–20.
4. Benavides Höglund N, Sparrenbom C, Barthel R, Haraldsson E. Groundwater modelling for decision-support in practice: Insights from Sweden. Ambio. 2025;54(1):105–21.
5. Beven K. (2006). A manifesto for the equifinality thesis. Journal of Hydrology, 320(1–2), 18–36.
6. Borzì I. Modeling Groundwater Resources in Data-Scarce Regions for Sustainable Management: Methodologies and Limits. Hydrology. 2025;12(1):11.
7. Brunner P, Simmons CT, Cook PG, Therrien R. Hydrogeologic controls on river–groundwater interaction. Hydrogeol J. 2009;17:203–14.
8. Cuthbert MO, Gleeson T, Moosdorf N, Befus KM, Schneider A, Hartmann J, Lehner B. Global patterns and dynamics of climate–groundwater interactions. Nat Clim Change. 2020;10:663–9.

9. Doherty J. Calibration and Uncertainty Analysis for Complex Environmental Models. Watermark Numerical Computing; 2015.
10. Dwivedi D, Poeppl RE, Wohl E. Hydrological connectivity: A review and emerging strategies for integrating measurement, modeling, and management. Front Water. 2025;7:1496199.
11. Famiglietti JS. The global groundwater crisis. Nat Reviews Earth Environ. 2023;4:363–4.
12. Irvine DJ, Singha K, Kurylyk BL, Briggs MA, Sebastian Y, Tait DR, Helton AM. Groundwater-surface water interactions research: Past trends and future directions. J Hydrol. 2024;644:132061.
13. Konikow LF, Bredehoeft JD. Groundwater model reliability under uncertainty. J Hydrol. 2020;586:124138.
14. MacDonald AM, Bonsor HC, Dochartaigh BÉÓ, Taylor RG. Quantitative maps of groundwater resources in Africa. Environ Res Lett. 2021;16(6):064009.
15. Mukherjee A, Scanlon BR, Aureli A, Langan S, Guo H, McKenzie A, et al. Global groundwater: source, scarcity, sustainability, security, and solutions. Earth Sci Rev. 2022;229:103992.
16. Refsgaard JC, van der Sluijs JP, Højberg AL, Vanrolleghem PA. Uncertainty in the environmental modelling process: A framework and guidance. Environ Model Softw. 2007;22(11):1543–56.
17. Rodell M, et al. Global groundwater storage trends from satellite observations. Nature. 2023;619:45–52.
18. Rojas R, Feyen L, Dassargues A. Conceptual model uncertainty in groundwater modelling. Hydrogeol J. 2008;16:1261–74.
19. Scanlon BR, Fakhreddine S, Rateb A, de Graaf I, Famiglietti J, Gleeson T, Grafton RQ, et al. Global water resources and the role of groundwater in a resilient water future. Nat Reviews Earth Environ. 2023;4(2):87–101.
20. Taylor RG. Groundwater and climate change revisited: informing adaptation in a warming world. Nat Clim Change. 2020;10:259–61.
21. Villholth KG, López-Gunn E, Conti KI, Garrido A, n der Gun J. Groundwater governance and management: opportunities and challenges in a changing world. Water Int. 2021;46(7–8):1021–41.
22. Voss CI. Groundwater modeling fantasies—Part 1: Adrift in the details. Hydrogeol J. 2011a;19:1281–4.
23. Voss CI. Groundwater modeling fantasies—Part 2: Fantasy's end. Hydrogeol J. 2011b;19:1285–9.
24. Yang C, Condon LE, Maxwell RM. Unravelling groundwater–stream connections over the continental United States. Nature Water; 2025.
25. Yihdego Y. Evaluation of flow reduction due to hydraulic barrier engineering structure: Case of urban area flood, contamination and pollution risk assessment. Geotech Geol Eng. 2016;34(5):1643–54.
26. Yihdego Y, Khalil A. Groundwater resources assessment and impact analysis using a conceptual water balance model and time series data analysis: Case of decision-making tool. Hydrology. 2017;4(2):25.

27. Yihdego Y, Danis C, Paffard A. Why is the groundwater level rising? A case study using HARTT to simulate groundwater level dynamics. Water Environ Res. 2017;89(12):2142–52.
28. Zipper SC, Gleeson T, Kerr B, Howard J, Rohde MM, Carah J, Zimmerman J. Pervasive changes in streamflow and groundwater across the United States linked to groundwater depletion. Nat Commun. 2021;12:1439.

Figures




Figure 1

(a) Three-dimensional conceptual hydrogeological model illustrating the distinction between physical groundwater-system processes and their interpretation, including recharge, groundwater flow, monitoring observations, environmental receptors, and management decisions. (b) Conceptual pathway from groundwater observation to decision-making, showing how misunderstandings commonly arise during the interpretation stage rather than from the observations themselves.




Figure 2

Hydraulic connectivity is a prerequisite for environmental impact but does not automatically result in environmental harm.




Figure 3

Calibration performance does not automatically imply predictive reliability. Multiple conceptual models may achieve similar calibration results while generating different future predictions. Conceptual-model uncertainty remains one of the most significant sources of uncertainty in groundwater prediction and environmental interpretation (Rojas et al., 2008).




Figure 4

Integrated framework for interpreting groundwater-system behaviour and reducing common hydrogeological misconceptions.

Supplementary Files

This is a list of supplementary files associated with this preprint. Click to download.

- image1.png