

Supplementary Material 2: Screening Tool

Author Name:

Title:

Year:

Journal:

Population	Include ☐ Women of childbearing age (15-49) ☐ Healthcare professionals including Doctors (GPs), physicians, nurses, midwives, health visitors, obstetricians.	Exclude ☐ Men
Phenomena of interest	Include ☐ Views, attitudes, beliefs and understanding of PCH (including how it is received). ☐ Barriers and facilitators to engaging in PCH ☐ Barriers and facilitators to implementation of PCH initiatives ☐ Perspectives and interpretations of PCH &C, delivery and promotion	Exclude ☐ Studies not explicitly focussing on or have as the main variable of interest PCH. ☐ Studies that aren't related to how PCH is perceived, interpreted and viewed from either perspective of the stated population
Context	Include ☐ HCPs working in acute, community or primary care settings ☐ Women of childbearing age who have received or experienced PCH&C previously and those that have not. ☐ All means of PCH delivery/promotion/advice ☐ High-income countries	Exclude ☐ Studies focusing solely on prenatal or postnatal care without addressing preconception aspects ☐ Not conducted within high-income country.
Study Design	Include ☐ Primary Qualitative Studies	Exclude ☐ Systematic reviews ☐ Quantitative studies ☐ Mixed methods studies ☐ Any other study design than primary qualitative study.

Overall Decision	☐ INCLUDED	☐ EXCLUDED
Notes		
