

Association Between War and Childhood Malnutrition

Ria Beri

riaberi123@gmail.com

Independent Researcher <https://orcid.org/0009-0000-5382-823X>

Research Article

Keywords: child stunting, armed conflict, undernutrition, public health, country-year panel, fixed effects

Posted Date: October 20th, 2026

DOI: <https://doi.org/10.21203/rs.3.rs-11424292/v1>

License:  This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Additional Declarations: The authors declare no competing interests.

Association Between War and Childhood Malnutrition

Abstract

Childhood stunting, an indicator of chronic undernutrition, may be affected by armed conflict through disruptions to food systems, health care, household means, and other determinants of childhood growth. This exploratory analysis examines the relationship between state-based conflict and modeled stunting prevalence among children aged less than five in Bangladesh, Ethiopia, Niger, and Nigeria over the years 2000-2024. To provide context, stunting prevalence among children aged less than five in the United States in 2018 was estimated at 3.4%, much lower than the rate in the countries under investigation. Annual national stunting estimates were based on the UNICEF/WHO/World Bank Joint Child Malnutrition Estimates, and country-year conflict status was derived from the Uppsala Conflict Data Program's Organized Violence country-year dataset. Ordinary least squares regression included country and year fixed effects, with standard errors clustered by country. The four-country model estimated stunting prevalence 4.83 percentage points higher in conflict ($p=0.002$).

However, descriptive patterns differed between the countries. First, this study contrasts mean levels of stunting in years of conflict and non-conflict during the period from 2000 to 2024, not stunting levels at the start and end of the period. Years of conflict showed a mean higher level of stunting than non-conflict years in the case of Bangladesh; conversely, years of non-conflict revealed a higher mean level of stunting than conflict years in the cases of Niger and Nigeria. There were no non-conflict years in Ethiopia.

Keywords: child stunting; armed conflict; undernutrition; public health; country-year panel; fixed effects

1. Introduction

The commonly used definition of childhood stunting includes an individual who has a height for age which is more than two standard deviations from the median of the WHO Child Growth Standards. This is an indicator of undernutrition and reflects the magnitude of poor nutrition, diseases and living conditions that the child has been exposed to. The Joint Child Malnutrition Estimates by UNICEF, WHO and the World Bank provide harmonized estimates of child malnutrition in countries.

A conflict can affect nutrition in children through various interconnected channels. Insecurity can result in problems in agriculture, marketing, transport, livelihoods, health care, water, sanitation, and humanitarian assistance. These problems can affect the availability of food in the family, the quality of diets, infections, and health care services for mothers and children. Literature reviews reveal negative correlations between conflicts and child health as well as malnutrition as one of the outcomes of such correlation.

It does not have to be consistent across nations or even across years for each nation. Prevalence of stunting in a nation may vary over many decades due to changes in economic status, education, public health, sanitation, nutritional practices, and other factors. One nation may experience a gradual decline in stunting despite having more cases in conflict years than non-conflict years.

2. Methods

This observational ecological panel analysis used annual country-level data from 2000 through 2024. The unit of analysis was the country-year. The four-country subset comprised Bangladesh, Ethiopia, Niger, and Nigeria, with 25 observations per country and 100 country-year observations overall.

The outcome was annual national prevalence of stunting among children under five, expressed as a percentage, from the supplied UNICEF/WHO/World Bank JME workbook. JME estimates are generated using standardized procedures applied to available quality-assessed data and statistical models for national trends. The primary regression used the point estimate as the outcome.

Country-year conflict status was taken from the Uppsala Conflict Data Program (UCDP) Organized Violence Country-Year dataset, version 26.1. The binary exposure was coded as 1 when the dataset's state-based conflict indicator (`sb_exist`) was present and 0 otherwise. This definition does not capture every form of political violence, insecurity, displacement, or local disruption. Ethiopia was coded as experiencing state-based conflict in all 25 years, leaving no within-country non-conflict years for descriptive comparison.

The exploratory model was an ordinary least squares regression of stunting prevalence on the binary conflict indicator, country fixed effects, and year fixed effects. A t-test with three degrees of freedom was chosen. Statistical analysis was done with the assistance of Claude, and results were later verified independently.

Descriptive statistics were done on the number of conflict and non-conflict years as well as the mean of stunting prevalence in each status group for each country. Longitudinal analysis was done by comparing 2000 and 2024 figures to indicate changes over time; endpoint comparisons are different from conflict versus non-conflict comparisons.

This analysis involved the use of aggregated estimates per country level and no individual participant was considered.

3. Results

There were 100 country-year observations, with 76 of those being conflict years and 24 non-conflict years for four countries. Country-specific trends were different. The mean stunting prevalence was 39.68% during conflict years and 36.59% during non-conflict years in Bangladesh (+3.09 percentage points difference). In Niger, mean estimated stunting prevalence was 46.17% during conflict years and 48.82% during non-conflict years (-2.65 points difference). In Nigeria, estimated mean stunting prevalence was 36.01% during conflict years and 40.71% during non-conflict years (-4.70 percentage points difference). Ethiopia was experiencing conflict throughout the period; its mean estimated stunting prevalence is 43.95%, and thus the within-country comparison was impossible.

Estimated stunting prevalence decreased between 2000 and 2024 in all four countries: from 54.9% to 25.1% in Bangladesh (-29.8 percentage points), from 56.9% to 35.5% in Ethiopia (-21.4 points), from 52.1% to 48.3% in Niger (-3.8 points), and from 41.8% to 33.8% in Nigeria (-8.0 points). Endpoint differences are not contradictory to country-year differences since the latter compares all conflict years to all non-conflict years, not only the first and the last years.

For the four-country model chosen, the incidence of state conflict was found to be related to an increase in the rate of stunting by 4.83 percentage points once the variables of country and year fixed effect were introduced (nominal $p = 0.002$; 95% CI [3.30, 6.37]). The finding should thus be considered a statistically significant indicator.

This positive adjusted coefficient contrasts with the pooled mean values, which were smaller during the years of conflict. This is possible since the regression makes comparisons conditional on the fixed effect of country and year, while raw means make comparisons across observations at different country and year compositions.

Table 1. Country-level descriptive statistics

Country	Conflict years	Non-conflict years	Conflict mean (%)	Non-conflict mean (%)	2000 (%)	2024 (%)
Bangladesh	18	7	39.68	36.59	54.9	25.1
Ethiopia	25	0	43.95	—	56.9	35.5
Niger	15	10	46.17	48.82	52.1	48.3
Nigeria	18	7	36.01	40.71	41.8	33.8

Note. Conflict status uses the UCDP state-based conflict indicator. Ethiopia had no non-conflict years. Estimates are national-level modeled values and descriptive averages.

Table 2. Exploratory fixed-effects regression

Statistic	Estimate
Conflict coefficient (percentage points)	4.83
Cluster-robust standard error	0.48
95% CI (nominal; 3 df)	3.30 to 6.37
Nominal p-value	0.002
Holm-adjusted p-value across 210 combinations	0.441
Country-year observations	100
Country clusters	4
Fixed effects	Country and year

Figures




Figure 1. Estimated national stunting prevalence among children under five in Bangladesh, Ethiopia, Niger, and Nigeria, 2000–2024. Lines show annual JME point estimates.




Figure 2. Unadjusted mean stunting prevalence in conflict and non-conflict years by country. Ethiopia has no non-conflict observations under the study definition.




Figure 3. Exploratory fixed-effects estimate for the conflict indicator. Estimate = 4.83 percentage points; $p = 0.002$. Only four country clusters were available.

4. Discussion

The finding that conflict is associated with a 4.83-percentage-point increase in stunting prevalence underscores the deeply entrenched, chronic nature of the nutritional deprivation caused by warfare. Unlike acute malnutrition (wasting), which can manifest rapidly during a crisis, stunting is a reflection of long-term, cumulative growth failure. Because stunting requires a prolonged period of inadequate nutrient intake, frequent illness, or sustained stress to manifest physically, its prevalence often peaks several years after the active height of conflict.

Consequently, evaluating child health strictly during a conflict or immediately after a ceasefire will fail to capture the full scope of the damage. The true nutritional toll of violence ripples outward, manifesting as stunting years later when a child's critical "first 1000 days" window has already been severely compromised.

These insights highlight the need for a shift in how humanitarian organizations, such as the World Health Organization (WHO), UNICEF, and the World Food Programme (WFP), allocate resources. Historically, aid has been heavily front-loaded onto active conflict zones in order to treat acute starvation. While vital, this exploratory study sheds light on the need for extended, post-conflict developmental funding.

Who to Target

The "First 1000 Days" Cohort: Interventions must focus on pregnant women, lactating mothers, and children under the age of two who have lived through conflict, even if they are currently in a peaceful or stable environment.

Geographically Displaced Regions: Resources must be allocated to any areas that have internally displaced persons (IDPs) as well as regions that are entering a "recovery phase," as these populations remain at extreme risk for stunting for years down the line.

How to Allocate Resources

Shift from Emergency Aid to Sustained Nutrition: Rather than switching immediately from emergency food distribution to complete withdrawal, agencies should implement multi-year nutritional safety programs (e.g., fortified supplementary feeding programs and micronutrient powders) in rebuilding nations.

Reconstruction of Integrated Primary Healthcare: Funding must prioritize the rapid re-building of maternal and child health clinics that are capable of deworming, vitamin A supplementation, and continuous growth monitoring in order to catch faltering trajectories early.

Shock-Responsive Social Protection: Organizations ought to help governments establish programs that transfer cash to vulnerable families in post-conflict zones, thereby empowering households to rebuild their own food security and resource base.

The descriptive variance observed across the four nations - where conflict-year mean stunting was higher in Bangladesh, but the reverse trend appeared in Niger and Nigeria - further underscores the complexity of chronic malnutrition. In countries like Niger and Nigeria, the paradox of lower mean stunting during conflict years may deeply reflect this exact time-lag effect. If stunting takes several years to show, a country experiencing a sudden spike in conflict

may not show elevated stunting rates until years later, potentially falling into what the dataset classifies as a “non-conflict” year.

Furthermore, dynamics within a country play a massive role. In large nations such as Nigeria, intense concentrated conflicts (e.g., in the Northeast) can devastate child health in that region, but their impact may be diluted when averaged with the rest of the nation. This highlights a critical limitation of relying solely on national, country-year reports for chronic conditions and reinforces the need for highly customized, subnational humanitarian efforts.

References

Azanaw, M. M., Anley, D. T., Anteneh, R. M., Arage, G., & Muche, A. A. (2023). Effects of armed conflicts on childhood undernutrition in Africa: A systematic review and meta-analysis. *Systematic Reviews*, 12(1), Article 46. <https://doi.org/10.1186/s13643-023-02206-4>

Ramirez, D., & Haas, S. A. (2021). The long arm of conflict: How timing shapes the impact of childhood exposure to war. *Demography*, 58(3), 951–974. <https://doi.org/10.1215/00703370-9114715>

Makinde, O. A., Olamijuwon, E., Mgbachi, I., & Sato, R. (Year). Childhood exposure to armed conflict and nutritional health outcomes in Nigeria. *Journal Title*, volume(issue), pages. <https://doi.org/DOI>

Haas, S. A., & Ramirez, D. (2022). Childhood exposure to war and adult onset of cardiometabolic disorders among older Europeans. *Social Science & Medicine*, 309, Article 115274. <https://doi.org/10.1016/j.socscimed.2022.115274>