

checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. [CIF dictionary](#) [Interpreting this report](#)

Datablock: ZZ_CD_0m_a

Bond precision: C-C = 0.0024 Å Wavelength=0.71073

Cell: $a=9.3924(14)$ $b=18.590(3)$ $c=9.8242(8)$
 $\alpha=90$ $\beta=94.277(4)$ $\gamma=90$

Temperature: 200 K

	Calculated	Reported
Volume	1710.6(4)	1710.6(4)
Space group	P 21/n	P 21/n
Hall group	-P 2yn	-P 2yn
Moiety formula	C40 H48 N2 O2	?
Sum formula	C40 H48 N2 O2	C40 H48 N2 O2
Mr	588.80	588.80
Dx, g cm ⁻³	1.143	1.143
Z	2	2
μ (mm ⁻¹)	0.069	0.069
F000	636.0	636.0
F000'	636.24	
h, k, lmax	11, 23, 12	11, 23, 12
Nref	3650	3632
Tmin, Tmax	0.993, 0.993	
Tmin'	0.993	

Correction method= Not given

Data completeness= 0.995 Theta(max)= 26.766

R(reflections) = 0.0540(2518) wR2(reflections) = 0.1793(3632)

S = 1.082 Npar= 205

The following ALERTS were generated. Each ALERT has the format
test-name ALERT alert-type alert-level.

Click on the hyperlinks for more details of the test.

🟡 Alert level C

```
PLAT052_ALERT_1_C Info on Absorption Correction Method Not Given Please Do !
PLAT410_ALERT_2_C Short Intra H...H Contact H3 ..H8 1.99 Ang.
x,y,z = 1_555 Check
```

🟢 Alert level G

```
PLAT720_ALERT_4_G Number of Unusual/Non-Standard Labels ..... 17 Note
PLAT860_ALERT_3_G Number of Least-Squares Restraints ..... 5 Note
PLAT883_ALERT_1_G No Info/Value for _atom_sites_solution_primary . Please Do !
```

0 **ALERT level A** = Most likely a serious problem - resolve or explain
0 **ALERT level B** = A potentially serious problem, consider carefully
2 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
3 **ALERT level G** = General information/check it is not something unexpected

2 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
1 ALERT type 2 Indicator that the structure model may be wrong or deficient
1 ALERT type 3 Indicator that the structure quality may be low
1 ALERT type 4 Improvement, methodology, query or suggestion
0 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

Datablock ZZ_CD_0m_a - ellipsoid plot

