
Uncropped Western Blot Source Images

Source images for the HNRNPC depletion and FOXO1 overexpression experiments. Whole supplied TIFF images are displayed without cropping. TIFF files are provided separately. Lane order is taken from the corresponding experimental report and author-confirmed groups. Marker lanes are visible at the left of each membrane image.


HNRNPC depletion — independent experiment 1

Sample lanes from left to right: Control; TNF-α; TNF-α + siNC; TNF-α + siHNRNPC #2.


Beclin 1




FOXO1



LC3II




actin




HNRNPC depletion — independent experiment 2

Sample lanes from left to right: Control; TNF-α; TNF-α + siNC; TNF-α + siHNRNPC #2.


Beclin 1




FOXO1



LC3II




actin




HNRNPC depletion — independent experiment 3

Sample lanes from left to right: Control; TNF-α; TNF-α + siNC; TNF-α + siHNRNPC #2.


Beclin 1




FOXO1



LC3II




actin




FOXO1 overexpression — independent experiment 1

Sample lanes from left to right: siNC; siHNRNPC #2; siHNRNPC #2 + empty vector; siHNRNPC #2 + FOXO1 overexpression.


Beclin 1




FOXO1



LC3II




actin




FOXO1 overexpression — independent experiment 2

Sample lanes from left to right: siNC; siHNRNPC #2; siHNRNPC #2 + empty vector; siHNRNPC #2 + FOXO1 overexpression.


Beclin 1




FOXO1



LC3II




actin




FOXO1 overexpression — independent experiment 3

Sample lanes from left to right: siNC; siHNRNPC #2; siHNRNPC #2 + empty vector; siHNRNPC #2 + FOXO1 overexpression.


Beclin 1



FOXO1



LC3II



actin

