

checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: MUF-93-24h-15pc

Bond precision: C-C = 0.0040 Å

Wavelength=0.71092

Cell: a=16.90(5) b=16.90(5) c=16.90(5)
 alpha=90 beta=90 gamma=90
Temperature: 100 K

	Calculated	Reported
Volume	4827(43)	4827(43)
Space group	P -4 3 m	P -4 3 m
Hall group	P -4 2 3	P -4 2 3
Moiety formula	0.103(C10.50 H6 Co 03.25), 2(C3.50 H 01.08 Zn0.33), 4(C1.75 H1.	1(C84 H48 N6 O13 Zn4), 1(C6.5 H3.71 Co0.62 O2.01)
Sum formula	C15.09 H8.62 Co0.10 N 02.50 Zn0.67	C90.49 H51.72 Co0.62 N6 015.01 Zn4
Mr	293.59	1761.13
Dx, g cm-3	0.606	0.606
Z	6	1
Mu (mm-1)	0.572	0.572
F000	893.6	894.0
F000'	895.33	
h, k, lmax	14, 14, 14	14, 14, 14
Nref	601[345]	602
Tmin, Tmax		0.516, 0.746
Tmin'		

Correction method= # Reported T Limits: Tmin=0.516 Tmax=0.746
AbsCorr = MULTI-SCAN

Data completeness= 1.74/1.00 Theta(max)= 17.215

R(reflections)= 0.1935(309) wR2(reflections)= 0.4596(602)

S = 1.467 Npar= 55

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.

Alert level A

THETM01_ALERT_3_A The value of $\sin(\theta_{\max})/\lambda$ is less than 0.550

Calculated $\sin(\theta_{\max})/\lambda = 0.4163$

PLAT084_ALERT_3_A High wR_2 Value (i.e. > 0.25) 0.46 Report

PLAT601_ALERT_2_A Structure Contains Solvent Accessible VOIDS of . 1530 Ang**3

Alert level B

RINTA01_ALERT_3_B The value of Rint is greater than 0.18

Rint given 0.207

PLAT020_ALERT_3_B The Value of Rint is Greater Than 0.12 0.207 Report

PLAT049_ALERT_1_B Calculated Density Less Than 1.0 gcm⁻³ 0.6060 Check

PLAT082_ALERT_2_B High R_1 Value 0.19 Report

PLAT241_ALERT_2_B High 'MainMol' Ueq as Compared to Neighbors of C10 Check

PLAT242_ALERT_2_B Low 'MainMol' Ueq as Compared to Neighbors of O2 Check

PLAT260_ALERT_2_B Large Average Ueq of Residue Including Zn1 0.415 Check

PLAT315_ALERT_2_B Singly Bonded Carbon Detected (H-atoms Missing). C15 Check

PLAT987_ALERT_1_B The Flack x is $>> 0$ - Do a BASF/TWIN Refinement Please Check

Alert level C

STRVA01_ALERT_4_C Flack test results are ambiguous.

From the CIF: `_refine_ls_abs_structure_Flack` 0.310

From the CIF: `_refine_ls_abs_structure_Flack_su` 0.070

PLAT041_ALERT_1_C Calc. and Reported SumFormula Strings Differ Please Check

PLAT053_ALERT_1_C Minimum Crystal Dimension Missing (or Error) ... Please Check

PLAT054_ALERT_1_C Medium Crystal Dimension Missing (or Error) ... Please Check

PLAT055_ALERT_1_C Maximum Crystal Dimension Missing (or Error) ... Please Check

PLAT077_ALERT_4_C Unitcell Contains Non-integer Number of Atoms .. Please Check

PLAT090_ALERT_3_C Poor Data / Parameter Ratio ($Z_{\max} > 18$) 6.27 Note

PLAT148_ALERT_3_C s.u. on the a - Axis is (Too) Large 0.050 Ang.

PLAT161_ALERT_4_C Missing or Zero s.u. (esd) on x-coordinate for . C12 Check

PLAT161_ALERT_4_C Missing or Zero s.u. (esd) on x-coordinate for . C13 Check

PLAT161_ALERT_4_C Missing or Zero s.u. (esd) on x-coordinate for . N1 Check

PLAT161_ALERT_4_C Missing or Zero s.u. (esd) on x-coordinate for . C15 Check

PLAT161_ALERT_4_C Missing or Zero s.u. (esd) on x-coordinate for . C16 Check

PLAT161_ALERT_4_C Missing or Zero s.u. (esd) on x-coordinate for . C17 Check

PLAT161_ALERT_4_C Missing or Zero s.u. (esd) on x-coordinate for . C18 Check

PLAT161_ALERT_4_C Missing or Zero s.u. (esd) on x-coordinate for . C19 Check

PLAT161_ALERT_4_C Missing or Zero s.u. (esd) on x-coordinate for . C20 Check

PLAT161_ALERT_4_C Missing or Zero s.u. (esd) on x-coordinate for . C21 Check

PLAT162_ALERT_4_C Missing or Zero s.u. (esd) on y-coordinate for . C12 Check

PLAT162_ALERT_4_C Missing or Zero s.u. (esd) on y-coordinate for . C13 Check

PLAT162_ALERT_4_C Missing or Zero s.u. (esd) on y-coordinate for . N1 Check

PLAT162_ALERT_4_C Missing or Zero s.u. (esd) on y-coordinate for . C15 Check

PLAT162_ALERT_4_C Missing or Zero s.u. (esd) on y-coordinate for . C16 Check

PLAT162_ALERT_4_C Missing or Zero s.u. (esd) on y-coordinate for . C17 Check

PLAT162_ALERT_4_C Missing or Zero s.u. (esd) on y-coordinate for . C18 Check

PLAT162_ALERT_4_C Missing or Zero s.u. (esd) on y-coordinate for . C19 Check

PLAT162_ALERT_4_C Missing or Zero s.u. (esd) on y-coordinate for . C20 Check

PLAT162_ALERT_4_C Missing or Zero s.u. (esd) on y-coordinate for . C21 Check

PLAT163_ALERT_4_C Missing or Zero s.u. (esd) on z-coordinate for . C12 Check

PLAT163_ALERT_4_C Missing or Zero s.u. (esd) on z-coordinate for . C13 Check

PLAT163_ALERT_4_C Missing or Zero s.u. (esd) on z-coordinate for . N1 Check

PLAT163_ALERT_4_C Missing or Zero s.u. (esd) on z-coordinate for . C15 Check

PLAT163_ALERT_4_C	Missing or Zero s.u. (esd) on z-coordinate for .	C16	Check
PLAT163_ALERT_4_C	Missing or Zero s.u. (esd) on z-coordinate for .	C17	Check
PLAT163_ALERT_4_C	Missing or Zero s.u. (esd) on z-coordinate for .	C18	Check
PLAT163_ALERT_4_C	Missing or Zero s.u. (esd) on z-coordinate for .	C19	Check
PLAT163_ALERT_4_C	Missing or Zero s.u. (esd) on z-coordinate for .	C20	Check
PLAT163_ALERT_4_C	Missing or Zero s.u. (esd) on z-coordinate for .	C21	Check
PLAT250_ALERT_2_C	Large U3/U1 Ratio for Average U(i,j) Tensor	2.7	Note
PLAT260_ALERT_2_C	Large Average Ueq of Residue Including Co2	0.167	Check

● Alert level G

FORMU01_ALERT_1_G There is a discrepancy between the atom counts in the
 _chemical_formula_sum and _chemical_formula_moiety. This is
 usually due to the moiety formula being in the wrong format.
 Atom count from _chemical_formula_sum: C90.49 H51.72 Co0.62 N6 O15.0
 Atom count from _chemical_formula_moiety: C90.5 H51.71 Co0.62 N6 O15.01

FORMU01_ALERT_2_G There is a discrepancy between the atom counts in the
 _chemical_formula_sum and the formula from the _atom_site* data.
 Atom count from _chemical_formula_sum: C90.49 H51.72 Co0.62 N6 O15.01 Z
 Atom count from the _atom_site data: C90.50275 H48.71610 Co0.619950 N

ABSMU01_ALERT_1_G Calculation of _exptl_absorpt_correction_mu
 not performed for this radiation type.

CELLZ01_ALERT_1_G Difference between formula and atom_site contents detected.

CELLZ01_ALERT_1_G WARNING: H atoms missing from atom site list. Is this intentional?
 From the CIF: _cell_formula_units_Z 1
 From the CIF: _chemical_formula_sum C90.49 H51.72 Co0.62 N6 O15.01 Zn4
 TEST: Compare cell contents of formula and atom_site data

atom	Z*formula	cif sites	diff
C	90.50	90.51	-0.01
H	51.72	48.72	3.00
Co	0.62	0.62	0.00
N	6.00	6.00	0.00
O	15.01	15.02	0.00
Zn	4.00	4.00	0.00

PLAT002_ALERT_2_G	Number of Distance or Angle Restraints on AtSite	11	Note
PLAT003_ALERT_2_G	Number of Uiso or Uij Restrained non-H Atoms ...	16	Report
PLAT004_ALERT_5_G	Polymeric Structure Found with Maximum Dimension	3	Info
PLAT012_ALERT_1_G	No _shelx_res_checksum Found in CIF		Please Check
PLAT042_ALERT_1_G	Calc. and Reported MoietyFormula Strings Differ		Please Check
PLAT045_ALERT_1_G	Calculated and Reported Z Differ by a Factor ...	6.00	Check
PLAT068_ALERT_1_G	Reported F000 Differs from Calcd (or Missing)...		Please Check
PLAT072_ALERT_2_G	SHELXL First Parameter in WGHT Unusually Large	0.20	Report
PLAT172_ALERT_4_G	The CIF-Embedded .res File Contains DFIX Records	11	Report
PLAT174_ALERT_4_G	The CIF-Embedded .res File Contains FLAT Records	2	Report
PLAT178_ALERT_4_G	The CIF-Embedded .res File Contains SIMU Records	2	Report
PLAT180_ALERT_4_G	Check Cell Rounding: # of Values Ending with 0 =	3	Note
PLAT186_ALERT_4_G	The CIF-Embedded .res File Contains ISOR Records	3	Report
PLAT300_ALERT_4_G	Atom Site Occupancy of C12 Constrained at	0.5	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of C13 Constrained at	0.5	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of H12 Constrained at	0.5	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of C15 Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of C16 Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of C17 Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of C18 Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of C19 Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of C20 Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of C21 Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of H17 Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of H18 Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of H19 Constrained at	0.25	Check

PLAT300_ALERT_4_G	Atom Site Occupancy of H20	Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of H21	Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of N1	Constrained at	0.25	Check
PLAT300_ALERT_4_G	Atom Site Occupancy of H13	Constrained at	0.25	Check
PLAT301_ALERT_3_G	Main Residue Disorder(Resd 1)		100%	Note
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 2)		39%	Note
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 3)		100%	Note
PLAT302_ALERT_4_G	Anion/Solvent/Minor-Residue Disorder (Resd 4)		100%	Note
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..N1		2.50	Ang.
	1-x,1-y,z =		3_665	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..N1		2.50	Ang.
	1-y,1-x,z =		19_665	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..N1		2.50	Ang.
	y,x,z =		20_555	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..N1		2.50	Ang.
	x,y,z =		1_555	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..N1		2.97	Ang.
	1-x,y,2-z =		9_657	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..N1		2.97	Ang.
	y,1-x,2-z =		2_567	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..N1		2.97	Ang.
	x,1-y,2-z =		6_567	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..N1		2.97	Ang.
	1-y,x,2-z =		4_657	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..C15		3.14	Ang.
	1-x,1-y,z =		3_665	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..C15		3.14	Ang.
	1-y,1-x,z =		19_665	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..C15		3.14	Ang.
	y,x,z =		20_555	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C14 ..C15		3.14	Ang.
	x,y,z =		1_555	Check
PLAT432_ALERT_2_G	Short Inter X...Y Contact C20 ..C33		3.18	Ang.
	y,1-x,1-z =		2_566	Check
PLAT779_ALERT_4_G	Suspect or Irrelevant (Bond) Angle(s) in CIF . #		36	Check
	C12 -C11 -C12 20.555 1.555 1.555		21.26	Deg.
PLAT779_ALERT_4_G	Suspect or Irrelevant (Bond) Angle(s) in CIF . #		40	Check
	C12 -C11 -C12 19.665 1.555 3.665		21.26	Deg.
PLAT789_ALERT_4_G	Atoms with Negative _atom_site_disorder_group #		17	Check
PLAT794_ALERT_5_G	Tentative Bond Valency for Zn1 (II) .		2.30	Info
PLAT811_ALERT_5_G	No ADDSYM Analysis: Too Many Excluded Atoms		!	Info
PLAT860_ALERT_3_G	Number of Least-Squares Restraints		223	Note
PLAT883_ALERT_1_G	No Info/Value for _atom_sites_solution_primary .		Please Do !	
PLAT933_ALERT_2_G	Number of OMIT Records in Embedded .res File ...		2	Note

3 **ALERT level A** = Most likely a serious problem - resolve or explain
 9 **ALERT level B** = A potentially serious problem, consider carefully
 40 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
 60 **ALERT level G** = General information/check it is not something unexpected

15 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
 26 ALERT type 2 Indicator that the structure model may be wrong or deficient
 8 ALERT type 3 Indicator that the structure quality may be low
 60 ALERT type 4 Improvement, methodology, query or suggestion
 3 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

