

## checkCIF/PLATON report

Structure factors have been supplied for datablock(s) muf-91-9h-76pc

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

### Datablock: muf-91-9h-76pc

---

Bond precision: = 0.0000 Å Wavelength=0.95372

Cell: a=16.96 (2) b=16.96 (2) c=16.96 (2)  
alpha=90 beta=90 gamma=90

Temperature: 100 K

	Calculated	Reported
Volume	4878 (17)	4882 (17)
Space group	P -4 3 m	P -4 3 m
Hall group	P -4 2 3	P -4 2 3
Moiety formula	C14.49 H8.28 N0.75 O2.86 Zn0.88	C84 H48 N6 O13 Zn4, C31.906 H18.232 O9.876 Zn3.039
Sum formula	C14.49 H8.28 N0.75 O2.86 Zn0.88	C115.89 H66.22 N6 O22.87 Zn7.04
Mr	296.27	2368.77
Dx, g cm-3	0.807	0.806
Z	8	1
Mu (mm-1)	1.956	1.926
F000	1198.3	1198.0
F000'	1198.46	
h, k, lmax	14,14,14	14,14,14
Nref	601 [ 345]	604
Tmin, Tmax		0.447, 0.746
Tmin'		

Correction method= # Reported T Limits: Tmin=0.447 Tmax=0.746  
AbsCorr = MULTI-SCAN

Data completeness= 1.75/1.00 Theta (max)= 23.300

R(reflections)= 0.2831( 399)

wR2 (reflections)=  
0.6142( 604)

S = 2.606

Npar= 33

---

The following ALERTS were generated. Each ALERT has the format

**test-name\_ALERT\_alert-type\_alert-level**.

Click on the hyperlinks for more details of the test.

---

#### **Alert level A**

THETM01_ALERT_3_A	The value of sine(theta_max)/wavelength is less than 0.550	
	Calculated sin(theta_max)/wavelength = 0.4147	
PLAT082_ALERT_2_A	High R1 Value .....	0.28 Report
PLAT084_ALERT_3_A	High wR2 Value (i.e. > 0.25) .....	0.61 Report
PLAT601_ALERT_2_A	Unit Cell Contains Solvent Accessible VOIDS of .	1550 Ang**3
PLAT973_ALERT_2_A	Check Calcd Positive Resid. Density on Zn0A	2.39 eA-3

---

#### **Alert level B**

RINTA01_ALERT_3_B	The value of Rint is greater than 0.18	
	Rint given 0.182	
PLAT020_ALERT_3_B	The Value of Rint is Greater Than 0.12 .....	0.182 Report
PLAT049_ALERT_1_B	Calculated Density Less Than 1.0 gcm-3 .....	0.8070 Check
PLAT934_ALERT_3_B	Number of (Iobs-Icalc)/Sigma(W) > 10 Outliers ..	3 Check
PLAT971_ALERT_2_B	Check Calcd Resid. Dens. 1.81Ang From O1	3.34 eA-3

---

#### **Alert level C**

DIFMX02_ALERT_1_C	The maximum difference density is > 0.1*ZMAX*0.75	
	The relevant atom site should be identified.	
GOODF01_ALERT_2_C	The least squares goodness of fit parameter lies	
	outside the range 0.80 <> 2.00	
	Goodness of fit given = 2.606	
STRVA01_ALERT_4_C	Flack test results are ambiguous.	
	From the CIF: _refine_ls_abs_structure_Flack 0.430	
	From the CIF: _refine_ls_abs_structure_Flack_su 0.020	
PLAT041_ALERT_1_C	Calc. and Reported SumFormula Strings Differ	Please Check
PLAT053_ALERT_1_C	Minimum Crystal Dimension Missing (or Error) ...	Please Check
PLAT054_ALERT_1_C	Medium Crystal Dimension Missing (or Error) ...	Please Check
PLAT055_ALERT_1_C	Maximum Crystal Dimension Missing (or Error) ...	Please Check
PLAT087_ALERT_2_C	Unsatisfactory S value (Too High) .....	2.61 Check
PLAT094_ALERT_2_C	Ratio of Maximum / Minimum Residual Density ....	3.47 Report
PLAT097_ALERT_2_C	Large Reported Max. (Positive) Residual Density	2.62 eA-3
PLAT148_ALERT_3_C	s.u. on the a - Axis is (Too) Large ....	0.020 Ang.
PLAT250_ALERT_2_C	Large U3/U1 Ratio for Average U(i,j) Tensor ....	2.4 Note
PLAT260_ALERT_2_C	Large Average Ueq of Residue Including Zn1	0.272 Check
PLAT331_ALERT_2_C	Small Aver Phenyl C-C Dist C16 --C21 .	1.37 Ang.
PLAT906_ALERT_3_C	Large K Value in the Analysis of Variance .....	33.852 Check
PLAT906_ALERT_3_C	Large K Value in the Analysis of Variance .....	2.971 Check
PLAT906_ALERT_3_C	Large K Value in the Analysis of Variance .....	2.646 Check
PLAT926_ALERT_1_C	Reported and Calculated R1 Differ by .....	-0.0016 Check

---

#### **Alert level G**

FORMU01\_ALERT\_1\_G There is a discrepancy between the atom counts in the \_chemical\_formula\_sum and \_chemical\_formula\_moiety. This is usually due to the moiety formula being in the wrong format.  
 Atom count from \_chemical\_formula\_sum: C115.89 H66.21999 N6 O22.87 Z  
 Atom count from \_chemical\_formula\_moiety: C115.906 H66.23200 N6 O22.875

FORMU01\_ALERT\_2\_G There is a discrepancy between the atom counts in the \_chemical\_formula\_sum and the formula from the \_atom\_site\* data.  
 Atom count from \_chemical\_formula\_sum: C115.89 H66.21999 N6 O22.87 Zn7.  
 Atom count from the \_atom\_site data: C83.03998 H54.12 N6 O10.63369 Zn

ABSMU01\_ALERT\_1\_G Calculation of \_exptl\_absorpt\_correction\_mu  
 not performed for this radiation type.

CELLZ01\_ALERT\_1\_G Difference between formula and atom\_site contents detected.

CELLZ01\_ALERT\_1\_G ALERT: Large difference may be due to a symmetry error - see SYMMG tests  
 From the CIF: \_cell\_formula\_units\_Z 1  
 From the CIF: \_chemical\_formula\_sum C115.89 H66.22 N6 O22.87 Zn7.04  
 TEST: Compare cell contents of formula and atom\_site data

atom	Z*formula	cif	sites	diff
C	115.89	83.04	32.85	
H	66.22	54.12	12.10	
N	6.00	6.00	0.00	
O	22.87	10.63	12.24	
Zn	7.04	1.17	5.87	

PLAT002\_ALERT\_2\_G Number of Distance or Angle Restraints on AtSite 10 Note  
 PLAT003\_ALERT\_2\_G Number of Uiso or Uij Restrained non-H Atoms ... 19 Report  
 PLAT007\_ALERT\_5\_G Number of Unrefined Donor-H Atoms ..... 1 Report  
 PLAT042\_ALERT\_1\_G Calc. and Reported Moiety Formula Strings Differ Please Check  
 PLAT045\_ALERT\_1\_G Calculated and Reported Z Differ by a Factor ... 8.0000 Check  
 PLAT068\_ALERT\_1\_G Reported F000 Differs from Calcd (or Missing)... Please Check  
 PLAT072\_ALERT\_2\_G SHELXL First Parameter in WGHT Unusually Large 0.20 Report  
 PLAT092\_ALERT\_4\_G Check: Wavelength Given is not Cu, Ga, Mo, Ag, In Ka 0.95372 Ang.  
 PLAT171\_ALERT\_4\_G The CIF-Embedded .res File Contains EADP Records 3 Report  
 PLAT172\_ALERT\_4\_G The CIF-Embedded .res File Contains DFIX Records 11 Report  
 PLAT174\_ALERT\_4\_G The CIF-Embedded .res File Contains FLAT Records 3 Report  
 PLAT178\_ALERT\_4\_G The CIF-Embedded .res File Contains SIMU Records 2 Report  
 PLAT186\_ALERT\_4\_G The CIF-Embedded .res File Contains ISOR Records 2 Report  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of Zn0A Constrained at 0.1667 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of O2 Constrained at 0.5 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of O1 Constrained at 0.0417 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C12 Constrained at 0.5 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C13 Constrained at 0.5 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of N1 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C10 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C11 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C14 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C15 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C16 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C17 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C18 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C19 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C20 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of C21 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of H12 Constrained at 0.5 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of H13 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of H17 Constrained at 0.25 Check  
 PLAT300\_ALERT\_4\_G Atom Site Occupancy of H18 Constrained at 0.25 Check

PLAT300_ALERT_4_G Atom Site Occupancy of H19	Constrained at	0.25	Check
PLAT300_ALERT_4_G Atom Site Occupancy of H20	Constrained at	0.25	Check
PLAT300_ALERT_4_G Atom Site Occupancy of H21	Constrained at	0.25	Check
PLAT301_ALERT_3_G Main Residue Disorder .....	(Resd 1 )	100%	Note
PLAT304_ALERT_4_G Non-Integer Number of Atoms in .....	(Resd 1 )	27.26	Check
PLAT315_ALERT_2_G Singly Bonded Carbon Detected (H-atoms Missing).		C14	Check
PLAT315_ALERT_2_G Singly Bonded Carbon Detected (H-atoms Missing).		C34	Check
PLAT432_ALERT_2_G Short Inter X...Y Contact C14 ..C15	.	3.15	Ang.
	1-x,y,1-z =	9_656	Check
PLAT432_ALERT_2_G Short Inter X...Y Contact C14 ..C15	.	3.15	Ang.
	1-z,y,1-x =	23_656	Check
PLAT720_ALERT_4_G Number of Unusual/Non-Standard Labels .....		1	Note
PLAT789_ALERT_4_G Atoms with Negative _atom_site_disorder_group #		31	Check
PLAT860_ALERT_3_G Number of Least-Squares Restraints .....		81	Note
PLAT883_ALERT_1_G No Info/Value for _atom_sites_solution_primary .		Please Do !	
PLAT910_ALERT_3_G Missing # of FCF Reflection(s) Below Theta(Min).		4	Note
PLAT913_ALERT_3_G Missing # of Very Strong Reflections in FCF ....		2	Note
PLAT984_ALERT_1_G The O-f'= 0.0218 Deviates from the B&C-Value		0.0205	Check
PLAT984_ALERT_1_G The Zn-f'= -0.1382 Deviates from the B&C-Value		-0.1517	Check
PLAT985_ALERT_1_G The Zn-f"= 2.4327 Deviates from the B&C-Value		2.3734	Check

---

5 **ALERT level A** = Most likely a serious problem - resolve or explain

5 **ALERT level B** = A potentially serious problem, consider carefully

18 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight

56 **ALERT level G** = General information/check it is not something unexpected

---

18 ALERT type 1 CIF construction/syntax error, inconsistent or missing data

19 ALERT type 2 Indicator that the structure model may be wrong or deficient

13 ALERT type 3 Indicator that the structure quality may be low

33 ALERT type 4 Improvement, methodology, query or suggestion

1 ALERT type 5 Informative message, check

---

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special\_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

### **Publication of your CIF in IUCr journals**

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

### **Publication of your CIF in other journals**

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

### **Validation response form**

Please find below a validation response form (VRF) that can be filled in and pasted into your CIF.

```
# start Validation Reply Form
_vrf_THETM01_muf-91-9h-76pc
;
PROBLEM: The value of sine(theta_max)/wavelength is less than 0.550
RESPONSE: ...
;
_vrf_PLAT082_muf-91-9h-76pc
;
PROBLEM: High R1 Value ..... 0.28 Report
RESPONSE: ...
;
_vrf_PLAT084_muf-91-9h-76pc
;
PROBLEM: High wR2 Value (i.e. > 0.25) ..... 0.61 Report
RESPONSE: ...
;
_vrf_PLAT601_muf-91-9h-76pc
;
PROBLEM: Unit Cell Contains Solvent Accessible VOIDS of . 1550 Ang**3
RESPONSE: ...
;
_vrf_PLAT973_muf-91-9h-76pc
```

```
;
PROBLEM: Check Calcd Positive Resid. Density on Zn0A 2.39 eA-3
RESPONSE: ...
;
# end Validation Reply Form
```

**PLATON version of 20/01/2022; check.def file version of 19/01/2022**

Datablock muf-91-9h-76pc - ellipsoid plot

