

Table 1. Collections of coccinellids and their parasitoids in 2017-2020.

Dates of the gathering	Gathering places	Coccinellid species	The number of ladybirds		Parasitoid species	The number of parasitoids
			total collected*	infested with parasitoids		
June 19-20, 2017	44°29'16" N, 34°09'38" E, Yalta, Crimea	<i>Harmonia axyridis</i>	7	3	<i>P. fasciata</i>	8
June 21-23, 2017	45°01'14" N, 35°23'34" E., Feodosia, Crimea	<i>Harmonia axyridis</i>	92	2	<i>O. scaposus</i>	18
May 14-16, 2018	38°07'57" N, 13°21'06" E, Palermo, Italy	<i>Adalia bipunctata</i>	35	4	<i>P. fasciata</i>	9
June 13-17, 2018	44°29'54"N, 34°10'12" E, Yalta, Crimea	<i>Adalia bipunctata</i>	24	5	Tetrastichinae sp.	59
June 13-22, 2019	43°55'32" N, 39°18'57" E, Sochi, Russia	<i>Chilocorus renipustulatus</i>	62	1	<i>Homalotylus</i> sp. 1	1
June 20, 2019	55°42'58"N, 37°36'37"E., Moscow, Russia	<i>Coccinella septempunctata</i>	12	2	<i>P. berolinensis</i>	8
June 21 - August 27, 2020	55°41'20" N, 37°51'31" E., Moscow, Russia	<i>Adalia bipunctata</i>	586	34	<i>P. fasciata</i>	82
				11	<i>P. berolinensis</i>	21
				28	Tetrastichinae sp.	309
		<i>Adalia decempunctata</i>	118	10	<i>P. fasciata</i>	21
				3	Tetrastichinae sp.	24
		<i>Oenopia globata</i>	31	5	<i>P. fasciata</i>	12
		<i>Calvia quatuordecimguttata</i>	7	1	<i>P. fasciata</i>	4
				1	<i>Homalotylus</i> sp. 1	3
		<i>Harmonia axyridis</i>	172	2	<i>P. berolinensis</i>	3
				1	<i>P. fasciata</i>	3
		<i>Coccinella septempunctata</i>	11	1	<i>P. fasciata</i>	9
				1	<i>O. scaposus</i>	9
				2	<i>Homalotylus</i> sp. 2	7
Total			1157	117		610

*only those coccinellid pupae from which either ladybirds or parasitoids emerged were taken into account