

Asymmetric Patterns of Visual Field Loss in Primary Angle Closure Glaucoma, High Tension Glaucoma, and Normal Tension Glaucoma

Junhong Jiang^{1,2}, Cong Ye^{1,2}, Cong Zhang^{1,2}, Wenqing Ye^{1,2}, Xiaoyan Wang^{1,2}, Xiao Shang^{1,2}, Xiang Xu^{1,2}, Hongte Zhang^{1,2}, Shaodan Zhang^{1,2,3}, Jingwei Zheng^{1,2}, Jingjing Zuo^{1,2}, Jingjing Hu^{1,2}, Nathan Congdon⁴, Fan Lu^{*1,2}, Yuanbo Liang^{*1,2,3}

1. *Eye Hospital and School of Ophthalmology and Optometry, Wenzhou Medical University, Wenzhou, Zhejiang, China.*
2. *National Clinical Research Center for Ocular Disease, Wenzhou, Zhejiang, China.*
3. *Glaucoma Institute, Wenzhou Medical University, Wenzhou, Zhejiang, China.*
4. *Centre for Public Health, Queen's University Belfast, Belfast, UK.*

*** Correspondence to:** Yuanbo Liang, MD, PhD

Eye Hospital and School of Ophthalmology and Optometry, Wenzhou Medical University, Wenzhou, Zhejiang, China.

No. 270 West College Road, Wenzhou, Zhejiang, China, 325027.

Phone: 086-577-88053493 **Email:** yuanboliang@126.com.

*** Co-correspondence to:** Fan Lu, MD, PhD

Eye Hospital and School of Ophthalmology and Optometry, Wenzhou Medical University, Wenzhou, Zhejiang, China.

No. 270 West College Road, Wenzhou, Zhejiang, China, 325027.

Email: lufan@mail.eye.ac.cn




Figure S1. Between-hemifield comparisons of pattern deviation (PD) values in the GHT regions across severity levels. (A-C) show the superior-inferior asymmetry of VF defects in the PACG group. (D-F) show the HTG group. (G-I) show the NTG group. (A), (D) and (G) represent early stages; (B), (E) and (H) represent moderate stages, and (C), (F) and (I) represent advanced stages, respectively. The shaded regions have significantly worse PD values than their inferior counterparts. ($P < 0.05$).




Figure S2. Between-hemifield comparisons of pattern deviation (PD) values in pointwise locations across the severity levels. (A–C) show the patterns of visual field defect of the PACG group. (D–F) show the HTG group, (G–I) show the NTG group; (A), (D) and (G) represent early stages; (B), (E) and (H) represent moderate stages, and (C), (F) and (I) represent advanced stages, respectively. Black locations have significantly worse PD values compared with their corresponding locations in the inferior hemifield ($P < 0.05$).