

Primary care physicians' perceptions concerning engagement in cancer survivor care

Journal name: Supportive Care in Cancer

Miho Kimachi¹, Kenji Omae^{1,2}, Tsukasa Kamitani¹, Shingo Fukuma⁴

¹Department of Healthcare Epidemiology, School of Public Health in the Graduate School of Medicine, Kyoto University, Kyoto, Kyoto, Japan

²Department of Innovative Research and Education for Clinicians and Trainees (DiRECT), Fukushima Medical University, Fukushima, Fukushima, Japan

³Section of Clinical Epidemiology, Department of Community Medicine, Graduate School of Medicine, Kyoto University, Kyoto, Japan

⁴Human Health Sciences, Kyoto University Graduate School of Medicine, Kyoto, Kyoto, Japan

***Corresponding author:**

Miho Kimachi, MD, PhD

E-mail: kimachi.miho.5c@kyoto-u.jp

Supplemental Table 4. Expected frequency of examination by an oncologist

	Scenario A (n=80)	Scenario B (n=86)
Once a month	0 (0)	0 (0)
Once every two months	0 (0)	2 (2.3)
Once every three months	14 (16.1)	15 (17.2)
Once every six months	48 (55.2)	41 (47.1)
Once a year	22 (25.3)	26 (29.9)
Other	3 (3.5)	3 (3.5)

Summarized as n (%)