

Table 2 Postoperative outcomes for the anterior and posterior insertion techniques.

	anterior	posterior	p-value
IOP (mmHg) (mean ± SD)			
day 30	10.8 ± 5.9 (n = 51)	10.6 ± 4.5 (n = 69)	0.62
day 90	10.4 ± 3.4 (n = 44)	11.5 ± 4.4 (n = 62)	0.31
day 180	12.0 ± 4.3 (n = 12)	11.8 ± 4.2 (n = 44)	0.95
day 270	10.4 ± 2.1 (n = 7)	10.8 ± 2.5 (n = 12)	0.76
number of medications (mean ± SD)	0.2 ± 0.6 (n=54)	0.3 ± 0.7 (n=72)	0.19
number of 5-fu (mean ± SD)	1.9 ± 1.7	2.7 ± 2.5	0.14
number of revisions (n, %)	13 (10.3%)	10 (7.9%)	0.14
complications (n, %):			
conjunctival scarring	13 (10.3%)	18 (14.3%)	0.90
hyphema	1 (1%)	0 (0%)	0.25
choroidal effusion	9 (7.1%)	11 (8.7%)	0.83
bleb leakage	2 (1.6%)	1 (0.8%)	0.40
tube dislocation	1 (0.8%)	0 (0%)	0.25
conjunctival erosion	0 (0%)	1 (0.8%)	0.39