



# Full wwPDB EM Validation Report ⓘ

Jun 15, 2022 – 07:07 PM JST

PDB ID : 7Y36  
EMDB ID : EMD-33590  
Title : Cryo-EM structure of the Teriparatide-bound human PTH1R-Gs complex  
Deposited on : 2022-06-10  
Resolution : 2.80 Å(reported)

**This wwPDB validation report is for manuscript review**

This is a Full wwPDB EM Validation Report.

This report is produced by the wwPDB biocuration pipeline after annotation of the structure.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev8  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.28.1

# 1 Overall quality at a glance [i](#)

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive<br>(#Entries) | EM structures<br>(#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Clashscore            | 158937                      | 4297                        |
| Ramachandran outliers | 154571                      | 4023                        |
| Sidechain outliers    | 154315                      | 3826                        |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain                                                    |
|-----|-------|--------|---------------------------------------------------------------------|
| 1   | R     | 727    | <div><div>11%</div><div>45%</div><div>6%</div><div>49%</div></div>  |
| 2   | P     | 34     | <div><div>29%</div><div>65%</div><div>35%</div></div>               |
| 3   | A     | 380    | <div><div>11%</div><div>50%</div><div>9%</div><div>41%</div></div>  |
| 4   | B     | 380    | <div><div>15%</div><div>78%</div><div>11%</div><div>11%</div></div> |
| 5   | G     | 70     | <div><div>33%</div><div>71%</div><div>11%</div><div>17%</div></div> |
| 6   | N     | 126    | <div><div>24%</div><div>86%</div><div>14%</div></div>               |

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 9219 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Parathyroid hormone/parathyroid hormone-related peptide receptor, PTH1R.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
|     |       |          | Total | C    | N   | O   | S  |         |       |
| 1   | R     | 373      | 3065  | 2024 | 514 | 507 | 20 | 0       | 0     |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment  | Reference  |
|-------|---------|----------|--------|----------|------------|
| R     | 188     | ALA      | GLY    | conflict | UNP Q03431 |

- Molecule 2 is a protein called Parathyroid hormone.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
|     |       |          | Total | C   | N  | O  | S |         |       |
| 2   | P     | 34       | 288   | 181 | 55 | 50 | 2 | 0       | 0     |

- Molecule 3 is a protein called Isoform Gnas-2 of Guanine nucleotide-binding protein G(s) subunit alpha isoforms short.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
|     |       |          | Total | C    | N   | O   | S |         |       |
| 3   | A     | 224      | 1860  | 1174 | 337 | 343 | 6 | 0       | 0     |

There are 8 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment             | Reference    |
|-------|---------|----------|--------|---------------------|--------------|
| A     | 54      | ASN      | SER    | engineered mutation | UNP P63092-2 |
| A     | 226     | ALA      | GLY    | engineered mutation | UNP P63092-2 |
| A     | 268     | ALA      | GLU    | engineered mutation | UNP P63092-2 |
| A     | 271     | LYS      | ASN    | engineered mutation | UNP P63092-2 |
| A     | 274     | ASP      | LYS    | engineered mutation | UNP P63092-2 |
| A     | 280     | LYS      | ARG    | engineered mutation | UNP P63092-2 |
| A     | 284     | ASP      | THR    | engineered mutation | UNP P63092-2 |
| A     | 285     | THR      | ILE    | engineered mutation | UNP P63092-2 |

- Molecule 4 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 4   | B     | 338      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 2600  | 1604 | 467 | 508 | 21 |         |       |

There are 41 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment               | Reference  |
|-------|---------|----------|--------|-----------------------|------------|
| B     | -13     | MET      | -      | initiating methionine | UNP P54311 |
| B     | -12     | HIS      | -      | expression tag        | UNP P54311 |
| B     | -11     | HIS      | -      | expression tag        | UNP P54311 |
| B     | -10     | HIS      | -      | expression tag        | UNP P54311 |
| B     | -9      | HIS      | -      | expression tag        | UNP P54311 |
| B     | -8      | HIS      | -      | expression tag        | UNP P54311 |
| B     | -7      | HIS      | -      | expression tag        | UNP P54311 |
| B     | -6      | LEU      | -      | expression tag        | UNP P54311 |
| B     | -5      | GLU      | -      | expression tag        | UNP P54311 |
| B     | -4      | VAL      | -      | expression tag        | UNP P54311 |
| B     | -3      | LEU      | -      | expression tag        | UNP P54311 |
| B     | -2      | PHE      | -      | expression tag        | UNP P54311 |
| B     | -1      | GLN      | -      | expression tag        | UNP P54311 |
| B     | 0       | GLY      | -      | expression tag        | UNP P54311 |
| B     | 1       | PRO      | -      | expression tag        | UNP P54311 |
| B     | 341     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 342     | SER      | -      | expression tag        | UNP P54311 |
| B     | 343     | SER      | -      | expression tag        | UNP P54311 |
| B     | 344     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 345     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 346     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 347     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 348     | SER      | -      | expression tag        | UNP P54311 |
| B     | 349     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 350     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 351     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 352     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 353     | SER      | -      | expression tag        | UNP P54311 |
| B     | 354     | SER      | -      | expression tag        | UNP P54311 |
| B     | 355     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 356     | VAL      | -      | expression tag        | UNP P54311 |
| B     | 357     | SER      | -      | expression tag        | UNP P54311 |
| B     | 358     | GLY      | -      | expression tag        | UNP P54311 |
| B     | 359     | TRP      | -      | expression tag        | UNP P54311 |
| B     | 360     | ARG      | -      | expression tag        | UNP P54311 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment        | Reference  |
|-------|---------|----------|--------|----------------|------------|
| B     | 361     | LEU      | -      | expression tag | UNP P54311 |
| B     | 362     | PHE      | -      | expression tag | UNP P54311 |
| B     | 363     | LYS      | -      | expression tag | UNP P54311 |
| B     | 364     | LYS      | -      | expression tag | UNP P54311 |
| B     | 365     | ILE      | -      | expression tag | UNP P54311 |
| B     | 366     | SER      | -      | expression tag | UNP P54311 |

- Molecule 5 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 5   | G     | 58       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 445   | 278 | 78 | 86 | 3 |         |       |


- Molecule 6 is a protein called NanoBody 35.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 6   | N     | 126      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 961   | 599 | 168 | 188 | 6 |         |       |

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Parathyroid hormone/parathyroid hormone-related peptide receptor, PTH1R




- Molecule 2: Parathyroid hormone







- Molecule 3: Isoform Gnas-2 of Guanine nucleotide-binding protein G(s) subunit alpha isoforms short





- Molecule 4: Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1



- Molecule 5: Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2



• Molecule 6: NanoBody 35





## 4 Experimental information ⓘ

| Property                             | Value                                   | Source    |
|--------------------------------------|-----------------------------------------|-----------|
| EM reconstruction method             | SINGLE PARTICLE                         | Depositor |
| Imposed symmetry                     | POINT, Not provided                     |           |
| Number of particles used             | 922971                                  | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF                       | Depositor |
| CTF correction method                | PHASE FLIPPING AND AMPLITUDE CORRECTION | Depositor |
| Microscope                           | FEI TITAN KRIOS                         | Depositor |
| Voltage (kV)                         | 300                                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 64                                      | Depositor |
| Minimum defocus (nm)                 | 500                                     | Depositor |
| Maximum defocus (nm)                 | 2000                                    | Depositor |
| Magnification                        | 49310                                   | Depositor |
| Image detector                       | GATAN K2 SUMMIT (4k x 4k)               | Depositor |
| Maximum map value                    | 0.062                                   | Depositor |
| Minimum map value                    | -0.046                                  | Depositor |
| Average map value                    | -0.000                                  | Depositor |
| Map value standard deviation         | 0.002                                   | Depositor |
| Recommended contour level            | 0.01                                    | Depositor |
| Map size (Å)                         | 227.13602, 227.13602, 227.13602         | wwPDB     |
| Map dimensions                       | 224, 224, 224                           | wwPDB     |
| Map angles (°)                       | 90.0, 90.0, 90.0                        | wwPDB     |
| Pixel spacing (Å)                    | 1.014, 1.014, 1.014                     | Depositor |

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |         | Bond angles |                |
|-----|-------|--------------|---------|-------------|----------------|
|     |       | RMSZ         | # Z  >5 | RMSZ        | # Z  >5        |
| 1   | R     | 0.50         | 0/3157  | 0.51        | 1/4291 (0.0%)  |
| 2   | P     | 0.35         | 0/293   | 0.50        | 0/391          |
| 3   | A     | 0.35         | 0/1894  | 0.46        | 0/2546         |
| 4   | B     | 0.35         | 0/2647  | 0.51        | 0/3589         |
| 5   | G     | 0.28         | 0/451   | 0.42        | 0/609          |
| 6   | N     | 0.38         | 0/981   | 0.51        | 0/1329         |
| All | All   | 0.41         | 0/9423  | 0.50        | 1/12755 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1   | R     | 0                   | 1                   |

There are no bond length outliers.

All (1) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms    | Z    | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|------|-------------|----------|
| 1   | R     | 351 | CYS  | CA-CB-SG | 5.53 | 123.96      | 114.00   |

There are no chirality outliers.

All (1) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group     |
|-----|-------|-----|------|-----------|
| 1   | R     | 168 | SER  | Mainchain |

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | R     | 3065  | 0        | 3059     | 68      | 0            |
| 2   | P     | 288   | 0        | 292      | 50      | 0            |
| 3   | A     | 1860  | 0        | 1836     | 24      | 0            |
| 4   | B     | 2600  | 0        | 2505     | 28      | 0            |
| 5   | G     | 445   | 0        | 454      | 6       | 0            |
| 6   | N     | 961   | 0        | 928      | 11      | 0            |
| All | All   | 9219  | 0        | 9074     | 130     | 0            |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1           | Atom-2          | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|-----------------|--------------------------|-------------------|
| 1:R:115:ILE:HG22 | 2:P:27:LYS:NZ   | 1.49                     | 1.27              |
| 1:R:115:ILE:HG22 | 2:P:27:LYS:CD   | 1.65                     | 1.26              |
| 1:R:165:ALA:HB3  | 2:P:32:HIS:CE1  | 1.77                     | 1.18              |
| 1:R:33:THR:HA    | 2:P:16:ASN:HD21 | 1.00                     | 1.16              |
| 1:R:37:GLN:CG    | 2:P:23:TRP:HZ3  | 1.61                     | 1.13              |
| 1:R:115:ILE:HG22 | 2:P:27:LYS:CE   | 1.80                     | 1.10              |
| 1:R:37:GLN:HG3   | 2:P:23:TRP:CZ3  | 1.87                     | 1.09              |
| 1:R:115:ILE:CG2  | 2:P:27:LYS:CD   | 2.30                     | 1.08              |
| 1:R:115:ILE:CG2  | 2:P:27:LYS:HZ2  | 1.70                     | 1.05              |
| 1:R:33:THR:HA    | 2:P:16:ASN:ND2  | 1.73                     | 1.02              |
| 1:R:115:ILE:CG2  | 2:P:27:LYS:NZ   | 2.23                     | 1.02              |
| 1:R:37:GLN:CG    | 2:P:23:TRP:CZ3  | 2.43                     | 1.00              |
| 1:R:37:GLN:HG2   | 2:P:23:TRP:HZ3  | 1.28                     | 0.97              |
| 1:R:165:ALA:HB3  | 2:P:32:HIS:HE1  | 1.30                     | 0.96              |
| 1:R:113:ASP:O    | 2:P:31:VAL:HG13 | 1.69                     | 0.92              |
| 1:R:113:ASP:O    | 2:P:31:VAL:CG1  | 2.18                     | 0.92              |
| 1:R:115:ILE:CG2  | 2:P:27:LYS:HD2  | 2.01                     | 0.90              |
| 1:R:33:THR:CA    | 2:P:16:ASN:HD21 | 1.84                     | 0.89              |
| 1:R:115:ILE:HG22 | 2:P:27:LYS:HD3  | 1.53                     | 0.88              |
| 1:R:37:GLN:HG3   | 2:P:23:TRP:CH2  | 2.13                     | 0.83              |
| 1:R:115:ILE:CG2  | 2:P:27:LYS:HD3  | 2.03                     | 0.83              |

Continued on next page...

*Continued from previous page...*

| Atom-1           | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:R:165:ALA:CB   | 2:P:32:HIS:CE1   | 2.67                     | 0.74              |
| 6:N:83:MET:HB3   | 6:N:86:LEU:HD21  | 1.69                     | 0.74              |
| 1:R:165:ALA:HB3  | 2:P:32:HIS:ND1   | 2.04                     | 0.72              |
| 1:R:165:ALA:CB   | 2:P:32:HIS:HE1   | 2.02                     | 0.71              |
| 1:R:114:HIS:HB2  | 2:P:31:VAL:CG2   | 2.20                     | 0.70              |
| 1:R:32:MET:O     | 2:P:20:ARG:NH1   | 2.25                     | 0.69              |
| 2:P:25:ARG:O     | 2:P:26:LYS:C     | 2.28                     | 0.69              |
| 1:R:113:ASP:O    | 2:P:31:VAL:HG11  | 1.91                     | 0.68              |
| 1:R:115:ILE:HG22 | 2:P:27:LYS:HZ3   | 1.57                     | 0.65              |
| 1:R:115:ILE:HG21 | 2:P:28:LEU:HD23  | 1.79                     | 0.65              |
| 1:R:114:HIS:HB2  | 2:P:31:VAL:HG21  | 1.80                     | 0.64              |
| 1:R:181:ARG:NH1  | 1:R:185:ASP:OD1  | 2.30                     | 0.64              |
| 6:N:112:SER:O    | 6:N:118:ARG:NH2  | 2.29                     | 0.64              |
| 4:B:331:SER:OG   | 4:B:333:ASP:OD1  | 2.15                     | 0.63              |
| 3:A:232:ARG:HH12 | 6:N:115:TYR:HE1  | 1.45                     | 0.62              |
| 1:R:137:ASP:HB2  | 2:P:24:LEU:CD2   | 2.29                     | 0.62              |
| 3:A:210:THR:HG23 | 3:A:221:MET:HB3  | 1.79                     | 0.62              |
| 1:R:37:GLN:HG2   | 2:P:23:TRP:CZ3   | 2.21                     | 0.62              |
| 1:R:178:THR:HB   | 1:R:181:ARG:HB2  | 1.81                     | 0.62              |
| 1:R:218:THR:OG1  | 1:R:317:GLU:OE2  | 2.18                     | 0.62              |
| 6:N:51:ILE:HD13  | 6:N:72:ARG:HG3   | 1.82                     | 0.61              |
| 3:A:54:ASN:O     | 3:A:57:VAL:HB    | 2.00                     | 0.60              |
| 1:R:114:HIS:HB2  | 2:P:31:VAL:HG22  | 1.84                     | 0.60              |
| 1:R:300:LEU:HD11 | 1:R:373:LEU:HD23 | 1.84                     | 0.59              |
| 1:R:167:TYR:HE1  | 2:P:32:HIS:ND1   | 2.00                     | 0.59              |
| 1:R:115:ILE:HG23 | 2:P:27:LYS:HD3   | 1.81                     | 0.59              |
| 1:R:115:ILE:CB   | 2:P:27:LYS:NZ    | 2.65                     | 0.58              |
| 1:R:388:LYS:NZ   | 3:A:381:ASP:OD1  | 2.33                     | 0.58              |
| 4:B:294:CYS:HB2  | 4:B:308:LEU:HB2  | 1.85                     | 0.58              |
| 1:R:115:ILE:HG22 | 2:P:27:LYS:HZ2   | 1.28                     | 0.58              |
| 4:B:276:VAL:HG13 | 4:B:285:LEU:HD11 | 1.86                     | 0.58              |
| 1:R:137:ASP:HB2  | 2:P:24:LEU:HD23  | 1.86                     | 0.58              |
| 3:A:251:SER:O    | 3:A:265:ARG:NH2  | 2.37                     | 0.57              |
| 3:A:11:ASP:N     | 3:A:11:ASP:OD1   | 2.37                     | 0.55              |
| 3:A:55:THR:OG1   | 3:A:56:ILE:N     | 2.37                     | 0.55              |
| 3:A:331:ASP:HB3  | 3:A:334:VAL:HG12 | 1.88                     | 0.55              |
| 3:A:213:GLN:NE2  | 3:A:218:ASN:OD1  | 2.40                     | 0.55              |
| 4:B:225:HIS:HE2  | 4:B:243:THR:HG1  | 1.55                     | 0.55              |
| 1:R:106:ARG:N    | 1:R:107:PRO:CD   | 2.70                     | 0.54              |
| 1:R:138:PHE:HE1  | 2:P:28:LEU:HD11  | 1.71                     | 0.54              |
| 3:A:231:ARG:HG2  | 3:A:234:TRP:CZ2  | 2.43                     | 0.54              |

*Continued on next page...*

Continued from previous page...

| Atom-1           | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:R:138:PHE:CE1  | 2:P:28:LEU:HD11  | 2.44                     | 0.52              |
| 4:B:232:ILE:HG12 | 4:B:243:THR:HG22 | 1.91                     | 0.52              |
| 3:A:293:LYS:HD3  | 3:A:296:LEU:HD12 | 1.92                     | 0.51              |
| 4:B:49:ARG:NH1   | 5:G:61:PHE:O     | 2.40                     | 0.51              |
| 3:A:13:ARG:HB3   | 3:A:17:LYS:NZ    | 2.25                     | 0.51              |
| 4:B:173:THR:HG23 | 4:B:175:GLN:H    | 1.76                     | 0.51              |
| 5:G:28:ILE:HD11  | 5:G:33:ALA:HB2   | 1.93                     | 0.51              |
| 4:B:79:LEU:HD11  | 4:B:114:CYS:HB3  | 1.93                     | 0.51              |
| 4:B:230:ASN:ND2  | 4:B:246:ASP:OD1  | 2.44                     | 0.50              |
| 4:B:245:SER:OG   | 4:B:246:ASP:N    | 2.45                     | 0.50              |
| 4:B:51:LEU:HB2   | 4:B:336:LEU:HB2  | 1.94                     | 0.50              |
| 3:A:294:GLN:HE21 | 3:A:338:LYS:HE2  | 1.77                     | 0.50              |
| 4:B:271:CYS:HB2  | 4:B:290:ASP:HB2  | 1.94                     | 0.50              |
| 1:R:171:VAL:HG11 | 2:P:28:LEU:HD13  | 1.94                     | 0.50              |
| 1:R:33:THR:HG22  | 2:P:16:ASN:OD1   | 2.11                     | 0.49              |
| 1:R:115:ILE:CB   | 2:P:27:LYS:HZ2   | 2.22                     | 0.49              |
| 3:A:315:PHE:O    | 3:A:336:ARG:NH2  | 2.46                     | 0.49              |
| 3:A:279:ASN:ND2  | 6:N:106:ASP:OD2  | 2.38                     | 0.48              |
| 1:R:165:ALA:CA   | 2:P:32:HIS:HE1   | 2.26                     | 0.48              |
| 5:G:26:ASP:OD1   | 5:G:26:ASP:N     | 2.43                     | 0.48              |
| 1:R:178:THR:HB   | 1:R:181:ARG:CB   | 2.44                     | 0.47              |
| 1:R:299:ILE:HG22 | 1:R:374:ASN:ND2  | 2.29                     | 0.47              |
| 4:B:105:TYR:HE1  | 4:B:109:GLY:HA2  | 1.81                     | 0.46              |
| 4:B:112:VAL:HG23 | 4:B:126:LEU:HD11 | 1.96                     | 0.46              |
| 3:A:227:GLN:HE22 | 4:B:145:TYR:H    | 1.63                     | 0.46              |
| 4:B:26:ALA:HB2   | 4:B:259:GLN:HE22 | 1.81                     | 0.46              |
| 1:R:226:LEU:HD22 | 1:R:302:GLU:HG3  | 1.96                     | 0.46              |
| 1:R:236:SER:HB2  | 1:R:288:PHE:HA   | 1.97                     | 0.46              |
| 1:R:149:ASP:OD1  | 1:R:150:ARG:N    | 2.49                     | 0.45              |
| 4:B:180:PHE:HE1  | 4:B:216:GLY:HA2  | 1.81                     | 0.45              |
| 1:R:115:ILE:CB   | 2:P:27:LYS:HZ3   | 2.29                     | 0.45              |
| 4:B:256:ARG:NH2  | 5:G:36:ASP:OD2   | 2.46                     | 0.45              |
| 6:N:50:ASP:OD1   | 6:N:59:SER:HB2   | 2.17                     | 0.45              |
| 1:R:281:CYS:HB3  | 1:R:351:CYS:HB2  | 1.49                     | 0.45              |
| 4:B:281:SER:OG   | 5:G:48:ASP:OD2   | 2.21                     | 0.45              |
| 3:A:265:ARG:HD3  | 3:A:265:ARG:H    | 1.81                     | 0.45              |
| 6:N:37:VAL:HG23  | 6:N:95:TYR:HB2   | 1.98                     | 0.45              |
| 6:N:63:SER:O     | 6:N:67:ARG:NH2   | 2.41                     | 0.44              |
| 1:R:115:ILE:HG13 | 1:R:116:LEU:N    | 2.32                     | 0.44              |
| 1:R:171:VAL:HG11 | 2:P:28:LEU:CD1   | 2.46                     | 0.44              |
| 4:B:225:HIS:CD2  | 4:B:243:THR:HG1  | 2.35                     | 0.44              |

Continued on next page...

Continued from previous page...

| Atom-1           | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:R:194:GLY:HA3  | 1:R:449:SER:HB2  | 2.01                     | 0.43              |
| 1:R:188:ALA:HA   | 1:R:191:TYR:CE2  | 2.54                     | 0.43              |
| 1:R:106:ARG:N    | 1:R:107:PRO:HD3  | 2.34                     | 0.43              |
| 4:B:10:GLU:OE2   | 4:B:13:GLN:NE2   | 2.51                     | 0.43              |
| 6:N:123:GLN:NE2  | 6:N:124:VAL:O    | 2.51                     | 0.43              |
| 4:B:51:LEU:HD23  | 4:B:87:THR:HG23  | 2.01                     | 0.43              |
| 4:B:152:LEU:HD22 | 4:B:196:THR:HB   | 2.01                     | 0.43              |
| 4:B:283:ARG:NE   | 4:B:298:ASP:OD1  | 2.51                     | 0.42              |
| 3:A:279:ASN:O    | 3:A:283:ARG:HG2  | 2.20                     | 0.42              |
| 4:B:271:CYS:SG   | 4:B:289:TYR:HB3  | 2.59                     | 0.42              |
| 6:N:40:ALA:HB3   | 6:N:43:LYS:HG3   | 2.02                     | 0.42              |
| 3:A:292:ASN:OD1  | 3:A:293:LYS:N    | 2.51                     | 0.42              |
| 3:A:227:GLN:HE22 | 4:B:145:TYR:N    | 2.18                     | 0.42              |
| 4:B:158:VAL:HG22 | 4:B:168:LEU:HD13 | 2.02                     | 0.42              |
| 1:R:115:ILE:HB   | 2:P:27:LYS:NZ    | 2.35                     | 0.41              |
| 3:A:209:GLU:HG3  | 3:A:222:PHE:CD1  | 2.55                     | 0.41              |
| 3:A:33:ASP:HA    | 3:A:36:VAL:HG12  | 2.02                     | 0.41              |
| 1:R:343:ARG:HD2  | 1:R:343:ARG:HA   | 1.83                     | 0.41              |
| 1:R:307:HIS:HE1  | 1:R:380:ASN:HB3  | 1.84                     | 0.41              |
| 4:B:118:ASP:OD1  | 4:B:118:ASP:N    | 2.50                     | 0.41              |
| 1:R:115:ILE:HD13 | 2:P:28:LEU:HD23  | 2.03                     | 0.41              |
| 3:A:353:GLY:HA2  | 3:A:357:HIS:HE1  | 1.86                     | 0.41              |
| 3:A:232:ARG:NH1  | 6:N:115:TYR:HE1  | 2.13                     | 0.40              |
| 2:P:19:GLU:O     | 2:P:22:GLU:HG3   | 2.21                     | 0.40              |
| 1:R:354:LEU:HD23 | 1:R:354:LEU:HA   | 1.95                     | 0.40              |
| 1:R:334:VAL:O    | 1:R:338:VAL:HG23 | 2.21                     | 0.40              |
| 5:G:54:VAL:HG22  | 5:G:58:GLU:HB2   | 2.03                     | 0.40              |

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



| Mol | Chain | Analysed        | Favoured   | Allowed | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|---------|----------|-------------|-----|
| 1   | R     | 367/727 (50%)   | 348 (95%)  | 19 (5%) | 0        | 100         | 100 |
| 2   | P     | 32/34 (94%)     | 31 (97%)   | 1 (3%)  | 0        | 100         | 100 |
| 3   | A     | 216/380 (57%)   | 206 (95%)  | 10 (5%) | 0        | 100         | 100 |
| 4   | B     | 336/380 (88%)   | 322 (96%)  | 14 (4%) | 0        | 100         | 100 |
| 5   | G     | 56/70 (80%)     | 56 (100%)  | 0       | 0        | 100         | 100 |
| 6   | N     | 124/126 (98%)   | 119 (96%)  | 5 (4%)  | 0        | 100         | 100 |
| All | All   | 1131/1717 (66%) | 1082 (96%) | 49 (4%) | 0        | 100         | 100 |

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed       | Rotameric  | Outliers | Percentiles |     |
|-----|-------|----------------|------------|----------|-------------|-----|
| 1   | R     | 326/620 (53%)  | 326 (100%) | 0        | 100         | 100 |
| 2   | P     | 33/33 (100%)   | 33 (100%)  | 0        | 100         | 100 |
| 3   | A     | 200/340 (59%)  | 198 (99%)  | 2 (1%)   | 76          | 93  |
| 4   | B     | 281/311 (90%)  | 281 (100%) | 0        | 100         | 100 |
| 5   | G     | 47/57 (82%)    | 47 (100%)  | 0        | 100         | 100 |
| 6   | N     | 104/104 (100%) | 104 (100%) | 0        | 100         | 100 |
| All | All   | 991/1465 (68%) | 989 (100%) | 2 (0%)   | 93          | 98  |

All (2) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3   | A     | 56  | ILE  |
| 3   | A     | 265 | ARG  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | R     | 307 | HIS  |
| 1   | R     | 420 | HIS  |
| 1   | R     | 463 | ASN  |
| 2   | P     | 10  | ASN  |
| 2   | P     | 32  | HIS  |
| 3   | A     | 227 | GLN  |
| 3   | A     | 294 | GLN  |
| 4   | B     | 259 | GLN  |
| 5   | G     | 11  | GLN  |
| 5   | G     | 18  | GLN  |
| 6   | N     | 3   | GLN  |
| 6   | N     | 82  | GLN  |

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33590. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 112




Y Index: 112




Z Index: 112


### 6.2.2 Raw map



X Index: 112



Y Index: 112




Z Index: 112


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices ⓘ


### 6.3.1 Primary map



X Index: 120




Y Index: 126




Z Index: 146


### 6.3.2 Raw map



X Index: 121



Y Index: 126




Z Index: 144

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 56  $\text{nm}^3$ ; this corresponds to an approximate mass of 50 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

## 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.357 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.357 Å<sup>-1</sup>

## 8.2 Resolution estimates ⓘ


| Resolution estimate (Å)   | Estimation criterion (FSC cut-off) |      |          |
|---------------------------|------------------------------------|------|----------|
|                           | 0.143                              | 0.5  | Half-bit |
| Reported by author        | 2.80                               | -    | -        |
| Author-provided FSC curve | -                                  | -    | -        |
| Unmasked-calculated*      | 2.99                               | 3.37 | 3.05     |

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit ⓘ


This section contains information regarding the fit between EMD map EMD-33590 and PDB model 7Y36. Per-residue inclusion information can be found in section 3 on page 6.

### 9.1 Map-model overlay ⓘ



The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Atom inclusion [i](#)



At the recommended contour level, 73% of all backbone atoms, 59% of all non-hydrogen atoms, are inside the map.