

Supplementary Table 2. Panel A. Data quality of all patients. 208 children performed 404 micturition.

EPIDEMIOLOGY	OVERALL	UPLOADED DATA	%
Age	208	208	100%
Gender	208	208	100%
Weight	208	206	99%
Height	208	177	85%
Body surface	208	179	86%
<i>Total</i>	<i>1040</i>	<i>978</i>	<i>94%</i>

UROFLOWMETRY PARAMETERS	OVERALL	UPLOADED DATA	%
Voided volume	404	404	100%
Voiding time	404	404	100%
Time to $Q_{\max}$	404	404	100%
Q_{ave}	404	404	100%
$Q_{\max}$	404	404	100%
Q_{acc}	404	404	100%
Postvoid residual	404	404	100%
<i>Total</i>	<i>2828</i>	<i>2828</i>	<i>100%</i>

Supplementary Table 2. Panel B. Data quality of girls. 94 girls performed 169 micturition.

EPIDEMIOLOGY	OVERALL	UPLOADED DATA	%
Age	94	94	100%
Gender	94	94	100%
Weight	94	93	98.9%
Height	94	79	84.0%
Body surface	94	80	85.1%
<i>Total</i>	<i>470</i>	<i>440</i>	<i>93.6%</i>

UROFLOWMETRY PARAMETERS	OVERALL	UPLOADED DATA	%
Voided volume	169	169	100%
Voiding time	169	169	100%
Time to $Q_{\max}$	169	169	100%
Q_{ave}	169	169	100%
$Q_{\max}$	169	169	100%
Q_{acc}	169	169	100%
Postvoid residual	169	169	100%
<i>Total</i>	<i>1183</i>	<i>1183</i>	<i>100%</i>

Supplementary Table 2. Panel C. Data quality of boys. 114 boys performed 235 micturition.

EPIDEMIOLOGY	OVERALL	UPLOADED DATA	%
Age	114	114	100%
Gender	114	114	100%
Weight	114	113	99.1%
Height	114	98	85.9%
Body surface	114	99	86.8%
<i>Total</i>	<i>570</i>	<i>538</i>	<i>94.3%</i>

UROFLOWMETRY PARAMETERS	OVERALL	UPLOADED DATA	%
Voided volume	235	235	100%
Voiding time	235	235	100%
Time to $Q_{\max}$	235	235	100%
Q_{ave}	235	235	100%
$Q_{\max}$	235	235	100%
Q_{acc}	235	235	100%
Postvoid residual	235	235	100%
<i>Total</i>	<i>1645</i>	<i>1645</i>	<i>100%</i>

Supplementary Table 2. Panel D. Data quality of girls with $< 0.92 \text{ m}^2$ body surface.
15 girls performed 22 micturition.

EPIDEMIOLOGY	OVERALL	UPLOADED DATA	%
Age	15	15	100%
Gender	15	15	100%
Weight	15	14	93%
Height	15	14	93%
Body surface	15	15	100%
Total	75	73	97%

UROFLOWMETRY PARAMETERS	OVERALL	UPLOADED DATA	%
Voided volume	22	22	100%
Voiding time	22	22	100%
Time to $Q_{\max}$	22	22	100%
Q_{ave}	22	22	100%
$Q_{\max}$	22	22	100%
Q_{acc}	22	22	100%
Postvoid residual	22	22	100%
Total	154	154	100%

Supplementary Table 2. Panel E. Data quality of girls with 0.92–1.42 m² body surface. 52 girls performed 98 micturition.

EPIDEMIOLOGY	OVERALL	UPLOADED DATA	%
Age	52	52	100%
Gender	52	52	100%
Weight	52	52	100%
Height	52	52	100%
Body surface	52	52	100%
<i>Total</i>	<i>260</i>	<i>260</i>	<i>100%</i>

UROFLOWMETRY PARAMETERS	OVERALL	UPLOADED DATA	%
Voided volume	98	98	100%
Voiding time	98	98	100%
Time to Q _{max}	98	98	100%
Q _{ave}	98	98	100%
Q _{max}	98	98	100%
Qa _{cc}	98	98	100%
Postvoid residual	98	98	100%
<i>Total</i>	<i>686</i>	<i>686</i>	<i>100%</i>

Supplementary Table 2. Panel F. Data quality of girls with $> 1.42 \text{ m}^2$ body surface. 13 girls performed 24 micturition.

EPIDEMIOLOGY	OVERALL	UPLOADED DATA	%
Age	13	13	100%
Gender	13	13	100%
Weight	13	13	100%
Height	13	13	100%
Body surface	13	13	100%
<i>Total</i>	<i>65</i>	<i>65</i>	<i>100%</i>

UROFLOWMETRY PARAMETERS	OVERALL	UPLOADED DATA	%
Voided volume	24	24	100%
Voiding time	24	24	100%
Time to $Q_{\max}$	24	24	100%
Q_{ave}	24	24	100%
$Q_{\max}$	24	24	100%
Qa_{cc}	24	24	100%
Postvoid residual	24	24	100%
<i>Total</i>	<i>168</i>	<i>168</i>	<i>100%</i>

Supplementary Table 2. Panel G. Data quality of boys with $< 0.92 \text{ m}^2$ body surface.
20 boys performed 37 micturition.

EPIDEMIOLOGY	OVERALL	UPLOADED DATA	%
Age	20	20	100%
Gender	20	20	100%
Weight	20	19	95%
Height	20	19	95%
Body surface	20	20	100%
Total	100	98	98%

UROFLOWMETRY PARAMETERS	OVERALL	UPLOADED DATA	%
Voided volume	37	37	100%
Voiding time	37	37	100%
Time to $Q_{\max}$	37	37	100%
Q_{ave}	37	37	100%
$Q_{\max}$	37	37	100%
Q_{acc}	37	37	100%
Postvoid residual	37	37	100%
Total	259	259	100%

Supplementary Table 2. Panel H. Data quality of boys with 0.92–1.42 m² body surface. 64 boys performed 139 micturition.

EPIDEMIOLOGY	OVERALL	UPLOADED DATA	%
Age	64	64	90.5%
Gender	64	64	100%
Weight	64	64	100%
Height	64	64	100%
Body surface	64	64	100%
<i>Total</i>	<i>320</i>	<i>320</i>	<i>98.1%</i>

UROFLOWMETRY PARAMETERS	OVERALL	UPLOADED DATA	%
Voided volume	139	139	100%
Voiding time	139	139	100%
Time to Q _{max}	139	139	100%
Q _{ave}	139	139	100%
Q _{max}	139	139	100%
Qa _{cc}	139	139	100%
Postvoid residual	139	139	100%
<i>Total</i>	<i>973</i>	<i>973</i>	<i>100%</i>

Supplementary Table 2. Panel I. Data quality of boys with $> 1.42 \text{ m}^2$ body surface. 16 boys performed 28 micturition.

EPIDEMIOLOGY	OVERALL	UPLOADED DATA	%
Age	16	16	100%
Gender	16	16	100%
Weight	16	16	100%
Height	16	16	100%
Body surface	16	16	100%
<i>Total</i>	<i>80</i>	<i>80</i>	<i>100%</i>

UROFLOWMETRY PARAMETERS	OVERALL	UPLOADED DATA	%
Voided volume	28	28	100%
Voiding time	28	28	100%
Time to $Q_{\max}$	28	28	100%
Q_{ave}	28	28	100%
$Q_{\max}$	28	28	100%
Qa_{cc}	28	28	100%
Postvoid residual	28	28	100%
<i>Total</i>	<i>196</i>	<i>196</i>	<i>100%</i>