


Misidentification

DNA typing was performed using 16 different and highly polymorphic short tandem repeat (STR) loci. The results of STR polymorphism analysis using extracted DNA from cell line revealed that the cell line was not misidentified with any other cell lines (1, 5, 9).

References

1. ANSI/ATCC ASN-0002-2011. Authentication of Human Cell Lines: Standardization of STR Profiling. ANSI Standards Store, 2012.
2. Cooper JK, Sykes G, King S, Cottrill K, Ivanova NV, Hanner R, Ikonomi P: Species identification in cell culture: a two-pronged molecular approach. *In Vitro Cell Dev Biol* 43A: 344-351 (2007).
3. European Pharmacopoeia 5, Mycoplasmas, pp149-150.
4. Japanese Pharmacopoeia, 15 edition, Mycoplasma Testing for Cell Substrates used for the Production of Biotechnological / Biological Products, pp.1721-1722.
5. Masters, J.R., Thomson, J.A., Daly-Burns, B. et al. Short tandem repeat profiling provides an international reference standard for human cell lines. *Proc Natl Acad Sci USA* 98: 8012-8017(2001).
6. Ono K, Motonobu S, Yoshida T, Ozawa Y, Kohara A, Takeuchi M, Mizusawa H, Sawada H: Species identification of animal cells by nested PCR targeted to mitochondrial DNA. *In Vitro Cell Dev Biol* 43A: 168-175 (2007).
7. Uphoff CC, Denkmann SA, Steube KG, Drexler HG: Detection of EBV, HBV, HCV, HIV-1, HTLV-I and -II and SMRV in human and other primate cell lines. *J Biomed Biotechnol*, (2010)
8. www.Cabri.org/guidelines/animal/AHC9833321.html
9. Yoshino, K., Iimura, E., Saijo, K., et al. Essential role for gene profiling analysis in the authentication of human cell lines. *Hum Cell* 19: 43-48(2006).

Abdolreza Daneshvar Amoli, Ph.D



Director of Human and Animal Cell Bank, Iranian Biological Resource Center.

Address: No.80, Hoveyze St, Sohrevardi St, Tehran, Iran.

Tel: +98 21 88525389 or +98 912 2796599

Email: daneshvar@ibrc.ir, abdolrezadaneshvar@yahoo.com

Website: <http://ibrc.ir/>