

Supplementary table 2

The staging was based on the AJCC 8th edition. pT, pathological primary tumor; pN, pathological regional lymph node; pM, pathological distant metastasis; pStage, pathological staging

Case no.	Age (years)	Sex	Max Size (mm)	WHO2017	Ki67 (%)	pT	pN	pM	pStage	HbA1c (%)
1	67	Male	15	G1	< 1	1	0	0	I	6.3
2	78	Male	12	G1	< 1	1	0	0	I	6.9
3	66	Male	9	G1	< 1	1	0	0	I	5.5
4	54	Female	10	G1	< 1	1	0	0	I	5.9
5	72	Male	9	G1	< 1	1	0	0	I	6.8
6	72	Male	4	G1	1	1	0	0	I	6.5
7	58	Male	9	G1	1	1	0	0	I	7.9
8	50	Male	15	G1	1	1	0	0	I	5.7
9	54	Male	20	G1	1	2	0	0	II	6.4
10	43	Male	18	G1	1	1	0	0	I	5.6
11	58	Male	8	G1	1	1	0	0	I	6.3
12	62	Female	15	G1	2	1	0	0	I	7.7
13	59	Male	12	G1	2	1	0	0	I	6.8
14	67	Male	8	G1	2	1	0	0	I	6.3
15	67	Female	10	G1	2	1	0	0	I	5.8
16	71	Male	10	G1	2	1	0	0	I	6.5
17	45	Female	22	G1	2	2	0	0	II	5.7
18	48	Male	9	G1	2	1	0	0	I	7.2
19	54	Female	45	G1	2	3	0	1	IV	6.5
20	72	Male	8	G1	2	1	0	0	I	6
21	68	Male	17	G1	2	2	0	0	II	6.7
22	47	Male	30	G2	4	2	0	0	II	5.5
23	54	Male	7	G2	5	1	0	0	I	6
24	42	Female	30	G2	5	2	0	0	II	5.4
25	49	Male	27	G2	5	2	0	0	II	5.8
26	60	Female	12	G2	5	1	0	1	I	7.1
27	47	Female	22	G2	5	2	0	0	II	5.6
28	71	Female	21	G2	5	2	0	0	II	5.8
29	62	Male	52	G2	10	3	1	1	IV	7.4
30	38	Female	40	G2	15	3	1	1	IV	7.6
31	66	Female	65	G3	50	3	0	1	IV	7.1