

**Prevalence and Factors Associated with the Use of Psychoactive Substances by
Adolescents in Public Schools in a Brazilian municipality**

European Child & Adolescent Psychiatry

Eliana Pereira Vellozo, PhD¹, Maria Sylvia de Souza Vitale, PhD¹, Maria Aparecida Zanetti Passos, PhD¹, Sheila Rejane Niskier, MSc¹, Teresa Helena Schoen, PhD¹, Peter Richard Hall², Francisco Plácido Nogueira Arcanjo, PhD³, Roberto Fernandes da Costa⁴, Benjamin Israel Kopelman, PhD¹, Tulio Konstantyner, PhD¹.

- 1. Universidade Federal de São Paulo, São Paulo, Brazil**
- 2. Centro Universitário INTA, Sobral, Ceará, Brazil**
- 3. Universidade Federal do Ceará, Campus Sobral, Brazil**
- 4. Universidade Federal do Rio Grande do Norte, Natal, Brazil**

Corresponding author

Eliana Pereira Vellozo, PhD
Rua Botucatu, 715 – Vila Clementino
04023-901– São Paulo, SP, Brazil
Telefax: +55 11 5576-4848
E-mail: eliana.vellozo@unifesp.br

Supplementary Table 3. Descriptive analysis of the students' responses to the DUSI questionnaire from a city in the Midwest region of the State of São Paulo.

Nominal variables	n	%	Mode
Alcohol	1460		0 times
0 times	747	51.2	
1-2 times	616	42.2	
3-9 times	78	5.3	
10-20 times	6	0.4	
More than 20 times	8	0.5	
This is the drug I prefer the most	5	0.3	
(OTC) amphetamines/stimulants	1460		0 times
0 times	1237	84.7	
1-2 times	216	14.8	
3-9 times	7	0.5	
Ecstasy	1460		0 times
0 times	1145	78.4	
1-2 times	305	20.9	
3-9 times	8	0.5	
More than 20 times	2	0.1	
Cocaine/Crack	1460		0 times
0 times	1272	87.1	
1-2 times	184	12.6	
3-9 times	3	0.2	
This is the drug I prefer the most	1	0.1	
Marijuana	1460		0 times
0 times	1123	76.9	
1-2 times	324	22.2	
3-9 times	10	0.7	
10-20 times	1	0.1	
More than 20 times	2	0.1	
Hallucinogens (LSD, mescaline, etc.),	1460		0 times
0 times	1294	88.6	
1-2 times	159	10.9	
3-9 times	6	0.4	
I may have problems with this drug	1	0.1	
(OTC) tranquilizers (diazepam, barbiturates, etc.)	1460		0 times
0 times	1010	69.2	
1-2 times	422	28.9	
3-9 times	28	1.9	
(OTC) analgesics	1460		0 times
0 times	715	49.0	
1-2 times	587	40.2	
3-9 times	144	9.9	
10-20 times	8	0.5	
More than 20 times	5	0.3	
This is the drug I prefer the most	1	0.1	
Opiates (morphine, heroin, etc.)	1460		0 times
0 times	1292	88.5	
1-2 times	161	11.0	
3-9 times	6	0.4	
10-20 times	1	0.1	
Phencyclidine (angel dust)	1460		0 times
0 times	1265	86.6	
1-2 times	194	13.3	
3-9 times	1	0.1	

Nominal variables	n	%	Mode
Anabolic steroids	1460		<i>0 times</i>
<i>0 times</i>	1130	77.4	
<i>1-2 times</i>	317	21.7	
<i>3-9 times</i>	12	0.8	
<i>This is the drug I prefer the most</i>	1	0.1	
Inhalants/solvents (glue, perfume launcher, etc.);	1460		<i>0 times</i>
<i>0 times</i>	1276	87.4	
<i>1-2 times</i>	172	11.8	
<i>3-9 times</i>	12	0.8	
<i>More than 20 times</i>	1	0.1	
Tobacco	1460		<i>0 times</i>
<i>0 times</i>	916	62.7	
<i>1-2 times</i>	461	31.6	
<i>3-9 times</i>	78	5.3	
<i>10-20 times</i>	1	0.1	
<i>More than 20 times</i>	2	0.1	
<i>This is the drug I prefer the most</i>	2	0.1	
Others	1460		<i>0 times</i>
<i>0 times</i>	1223	83.8	
<i>1-2 times</i>	225	15.4	
<i>3-9 times</i>	12	0.8	

OTC = Over-the-counter.