



Preliminary Full wwPDB X-ray Structure Validation Report ⓘ

Feb 16, 2022 – 11:56 am GMT

Deposition ID : D_1292121156

This wwPDB validation report is NOT for manuscript review

This is a Preliminary Full wwPDB X-ray Structure Validation Report.

This report is produced by the wwPDB Deposition System during initial deposition but before annotation of the structure.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.26
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.26


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	437	<div> <div>9%</div> <div>90%</div> <div>10%</div> </div>
2	B	426	<div> <div>23%</div> <div>86%</div> <div>13%</div> </div>
3	F	155	<div> <div>6%</div> <div>88%</div> <div>12%</div> </div>

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 8262 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	437	3412	2161	579	648	24	0	2	0


- Molecule 2 is a protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	426	3346	2101	570	647	28	0	2	0

- Molecule 3 is a protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	F	155	1154	727	198	226	3	0	0	0

- Molecule 4 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			32	10	5	14	3		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		

- Molecule 6 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	C	1	Total	Ca	0	0
			1	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	S	265	Total	O	0	0
			265	265		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1:




• Molecule 2:



• Molecule 3:





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.53Å 92.58Å 83.99Å 90.00° 96.71° 90.00°	Depositor
Resolution (Å)	9.49 – 2.20 9.49 – 2.20	Depositor EDS
% Data completeness (in resolution range)	92.5 (9.49-2.20) 92.6 (9.49-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.66 (at 2.21Å)	Xtriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.305 , 0.363 0.305 , 0.363	Depositor DCC
R_{free} test set	1841 reflections (3.50%)	wwPDB-VP
Wilson B-factor (Å ²)	28.3	Xtriage
Anisotropy	0.252	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.55$, $\langle L^2 \rangle = 0.40$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	8262	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XXX, GTP, CA, GDP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/3496	0.46	0/4748
2	B	0.24	0/3428	0.45	0/4641
3	F	0.23	0/1170	0.40	0/1590
All	All	0.24	0/8094	0.45	0/10979

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3412	0	3318	28	0
2	B	3346	0	3216	34	0
3	F	1154	0	1156	12	0
4	A	32	0	12	1	0
5	A	1	0	0	0	0
6	B	28	0	12	0	0
7	B	23	0	1	1	0
8	C	1	0	0	0	0
9	S	265	0	0	7	0
All	All	8262	0	7715	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:268:PRO:HG2	2:B:300:MET:HB2	1.69	0.73
2:B:161:ASP:O	2:B:251:ARG:NH2	2.24	0.70
2:B:293:MET:HG2	2:B:367:PHE:HB2	1.74	0.69
2:B:48:ASN:OD1	2:B:48:ASN:N	2.26	0.68
1:A:172:TYR:HB3	1:A:205:ASP:HA	1.75	0.67
2:B:396:HIS:NE2	3:F:57:TYR:OH	2.28	0.67
2:B:52:ASN:HD22	2:B:86:ARG:HH12	1.45	0.64
2:B:2:ARG:NH2	2:B:128:ASP:OD2	2.32	0.62
2:B:145:SER:OG	2:B:188:SER:OG	2.17	0.62
1:A:2:ARG:O	1:A:133:GLN:NE2	2.36	0.58
2:B:165:ASN:ND2	9:S:166:HOH:O	2.37	0.57
3:F:27:ASP:N	3:F:27:ASP:OD1	2.39	0.55
3:F:121:ALA:HB1	3:F:161:LEU:HD21	1.89	0.55
1:A:26:LEU:HD12	1:A:363:VAL:HG12	1.89	0.55
1:A:123:ARG:NH1	9:S:84:HOH:O	2.35	0.54
2:B:36:TYR:OH	2:B:40:SER:O	2.25	0.54
2:B:121:ARG:NE	2:B:158:GLU:OE1	2.42	0.52
1:A:293:ASN:O	1:A:339:ARG:NH1	2.43	0.52
2:B:251:ARG:NH1	9:S:278:HOH:O	2.43	0.52
1:A:370:LYS:NZ	9:S:214:HOH:O	2.36	0.51
2:B:31:ASP:OD1	2:B:35:SER:N	2.42	0.51
2:B:1:MET:HA	2:B:131:GLN:HB3	1.94	0.50
2:B:143:THR:HG23	2:B:147:MET:HE2	1.94	0.50
3:F:60:LEU:HD11	3:F:98:VAL:HG21	1.92	0.50
1:A:62:VAL:HG11	1:A:88:HIS:CD2	2.47	0.50
1:A:433:GLU:HA	1:A:437:VAL:HG12	1.94	0.49
3:F:133:LEU:HD11	3:F:165:LEU:HD23	1.94	0.49
1:A:215:ARG:NH1	9:S:216:HOH:O	2.45	0.49
1:A:215:ARG:NH2	1:A:299:ALA:O	2.44	0.49
1:A:93:ILE:HG22	1:A:114:ILE:HD11	1.94	0.49
2:B:45:GLU:O	2:B:46[B]:ARG:HG2	2.13	0.49
2:B:211:CYS:HB3	2:B:217:LEU:HD12	1.95	0.48
3:F:23:ARG:NH1	3:F:57:TYR:OH	2.46	0.48
1:A:15:GLN:NE2	4:A:501:GTP:O6	2.46	0.48
2:B:253:LEU:HD13	7:B:601:XXX:C6	2.42	0.48
2:B:45:GLU:O	2:B:46[C]:ARG:HG2	2.13	0.48
1:A:107:HIS:NE2	9:S:23:HOH:O	2.29	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:28:HIS:CE1	2:B:241:ARG:HB3	2.50	0.47
2:B:61:PRO:HD2	2:B:84:ILE:O	2.15	0.47
3:F:18:LEU:HD11	3:F:30:VAL:HG13	1.98	0.46
1:A:188:ILE:HG23	1:A:425:MET:HG3	1.97	0.46
1:A:397:LEU:HD22	2:B:430:ALA:HB1	1.99	0.45
3:F:40:VAL:HG13	3:F:66:LEU:HD22	1.98	0.45
2:B:375:GLN:HB2	2:B:419:VAL:HG13	1.98	0.44
2:B:396:HIS:CE1	3:F:57:TYR:HH	2.36	0.44
1:A:21:TRP:CZ3	1:A:63:PRO:HB3	2.53	0.43
1:A:292:THR:HG22	1:A:335:ILE:HD12	2.01	0.43
2:B:186:THR:HG23	2:B:415:MET:HE1	1.98	0.43
1:A:167:LEU:HG	1:A:200:CYS:HB3	2.00	0.43
2:B:301:ALA:O	2:B:303:CYS:N	2.51	0.43
3:F:164:ILE:O	3:F:167:LYS:HG3	2.17	0.43
1:A:221:ARG:CD	2:B:323:MET:HB3	2.49	0.43
1:A:215:ARG:NH1	1:A:216:ASN:OD1	2.51	0.43
1:A:139:HIS:CD2	1:A:150:THR:HG21	2.52	0.43
1:A:147:SER:HB2	1:A:190:THR:HB	2.00	0.43
2:B:202:ILE:HD13	2:B:229:VAL:HG13	2.02	0.42
1:A:167:LEU:HD13	1:A:252:LEU:HD22	2.02	0.42
2:B:239:CYS:O	2:B:248:ALA:HB2	2.20	0.41
1:A:75:ILE:HD12	1:A:94:THR:HG22	2.02	0.41
1:A:141:PHE:HD1	1:A:141:PHE:HA	1.76	0.41
2:B:286:VAL:HB	2:B:287:PRO:HD3	2.02	0.41
1:A:200:CYS:HA	1:A:266:HIS:HB2	2.01	0.41
2:B:15:GLN:NE2	9:S:206:HOH:O	2.37	0.41
2:B:206:ALA:HB2	2:B:302:ALA:N	2.36	0.41
1:A:221:ARG:HD2	2:B:323:MET:HB3	2.03	0.41
1:A:296:PHE:HB2	1:A:339:ARG:NH1	2.36	0.40
2:B:178:THR:HB	2:B:181:GLU:HG3	2.02	0.40
3:F:43:THR:HG22	3:F:49:THR:HG22	2.03	0.40
3:F:23:ARG:HG3	3:F:57:TYR:CE1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	437/437 (100%)	420 (96%)	15 (3%)	2 (0%)	29	31
2	B	424/426 (100%)	409 (96%)	12 (3%)	3 (1%)	22	22
3	F	153/155 (99%)	151 (99%)	2 (1%)	0	100	100
All	All	1014/1018 (100%)	980 (97%)	29 (3%)	5 (0%)	29	31

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	243	PRO
2	B	275	SER
1	A	322	ASP
1	A	349	THR
2	B	248	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	367/368 (100%)	363 (99%)	4 (1%)	73	85
2	B	368/368 (100%)	358 (97%)	10 (3%)	44	57
3	F	120/120 (100%)	117 (98%)	3 (2%)	47	60
All	All	855/856 (100%)	838 (98%)	17 (2%)	59	69

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	GLU
1	A	141	PHE
1	A	302[A]	MET
1	A	302[B]	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	42	LEU
2	B	46[B]	ARG
2	B	46[C]	ARG
2	B	48	ASN
2	B	111	GLU
2	B	121	ARG
2	B	137	HIS
2	B	205	GLU
2	B	221	THR
2	B	246	LEU
3	F	27	ASP
3	F	31	ARG
3	F	144	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	128	GLN
2	B	52	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic and 1 could not be matched to an existing wwPDB Chemical Component Dictionary definition at this stage - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GTP	A	501	5	26,34,34	0.96	1 (3%)	33,54,54	1.78	7 (21%)
6	GDP	B	501	-	24,30,30	1.18	2 (8%)	31,47,47	1.93	8 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GTP	A	501	5	-	6/18/38/38	0/3/3/3
6	GDP	B	501	-	-	3/12/32/32	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	501	GDP	C5-C6	4.20	1.48	1.41
4	A	501	GTP	C6-N1	3.08	1.38	1.33
6	B	501	GDP	C5-C4	2.44	1.47	1.40

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	501	GTP	N3-C2-N1	-5.29	120.16	127.22
6	B	501	GDP	C2-N3-C4	4.90	120.96	115.36
4	A	501	GTP	C2-N3-C4	4.27	120.23	115.36
6	B	501	GDP	C2-N1-C6	4.04	122.35	115.93
6	B	501	GDP	C5-C6-N1	-3.95	118.02	123.43
6	B	501	GDP	C4-C5-C6	-3.83	117.14	120.80
6	B	501	GDP	N3-C2-N1	-3.31	122.80	127.22
4	A	501	GTP	PB-O3B-PG	-3.16	122.00	132.83
6	B	501	GDP	PA-O3A-PB	-2.81	123.19	132.83
4	A	501	GTP	PA-O3A-PB	-2.79	123.26	132.83
4	A	501	GTP	C5-C6-N1	-2.78	119.63	123.43
6	B	501	GDP	C3'-C2'-C1'	2.76	105.13	100.98
4	A	501	GTP	C3'-C2'-C1'	2.59	104.88	100.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	501	GDP	C4-C5-N7	-2.59	106.70	109.40
4	A	501	GTP	C2-N1-C6	2.49	119.89	115.93

There are no chirality outliers.

All (9) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	501	GTP	PB-O3B-PG-O2G
4	A	501	GTP	C5'-O5'-PA-O1A
4	A	501	GTP	C5'-O5'-PA-O2A
6	B	501	GDP	C5'-O5'-PA-O1A
6	B	501	GDP	C5'-O5'-PA-O2A
4	A	501	GTP	C4'-C5'-O5'-PA
4	A	501	GTP	PB-O3A-PA-O1A
4	A	501	GTP	C5'-O5'-PA-O3A
6	B	501	GDP	C5'-O5'-PA-O3A

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	501	GTP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	278:SER	C	284:LEU	N	12.56

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	437/437 (100%)	0.74	38 (8%) 10 8	15, 28, 48, 77	0
2	B	426/426 (100%)	1.42	96 (22%) 0 0	20, 39, 66, 77	0
3	F	155/155 (100%)	0.74	10 (6%) 18 17	20, 30, 47, 66	0
All	All	1018/1018 (100%)	1.02	144 (14%) 2 2	15, 32, 61, 77	0

All (144) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	93	GLY	10.9
2	B	73	MET	10.8
2	B	79	GLY	8.3
1	A	339	ARG	8.2
2	B	322	SER	6.5
2	B	431	ASP	6.5
2	B	95	SER	6.4
2	B	127	CYS	6.4
2	B	36	TYR	6.3
1	A	437	VAL	5.8
2	B	126	SER	5.5
2	B	284	LEU	5.4
2	B	114	ASP	5.3
2	B	110	ALA	5.3
2	B	92	PHE	5.2
2	B	360	GLY	5.2
3	F	167	LYS	4.9
2	B	409	THR	4.9
2	B	80	PRO	4.9
2	B	32	PRO	4.7
1	A	336	LYS	4.6
2	B	41	ASP	4.6
2	B	291	GLN	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	244	GLY	4.4
1	A	37	PRO	4.4
2	B	277	GLY	4.1
2	B	82	GLY	4.1
1	A	334	THR	3.9
1	A	335	ILE	3.8
1	A	338	LYS	3.8
2	B	397	TRP	3.8
2	B	83	GLN	3.7
2	B	58	LYS	3.7
1	A	341	ILE	3.7
2	B	46[B]	ARG	3.7
2	B	72	THR	3.6
2	B	276	ARG	3.6
2	B	319	GLY	3.6
1	A	73	THR	3.6
2	B	130	LEU	3.5
2	B	193	VAL	3.5
2	B	323	MET	3.4
2	B	35	SER	3.4
2	B	248	ALA	3.4
2	B	129[A]	CYS	3.3
2	B	222	TYR	3.3
2	B	219	THR	3.2
2	B	245	GLN	3.2
1	A	41	THR	3.2
1	A	85	GLN	3.2
2	B	34	GLY	3.2
2	B	218	THR	3.2
1	A	409	VAL	3.1
2	B	411	ALA	3.1
2	B	29	GLY	3.1
1	A	42	ILE	3.1
1	A	348	PRO	3.1
2	B	361	LEU	3.1
2	B	212	PHE	3.0
1	A	2	ARG	3.0
3	F	65	VAL	3.0
2	B	243	PRO	3.0
1	A	340	SER	3.0
2	B	128	ASP	3.0
2	B	84	ILE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	89	ASN	2.9
2	B	429	THR	2.9
1	A	43	GLY	2.9
2	B	285	THR	2.9
2	B	75	SER	2.8
3	F	13	ASP	2.8
2	B	54	ALA	2.8
2	B	410	GLU	2.8
2	B	38	GLY	2.7
2	B	286	VAL	2.7
3	F	148	THR	2.7
3	F	32	ILE	2.7
2	B	109	GLY	2.7
2	B	113	VAL	2.7
2	B	416	ASN	2.7
2	B	253	LEU	2.7
2	B	57	ASN	2.7
2	B	327	ASP	2.7
3	F	28	ASP	2.6
2	B	289	LEU	2.6
2	B	336	LYS	2.6
2	B	117	LEU	2.6
1	A	82	THR	2.6
1	A	309	HIS	2.6
1	A	430	LYS	2.6
2	B	242	PHE	2.5
1	A	347	CYS	2.5
2	B	14	ASN	2.5
2	B	2	ARG	2.5
2	B	221	THR	2.5
1	A	423	GLU	2.5
2	B	111	GLU	2.4
2	B	246	LEU	2.4
1	A	416	GLY	2.4
1	A	62	VAL	2.4
3	F	166	GLN	2.4
1	A	410	GLY	2.4
2	B	239	CYS	2.4
1	A	46	ASP	2.4
2	B	121	ARG	2.4
2	B	396	HIS	2.3
1	A	129	CYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	215	ARG	2.3
2	B	238	THR	2.3
2	B	81	PHE	2.3
2	B	331	LEU	2.3
3	F	145	PHE	2.3
2	B	78	SER	2.3
2	B	40	SER	2.3
2	B	333	VAL	2.3
2	B	55	THR	2.2
2	B	335	ASN	2.2
2	B	220	PRO	2.2
2	B	74	ASP	2.2
2	B	365	ALA	2.2
2	B	44	LEU	2.2
1	A	130	THR	2.2
3	F	150	PHE	2.1
3	F	162	ALA	2.1
2	B	12	CYS	2.1
2	B	303	CYS	2.1
2	B	215	LEU	2.1
1	A	80	THR	2.1
1	A	337	THR	2.1
2	B	24	ILE	2.1
2	B	278	SER	2.1
1	A	214	ARG	2.1
1	A	278	ALA	2.1
1	A	331	ALA	2.1
2	B	326	VAL	2.1
2	B	112	LEU	2.1
2	B	364	SER	2.1
2	B	427	ASP	2.0
1	A	433	GLU	2.0
2	B	156	ARG	2.0
2	B	357	PRO	2.0
1	A	282	TYR	2.0
1	A	221	ARG	2.0
1	A	426	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	XXX	B	601	23/?	0.72	0.28	36,45,59,61	0
4	GTP	A	501	32/?	0.89	0.17	13,20,26,33	0
8	CA	C	1	1/?	0.91	0.06	32,32,32,32	0
6	GDP	B	501	28/?	0.93	0.13	23,31,35,37	0
5	MG	A	502	1/?	0.99	0.20	5,5,5,5	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around XXX B 601:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)



Electron density around GTP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
 and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.