

```
FREQUENCIES VARIABLES=COVID19_POSITIVE_OR_SUSPECTED
/ORDER=ANALYSIS.
```

Frequencies

Statistics

COVID19_POSITIVE_OR_SUSPECTED

N	Valid	9522
	Missing	0

COVID19_POSITIVE_OR_SUSPECTED

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	COVID negative	6130	64.4	64.4	64.4
	COVID positive or suspected	3392	35.6	35.6	100.0
	Total	9522	100.0	100.0	

CROSSTABS

```
/TABLES=PNEUMOMEDIASTINUM BY COVID19_POSITIVE_OR_SUSPECTED
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ
/CELLS=COUNT COLUMN
/COUNT ROUND CELL.
```

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
PNEUMOMEDIASTINUM * COVID19_POSITIVE_OR_ SUSPECTED	9522	100.0%	0	0.0%	9522	100.0%

CODE_BLUE_NOTE * COVID19_POSITIVE_OR_SUSPECTED Crosstabulation

			COVID19_POSITIVE_OR_SUSPECTED		Total
			COVID negative	COVID positive or suspected	
CODE_BLUE_NOTE	No	Count	6059	3330	9389
		% within COVID19_POSITIVE_OR_SUSPECTED	98.8%	98.2%	98.6%
	Yes	Count	71	62	133
		% within COVID19_POSITIVE_OR_SUSPECTED	1.2%	1.8%	1.4%
Total	Count		6130	3392	9522
	% within COVID19_POSITIVE_OR_SUSPECTED		100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	7.109 ^a	1	.008		
Continuity Correction ^b	6.631	1	.010		
Likelihood Ratio	6.861	1	.009		
Fisher's Exact Test				.010	.006
Linear-by-Linear Association	7.108	1	.008		
N of Valid Cases	9522				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 47.38.

b. Computed only for a 2x2 table

CROSSTABS

/TABLES=DISCHARGE_TO_CAT BY COVID19_POSITIVE_OR_SUSPECTED

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ

/CELLS=COUNT COLUMN

/COUNT ROUND CELL.

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
DISCHARGE_TO- INTO FEWER CATEGORIES * COVID19_POSITIVE_OR_SUSPECTED	9522	100.0%	0	0.0%	9522	100.0%

DISCHARGE_TO- INTO FEWER CATEGORIES * COVID19_POSITIVE_OR_SUSPECTED Crosstabulation

			COVID19_POSITIVE_OR_SUSPECTED	
			COVID negative	COVID positive or suspected
DISCHARGE_TO- INTO FEWER CATEGORIES	All others	Count	5807	3075
		% within COVID19_POSITIVE_OR_SUSPECTED	94.7%	90.7%
	Expired	Count	323	317
		% within COVID19_POSITIVE_OR_SUSPECTED	5.3%	9.3%
Total	Count		6130	3392
	% within COVID19_POSITIVE_OR_SUSPECTED		100.0%	100.0%

**DISCHARGE_TO- INTO FEWER CATEGORIES *
COVID19_POSITIVE_OR_SUSPECTED Crosstabulation**

			Total
DISCHARGE_TO- INTO FEWER CATEGORIES	All others	Count	8882
		% within COVID19_POSITIVE_OR_SUSPECTED	93.3%
	Expired	Count	640
		% within COVID19_POSITIVE_OR_SUSPECTED	6.7%
Total	Count		9522
	% within COVID19_POSITIVE_OR_SUSPECTED		100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	57.876 ^a	1	.000		
Continuity Correction ^b	57.227	1	.000		
Likelihood Ratio	55.645	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	57.870	1	.000		
N of Valid Cases	9522				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 227.99.

b. Computed only for a 2x2 table

CROSSTABS

```

/TABLES=DECEASED BY COVID19_POSITIVE_OR_SUSPECTED
/FORMAT=AVALUE TABLES
/STATISTICS=CHISQ
/CELLS=COUNT COLUMN
/COUNT ROUND CELL.

```

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
DECEASED * COVID19_POSITIVE_OR_ SUSPECTED	9522	100.0%	0	0.0%	9522	100.0%

DECEASED * COVID19_POSITIVE_OR_SUSPECTED Crosstabulation

			COVID19_POSITIVE_OR_SUSPECTED		Total
			COVID negative	COVID positive or suspected	
DECEASED	No	Count	5382	2916	8298
		% within COVID19_POSITIVE_OR_SUSPECTED	87.8%	86.0%	87.1%
	Yes	Count	748	476	1224
		% within COVID19_POSITIVE_OR_SUSPECTED	12.2%	14.0%	12.9%
Total	Count		6130	3392	9522
	% within COVID19_POSITIVE_OR_SUSPECTED		100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	6.533 ^a	1	.011		
Continuity Correction ^b	6.371	1	.012		
Likelihood Ratio	6.463	1	.011		
Fisher's Exact Test				.012	.006
Linear-by-Linear Association	6.533	1	.011		
N of Valid Cases	9522				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 436.02.

b. Computed only for a 2x2 table

CROSSTABS

/TABLES=INTUBATE BY COVID19_POSITIVE_OR_SUSPECTED

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ

/CELLS=COUNT COLUMN

/COUNT ROUND CELL.

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
INTUBATE * COVID19_POSITIVE_OR_ SUSPECTED	9522	100.0%	0	0.0%	9522	100.0%

INTUBATE * COVID19_POSITIVE_OR_SUSPECTED Crosstabulation

			COVID19_POSITIVE_OR_SUSPECTED		
			COVID negative	COVID positive or suspected	Total
INTUBATE	No	Count	6070	3359	9429
		% within COVID19_POSITIVE_OR_SUSPECTED	99.0%	99.0%	99.0%
	Yes	Count	60	33	93
		% within COVID19_POSITIVE_OR_SUSPECTED	1.0%	1.0%	1.0%
Total		Count	6130	3392	9522
		% within COVID19_POSITIVE_OR_SUSPECTED	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.001 ^a	1	.978		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.001	1	.978		
Fisher's Exact Test				1.000	.536
Linear-by-Linear Association	.001	1	.978		
N of Valid Cases	9522				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 33.13.

b. Computed only for a 2x2 table

CROSSTABS

/TABLES=VENTILATION BY COVID19_POSITIVE_OR_SUSPECTED

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ

/CELLS=COUNT COLUMN

/COUNT ROUND CELL.

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
VENTILATION * COVID19_POSITIVE_OR_SUSPECTED	9522	100.0%	0	0.0%	9522	100.0%

VENTILATION * COVID19_POSITIVE_OR_SUSPECTED Crosstabulation

		COVID19_POSITIVE_OR_SUSPECTED		Total
		COVID negative	COVID positive or suspected	
VENTILATION	No	Count	5731	3109
		% within COVID19_POSITIVE_OR_SUSPECTED	93.5%	91.7%
	Yes	Count	399	283
		% within COVID19_POSITIVE_OR_SUSPECTED	6.5%	8.3%
Total	Count		6130	3392
	% within COVID19_POSITIVE_OR_SUSPECTED		100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	11.048 ^a	1	.001		
Continuity Correction ^b	10.774	1	.001		
Likelihood Ratio	10.831	1	.001		
Fisher's Exact Test				.001	.001
Linear-by-Linear Association	11.047	1	.001		
N of Valid Cases	9522				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 242.95.

b. Computed only for a 2x2 table