

Table S1: Laboratory data

	RT-B n=19	IB n=23	<i>P value</i>
Serum creatinine, $\mu\text{mol/L}$	210 $\pm$ 194	71 $\pm$ 16	0.001
# eGFR, ml/min/1.73m ²	42 $\pm$ 22	93 $\pm$ 22	<0.0001
Lymphocytes, /mm ³			
Lymphopenia	9 (47)	6 (26)	0.064
T lymphocytes (CD3+)	959 $\pm$ 466	1048 $\pm$ 173	0.799
CD4+ T lymphocytes	502 $\pm$ 249	667 $\pm$ 79	0.379
CD8+ T lymphocytes	378 $\pm$ 241	397 $\pm$ 247	0.920
B lymphocytes (CD19+)	144 $\pm$ 145	87 $\pm$ 52	0.709
Immunoglobulin assay, g/L			
IgG	11.0 $\pm$ 2.9	12.8 $\pm$ 3.8	0.093
IgG1	7.4 $\pm$ 2.3	8.2 $\pm$ 2.8	0.387
IgG2	3.0 $\pm$ 1.1	3.5 $\pm$ 1.3	0.176
IgG3	0.7 $\pm$ 0.5	0.6 $\pm$ 0.3	0.551
IgG4	0.3 $\pm$ 0.4	0.8 $\pm$ 0.9	0.032
IgA	2.8 $\pm$ 1.6	2.9 $\pm$ 1.1	0.836
IgM	0.8 $\pm$ 0.6	1.0 $\pm$ 0.5	0.336
Hypogammaglobulinemia	1 (5)	0 (0)	0.45
Immunosuppressive drugs			
Mycophenolate mofetil, mg.h/L	4 $\pm$ 3	NA	
Cyclosporine, $\mu\text{g/L}$	86 $\pm$ 42	NA	
Tacrolimus, ng/mL	6 $\pm$ 1	NA	

Data are expressed as mean $\pm$ standard deviation and as number (percentage).

eGFR : estimated glomerular filtration rate, IB: patients with idiopathic bronchiectasis, Ig: immunoglobulin, RT-B: patients with renal transplantation and bronchiectasis.

According to MDRD formula