

Table 4

Variables	RAS exon 2 mutant group (n=105)	RAS exon 3 or 4 mutant group (n=15)	NRAS mutant group (n=8)	p-value
Age (mean)	66.3 (28-89)	69.3 (27-93)		0.662
Gender				0.710
male	60 (57.1)	8 (53.3)	4 (50.0)	
female	45 (42.8)	7 (46.7)	4 (50.0)	
Tumor location				0.353
Right side	39 (37.1)	6 (40.0)	1 (12.5)	
Left side	66 (62.9)	9 (60.0)	7 (87.5)	
Histology				0.151
Well or Moderate	85 (81.0)	10 (66.7)	8 (100)	
Others	20 (19.0)	5 (33.3)	0 (0)	
Depth of tumor invasion				0.033
T1 · T2	27 (25.7)	7 (46.7)	5 (62.5)	
T3 · T4	78 (74.3)	8 (53.3)	3 (37.5)	
Lymph node metastasis				0.434
+	35 (33.3)	4 (26.7)	1 (12.5)	
–	70 (66.7)	11 (73.3)	7 (87.5)	
Lymph invasion				0.881
+	42 (40.0)	5 (33.3)	3 (37.5)	
–	63 (60.0)	10 (66.7)	5 (62.5)	
Venous invasion				0.043
+	74 (70.4)	7 (46.7)	3 (37.5)	
–	31 (29.5)	8 (53.3)	5 (62.5)	
CEA level				0.980
high	37 (35.2)	5 (33.3)	3 (37.5)	
normal	68 (64.8)	10 (66.7)	5 (62.5)	
CA19-9 level				0.190
High	19 (18.1)	0 (0)	1 (12.5)	
normal	86 (81.9)	15 (100)	7 (87.5)	