

Supp data 6: Insecticide sprayed residual life results using wall cone bioassay and susceptible *An. gambiae* Kisumu per hut and sprayed surfaces

Month	SumiShield						Fludora Fusion						Actellic					
	SS Full		SS BH+C		SS TH+C		FF Full		FF BH+C		FF TH+C		AC Full		AC BH+C		AC TH+C	
	Wall	Ceiling	Wall	Ceiling	Wall	Ceiling	Wall	Ceiling	Wall	Ceiling	Wall	Ceiling	Wall	Ceiling	Wall	Ceiling	Wall	Ceiling
M0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
M1	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
M2	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
M3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
M4	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
M5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
M6	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	97.4	100.0	97.5	100.0	100.0	100.0
M7	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
M8	93.8	100.0	90.0	90.9	89.5	87.5	100.0	100.0	100.0	100.0	100.0	100.0	77.8	90.0	62.5	90.0	78.9	88.9
M9	75.0	72.7	73.7	80.0	76.2	85.7	100.0	100.0	100.0	100.0	100.0	100.0	77.8	60.0	76.2	69.2	76.2	71.4

AC: Actellic 300 CS; FF: Fludora Fusion WP-SB; SS SumiShield 50 WG; BH: bottom half, TH: top half, C: ceiling, M: month