checkCIF/PLATON report

Structure factors have been supplied for datablock(s) cu_20220427_cph_04_25_coome_0m

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

Datablock: cu_20220427_cph_04_25_coome_0m

```
Bond precision: C-C = 0.0039 A
                                           Wavelength=1.54178
Cell:
                   a=6.0147(1)
                                   b=17.5833(3)
                                                      c=23.3786(4)
                   alpha=90
                                   beta=90
                                                      gamma=90
Temperature:
                   193 K
                Calculated
                                            Reported
Volume
                2472.48(7)
                                            2472.48(7)
               P 21 21 21
Space group
                                            P 21 21 21
               P 2ac 2ab
                                            P 2ac 2ab
Hall group
Moiety formula C23 H30 O11 [+ solvent]
                                            C23 H30 O11
Sum formula
                C23 H30 O11 [+ solvent]
                                            C23 H30 O11
                482.47
                                            482.47
Mr
                1.296
                                            1.296
Dx,g cm-3
                0.879
                                            0.879
Mu (mm-1)
F000
                1024.0
                                            1024.0
F000'
                1027.73
h, k, lmax
                7,21,28
                                            7,21,28
Nref
                4525[ 2624]
                                            4521
Tmin, Tmax
                0.869,0.892
                                            0.353,0.467
Tmin'
                0.869
Correction method= # Reported T Limits: Tmin=0.353 Tmax=0.467
AbsCorr = MULTI-SCAN
Data completeness= 1.72/1.00 Theta(max)= 68.172
                                                      wR2 (reflections) =
R(reflections) = 0.0421(4310)
                                                       0.1130 ( 4521)
S = 1.118
                          Npar= 315
```

The following ALERTS were generated. Each ALERT has the format test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.

Alert level C

PLAT911_ALERT_3_C Missing FCF Refl Between Thmin & STh/L= 0.600

Alert level G PLAT007_ALERT_5_G Number of Unrefined Donor-H Atoms 1 Report PLAT398_ALERT_2_G Deviating C-O-C Angle From 120 for O1 . 108.3 Degree PLAT398_ALERT_2_G Deviating C-O-C Angle From 120 for O2 108.2 Degree PLAT398_ALERT_2_G Deviating C-O-C Angle From 120 for O3 97.8 Degree PLAT398 ALERT 2 G Deviating C-O-C Angle From 120 for O10 105.9 Degree PLAT605_ALERT_4_G Largest Solvent Accessible VOID in the Structure 123 A**3 S Verify PLAT791_ALERT_4_G Model has Chirality at C4 (Sohnke SpGr) PLAT791_ALERT_4_G Model has Chirality at C5 S Verify (Sohnke SpGr) PLAT791_ALERT_4_G Model has Chirality at C6 S Verify (Sohnke SpGr) PLAT791_ALERT_4_G Model has Chirality at C7 (Sohnke SpGr) S Verify S Verify PLAT791_ALERT_4_G Model has Chirality at C8 (Sohnke SpGr) PLAT791_ALERT_4_G Model has Chirality at C9 R Verify (Sohnke SpGr) PLAT791_ALERT_4_G Model has Chirality at C15 (Sohnke SpGr) S Verify PLAT791_ALERT_4_G Model has Chirality at C18 (Sohnke SpGr) R Verify PLAT909_ALERT_3_G Percentage of I>2sig(I) Data at Theta(Max) Still 86% Note PLAT910_ALERT_3_G Missing # of FCF Reflection(s) Below Theta(Min). 1 Note PLAT933_ALERT_2_G Number of HKL-OMIT Records in Embedded .res File 4 Note PLAT978_ALERT_2_G Number C-C Bonds with Positive Residual Density. 2 Info

3 Report

```
0 ALERT level A = Most likely a serious problem - resolve or explain
```

⁰ ALERT level B = A potentially serious problem, consider carefully

¹ ALERT level C = Check. Ensure it is not caused by an omission or oversight

¹⁸ ALERT level G = General information/check it is not something unexpected

⁰ ALERT type 1 CIF construction/syntax error, inconsistent or missing data

⁶ ALERT type 2 Indicator that the structure model may be wrong or deficient

³ ALERT type 3 Indicator that the structure quality may be low

⁹ ALERT type 4 Improvement, methodology, query or suggestion

¹ ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

PLATON version of 19/02/2022; check.def file version of 19/02/2022

