


Supplementary material

S1. Basic statistics for every SDM. Original points correspond to occurrence data from GBIF with the following filters: no duplicates allowed; records must have valid coordinates. Distance error must be equal to or less than 1000 meters, and the date of occurrence must be after 1970.


N	Species	Original points	Points post rarefy	Replicates	AUC ($\pm$ SD)	Presence / absence threshold	Retained variables
1	<i>Arundo donax</i>	6,512	15,19	30	0.935 $\pm$ 0.012	0.2207	BIO2, BIO4, BIO5, BIO8, BIO9, BIO11, BIO16, BIO17, BIO19
2	<i>Capra hircus</i>	13,838	956	30	0.954 $\pm$ 0.011	0.1328	BIO1, BIO3, BIO6, BIO7, BIO8, BIO9, BIO12, BIO15, BIO18
3	<i>Cervus elaphus</i>	32,822	754	25	0.953 $\pm$ 0.009	0.2265	BIO3, BIO4, BIO8, BIO10, BIO11, BIO19
4	<i>Cinara cupressi</i>	93	87	3	0.984 $\pm$ 0.004	0.0454	BIO3, BIO6, BIO9, BIO10, BIO12, BIO18
5	<i>Eichhornia crassipes</i>	5,796	1,120	30	0.924 $\pm$ 0.012	0.2522	BIO5, BIO8, BIO9, BIO11, BIO12, BIO17, BIO18, BIO19
6	<i>Fallopia japonica</i>	74,861	861	30	0.970 $\pm$ 0.005	0.1345	BIO1, BIO3, BIO9, BIO10, BIO17
7	<i>Felis catus</i>	21,293	671	20	0.963 $\pm$ 0.012	0.1029	BIO2, BIO9, BIO11, BIO13, BIO15, BIO17, BIO18
8	<i>Lantana câmara</i>	28,887	2,141	30	0.907 $\pm$ 0.010	0.2833	BIO2, BIO3, BIO8, BIO11, BIO12, BIO14, BIO18
9	<i>Linepithema humile</i>	3,005	644	20	0.977 $\pm$ 0.006	0.0879	BIO2, BIO3, BIO4, BIO8, BIO9, BIO11, BIO13, BIO18
10	<i>Lythrum salicaria</i>	111,654	1,292	30	0.945 $\pm$ 0.007	0.1375	BIO1, BIO2, BIO4, BIO10, BIO17, BIO18, BIO19
11	<i>Mus musculus</i>	28,643	1,193	30	0.939 $\pm$ 0.013	0.1521	BIO3, BIO7, BIO9, BIO10, BIO15, BIO18, BIO19
12	<i>Oryctolagus cuniculus</i>	135,028	958	30	0.975 $\pm$ 0.004	0.1879	BIO1, BIO3, BIO4, BIO6, BIO15, BIO18
13	<i>Rattus rattus</i>	12,239	901	30	0.935 $\pm$ 0.015	0.2283	BIO2, BIO7, BIO8, BIO10, BIO11, BIO13, BIO15, BIO18, BIO19
14	<i>Sus scrofa</i>	38,640	1,135	30	0.930 $\pm$ 0.016	0.2045	BIO3, BIO4, BIO5, BIO8, BIO12, BIO15, BIO19
15	<i>Ulex europaeus</i>	51,115	1013	30	0.973 $\pm$ 0.002	0.1439	BIO5, BIO6, BIO7, BIO8, BIO14, BIO19
16	<i>Vespula vulgaris</i>	8,907	1,537	30	0.955 $\pm$ 0.005	0.1697	BIO1, BIO2, BIO4, BIO10, BIO15, BIO17, BIO18

S2. Correlation panels of retained variables in every SDM. The central rows correspond to histograms of each variable, bottom-left rows correspond to qplot graphs from Spearman's correlation, upper-right rows report statistics of p-values (p) and correlation (r) of each variable, which cannot be greater than |0.7|.


Arundo donax




Capra hircus




Cervus elaphus




Cinara cupressi




Eichhornia crassipes




Fallopia japonica




Felis catus




Lantana camara




Linepithema humile




Lythrum salicaria




Mus musculus




Rattus rattus



Sus scrofa



Ulex europaeus



Vespula vulgaris




Table S3. Protected areas rank list by number of TES

N	Full Name	Number of IAS per PAs		
		Present	RCP 4.5 2050	RCP 8.5 2050
		Mean ($\pm$ SD)		
1	National Park Alberto D Agostini	5 $\pm$ 3	6 $\pm$ 3	7 $\pm$ 4
2	National Park Alerce Andino	11 $\pm$ 3	12 $\pm$ 3	12 $\pm$ 3
3	National Park Alerce Costero	11 $\pm$ 2	11 $\pm$ 3	12 $\pm$ 2
4	National Park Bernardo OHiggins	8 $\pm$ 5	9 $\pm$ 5	9 $\pm$ 5
5	National Park Cabo De Hornos	5 $\pm$ 1	7 $\pm$ 2	7 $\pm$ 2
6	National Park Cerro Castillo	7 $\pm$ 4	8 $\pm$ 4	8 $\pm$ 4
7	National Park Chiloe	10 $\pm$ 3	12 $\pm$ 2	13 $\pm$ 2
8	National Park Conguillio	5 $\pm$ 3	7 $\pm$ 3	7 $\pm$ 3
9	National Park Corcovado	8 $\pm$ 4	10 $\pm$ 4	10 $\pm$ 4
10	National Park Fray Jorge	6 $\pm$ 2	6 $\pm$ 1	5 $\pm$ 1
11	National Park Hornopiren	8 $\pm$ 4	10 $\pm$ 4	10 $\pm$ 4
12	National Park Huerquehue	9 $\pm$ 2	9 $\pm$ 3	9 $\pm$ 2
13	National Park Isla Guamblin	0 $\pm$ 0	0 $\pm$ 0	0 $\pm$ 0
14	National Park Isla Magdalena	8 $\pm$ 4	10 $\pm$ 3	10 $\pm$ 4
15	National Park Kawesqar	7 $\pm$ 4	8 $\pm$ 4	8 $\pm$ 4
16	National Park La Campana	11 $\pm$ 1	8 $\pm$ 1	8 $\pm$ 1
17	National Park Laguna Del Laja	4 $\pm$ 2	5 $\pm$ 2	5 $\pm$ 2
18	National Park Laguna San Rafael	7 $\pm$ 4	9 $\pm$ 5	9 $\pm$ 5
19	National Park Lauca	1 $\pm$ 1	1 $\pm$ 1	2 $\pm$ 1
20	National Park Llanos De Challe	2 $\pm$ 1	2 $\pm$ 1	2 $\pm$ 1
21	National Park Llullaillaco	1 $\pm$ 1	1 $\pm$ 1	1 $\pm$ 0
22	National Park Melimoyu	8 $\pm$ 4	9 $\pm$ 5	9 $\pm$ 5
23	National Park Morro Moreno	2 $\pm$ 1	2 $\pm$ 1	2 $\pm$ 1
24	National Park Nahuelbuta	9 $\pm$ 1	7 $\pm$ 2	9 $\pm$ 2
25	National Park Nevado Tres Cruces	1 $\pm$ 0	1 $\pm$ 0	2 $\pm$ 1
26	National Park Pali-Aike	6 $\pm$ 0	6 $\pm$ 0	6 $\pm$ 0
27	National Park Palmas De Cocalan	10 $\pm$ 1	10 $\pm$ 2	10 $\pm$ 1
28	National Park Pan De Azucar	2 $\pm$ 1	1 $\pm$ 1	1 $\pm$ 0
29	National Park Patagonia	7 $\pm$ 4	7 $\pm$ 3	8 $\pm$ 4
30	National Park Pumalin	8 $\pm$ 4	9 $\pm$ 4	9 $\pm$ 4
31	National Park Puyehue	7 $\pm$ 3	9 $\pm$ 3	9 $\pm$ 3
32	National Park Queulat	7 $\pm$ 4	10 $\pm$ 4	10 $\pm$ 4
33	National Park Radal Siete Tazas	8 $\pm$ 3	8 $\pm$ 2	8 $\pm$ 2
34	National Park Tolhuaca	8 $\pm$ 1	8 $\pm$ 1	8 $\pm$ 1
35	National Park Torres Del Paine	6 $\pm$ 4	8 $\pm$ 4	8 $\pm$ 4

36	National Park Vicente Perez Rosales	9 ± 5	9 ± 4	9 ± 4
37	National Park Villarrica	6 ± 3	8 ± 4	7 ± 3
38	National Park Volcan Isluga	1 ± 1	1 ± 1	2 ± 1
39	National Park Yendegaia	6 ± 3	6 ± 3	7 ± 4
40	National Reserve Alto Bio Bio	4 ± 2	7 ± 2	8 ± 2
41	National Reserve Altos de Lircay	8 ± 2	8 ± 2	8 ± 2
42	National Reserve Altos De Pemehue	9 ± 2	8 ± 2	8 ± 2
43	National Reserve China Muerta	7 ± 2	8 ± 2	9 ± 2
44	National Reserve Coihaique	9 ± 2	10 ± 2	11 ± 2
45	National Reserve El Yali	11 ± 0	10 ± 1	9 ± 0
46	National Reserve Federico Albert	13 ± 0	13 ± 0	13 ± 1
47	National Reserve Futaleufu	7 ± 3	9 ± 3	10 ± 3
48	National Reserve Isla Mocha	13 ± 1	13 ± 0	13 ± 0
49	National Reserve Katalalixar	6 ± 2	8 ± 4	9 ± 4
50	National Reserve Kawesqar	7 ± 4	8 ± 4	9 ± 4
51	National Reserve La Chimba	2 ± 1	2 ± 1	1 ± 0
52	National Reserve Lago Carlota	7 ± 3	8 ± 3	8 ± 3
53	National Reserve Lago Las Torres	7 ± 4	9 ± 3	10 ± 4
54	National Reserve Lago Palena	6 ± 3	7 ± 3	8 ± 3
55	National Reserve Lago Peñuelas	11 ± 1	11 ± 1	11 ± 1
56	National Reserve Lago Rosselot	10 ± 3	11 ± 3	11 ± 3
57	National Reserve Laguna De Torca	13 ± 0	12 ± 2	11 ± 1
58	National Reserve Laguna Parrillar	5 ± 2	7 ± 2	7 ± 2
59	National Reserve Las Chinchillas	8 ± 1	8 ± 1	7 ± 1
60	National Reserve Las Guaitecas	8 ± 3	10 ± 4	10 ± 3
61	National Reserve Las Vicuñas	1 ± 1	1 ± 1	1 ± 0
62	National Reserve Llanquihue	8 ± 4	10 ± 4	10 ± 4
63	National Reserve Los Bellotos Del Melado	9 ± 2	9 ± 2	9 ± 2
64	National Reserve Los Flamencos	1 ± 1	1 ± 1	2 ± 1
65	National Reserve Los Huemules Del Niblinto	8 ± 1	8 ± 1	9 ± 1
66	National Reserve Los Queules	13 ± 1	13 ± 0	13 ± 0
67	National Reserve Los Ruiles	13 ± 0	13 ± 0	13 ± 0
68	National Reserve Magallanes	7 ± 2	9 ± 3	10 ± 2
69	National Reserve Malalcahuello	6 ± 2	6 ± 3	6 ± 2
70	National Reserve Malleco	8 ± 1	7 ± 1	8 ± 1
71	National Reserve Mocho Choshenco	7 ± 3	8 ± 4	9 ± 3
72	National Reserve Nalcas	6 ± 2	6 ± 2	6 ± 2
73	National Reserve Nonguen	12 ± 0	13 ± 0	13 ± 0
74	National Reserve Ñuble	5 ± 2	6 ± 2	7 ± 2
75	National Reserve Pampa Del Tamarugal	2 ± 1	1 ± 0	1 ± 0
76	National Reserve Pinguino De Humbolt	4 ± 1	4 ± 0	3 ± 0

77	National Reserve Radal Siete Tazas	10 ± 2	9 ± 2	10 ± 1
78	National Reserve Ralco	5 ± 2	5 ± 2	6 ± 2
79	National Reserve Rio Blanco	7 ± 4	7 ± 3	6 ± 3
80	National Reserve Rio Clarillo	7 ± 3	7 ± 2	8 ± 2
81	National Reserve Rio Los Cipreses	6 ± 3	7 ± 4	7 ± 4
82	National Reserve Rio Simpson	7 ± 4	9 ± 3	10 ± 4
83	National Reserve Robleria Del Cobre De Loncha	10 ± 1	10 ± 1	10 ± 1
84	National Reserve Trapananda	7 ± 2	7 ± 2	8 ± 1
85	National Reserve Villarrica	7 ± 3	10 ± 3	9 ± 2
86	Natural Monument Canquen Colorado	10 ± 0	11 ± 0	15 ± 0
87	Natural Monument Cerro Ñielol	15 ± 0	14 ± 0	14 ± 0
88	Natural Monument Cinco Hermanas	0 ± 0	0 ± 0	0 ± 0
89	Natural Monument Contulmo	12 ± 0	13 ± 1	13 ± 0
90	Natural Monument Cueva Del Milodon	9 ± 0	10 ± 0	10 ± 0
91	Natural Monument Dos Lagunas	11 ± 0	9 ± 0	10 ± 1
92	Natural Monument El Morado	5 ± 3	7 ± 3	7 ± 3
93	Natural Monument Laguna De Los Cisnes	10 ± 1	8 ± 1	10 ± 2
94	Natural Monument Lahuen Ñadi	15 ± 0	16 ± 0	16 ± 0
95	Natural Monument Paposos Norte	2 ± 1	1 ± 0	1 ± 0
96	Natural Monument Picaflor de Arica	0 ± 0	0 ± 0	0 ± 0
97	Natural Monument Pichasca	5 ± 1	5 ± 0	5 ± 1
98	Natural Monument Quebrada De Cardones	2 ± 1	2 ± 1	2 ± 1
99	Natural Monument Salar De Surire	0 ± 0	1 ± 1	1 ± 0

Table S4. $\leq 0.001 = '***'$; $\leq 0.01 = '**'$; $\leq 0.05 = '*'$

Comparison	p.adj	signif	class	MR
Present vs RCP 45	0.999109		National Park	North
Present vs RCP 45	0.951398			Center
Present vs RCP 45	0.014540	**		South
Present vs RCP 45	1		National Reserve	North
Present vs RCP 45	0.940830			Center
Present vs RCP 45	0.000047	***		South
Present vs RCP 45	0.999995		Natural Monument	North
Present vs RCP 45	0.972210			Center
Present vs RCP 45	0.999999			South
Present vs RCP 85	1		National Park	North
Present vs RCP 85	0.955013			Center
Present vs RCP 85	0.006769	**		South
Present vs RCP 85	0.999550		National Reserve	North
Present vs RCP 85	0.681161			Center
Present vs RCP 85	0.000001	***		South
Present vs RCP 85	1		Natural Monument	North
Present vs RCP 85	0.995417			Center
Present vs RCP 85	1			South
RCP 45 vs RCP 85	0.997781		National Park	North
RCP 45 vs RCP 85	0.999788			Center
RCP 45 vs RCP 85	0.996184			South
RCP 45 vs RCP 85	0.999991		National Reserve	North
RCP 45 vs RCP 85	0.999999			Center
RCP 45 vs RCP 85	0.999886			South
RCP 45 vs RCP 85	0.999946		Natural Monument	North
RCP 45 vs RCP 85	1			Center
RCP 45 vs RCP 85	1			South

Table S5

Macro region	Macro region (MR) (ha)	Administrative regions included	Species per region	% of occupied area vs MR		
				Present	2050 RCP 4.5	2050 RCP 8.5
North	30084922.84	Arica & Parinacota	<i>Capra hircus</i>	0.72%	1.65%	0.01%
			<i>Cinara cupressi</i>	2.32%	41.50%	3.38%
			<i>Mus musculus</i>	0.01%	0.00%	0.00%
			<i>Linepithema humile</i>	0.00%	0.00%	0.81%
			<i>Ulex europaeus</i>	0.00%	0.00%	0.00%
		Tarapaca	<i>Capra hircus</i>	3.77%	0.08%	0.05%
			<i>Cinara cupressi</i>	10.24%	13.67%	13.55%
			<i>Linepithema humile</i>	0.00%	0.00%	0.00%
			<i>Mus musculus</i>	0.00%	0.00%	0.00%
			<i>Ulex europaeus</i>	0.00%	0.00%	0.00%
		Antofagasta	<i>Arundo donax</i>	0.00%	0.00%	0.00%
			<i>Capra hircus</i>	5.55%	1.65%	1.81%
			<i>Cinara cupressi</i>	37.08%	41.50%	41.53%
			<i>Linepithema humile</i>	0.00%	0.00%	0.42%
			<i>Mus musculus</i>	0.23%	41.50%	0.00%
			<i>Ulex europaeus</i>	0.00%	0.00%	0.00%
		Atacama	<i>Arundo donax</i>	0.46%	0.56%	0.35%
			<i>Capra hircus</i>	6.94%	5.35%	6.77%
			<i>Cervus elaphus</i>	0.19%	2.20%	1.89%
			<i>Cinara cupressi</i>	23.81%	25.02%	24.77%
			<i>Felis catus</i>	0.00%	0.00%	0.00%
			<i>Mus musculus</i>	0.00%	0.67%	0.57%
			<i>Rattus rattus</i>	0.47%	0.92%	0.72%
			<i>Ulex europaeus</i>	0.00%	0.00%	0.00%
		Coquimbo	<i>Arundo donax</i>	6.40%	7.58%	7.90%
			<i>Capra hircus</i>	9.18%	8.59%	9.10%
			<i>Cervus elaphus</i>	6.44%	6.50%	6.07%
			<i>Cinara cupressi</i>	13.41%	13.46%	13.44%
			<i>Eichhornia crassipes</i>	0.01%	0.04%	0.05%
			<i>Linepithema humile</i>	2.79%	5.82%	5.34%
			<i>Lythrum salicaria</i>	3.22%	1.80%	1.27%
			<i>Mus musculus</i>	0.02%	0.36%	0.71%
			<i>Rattus rattus</i>	7.55%	8.59%	8.56%
			<i>Sus scrofa</i>	0.00%	0.91%	0.40%
			<i>Ulex europaeus</i>	5.78%	5.18%	4.44%
South	27380932.05	Los Lagos	<i>Arundo donax</i>	9.33%	10.89%	11.47%

			<i>Capra hircus</i>	14.87%	14.75%	15.09%
			<i>Cervus elaphus</i>	17.25%	17.45%	17.31%
			<i>Cinara cupressi</i>	17.31%	17.45%	17.31%
			<i>Eichhornia crassipes</i>	1.24%	6.58%	8.07%
			<i>Fallopia japónica</i>	16.94%	15.40%	15.32%
			<i>Felis catus</i>	7.01%	10.03%	10.31%
			<i>Lantana câmara</i>	6.25%	9.32%	9.56%
			<i>Linepithema humile</i>	6.40%	11.16%	11.54%
			<i>Lythrum salicara</i>	17.02%	16.95%	17.21%
			<i>Mus musculus</i>	16.35%	17.32%	17.20%
			<i>Oryctolagus cuniculus</i>	16.25%	16.24%	10.77%
			<i>Rattus rattus</i>	15.03%	15.79%	16.16%
			<i>Sus scrofa</i>	7.01%	15.98%	16.58%
			<i>Ulex europaeus</i>	16.53%	17.43%	17.53%
			<i>Vespula vulgaris</i>	16.38%	12.27%	12.50%
		Aysen	<i>Arundo donax</i>	1.95%	10.25%	11.47%
			<i>Capra hircus</i>	35.66%	34.02%	15.09%
			<i>Cervus elaphus</i>	30.34%	34.97%	17.31%
			<i>Cinara cupressi</i>	0.00%	0.00%	17.31%
			<i>Eichhornia crassipes</i>	36.53%	0.47%	8.07%
			<i>Fallopia japónica</i>	28.95%	23.37%	15.32%
			<i>Felis catus</i>	0.28%	12.78%	10.31%
			<i>Lantana câmara</i>	0.00%	4.45%	9.56%
			<i>Linepithema humile</i>	0.00%	11.54%	11.54%
			<i>Lythrum salicara</i>	24.87%	18.44%	17.21%
			<i>Mus musculus</i>	15.41%	33.85%	17.20%
			<i>Oryctolagus cuniculus</i>	22.27%	29.78%	10.77%
			<i>Rattus rattus</i>	11.97%	21.03%	16.16%
			<i>Sus scrofa</i>	4.87%	16.39%	16.58%
			<i>Ulex europaeus</i>	28.83%	35.56%	35.55%
			<i>Vespula vulgaris</i>	25.71%	21.41%	12.50%
		Magallanes	<i>Arundo donax</i>	0.04%	1.86%	12.11%
			<i>Capra hircus</i>	44.49%	42.65%	34.13%
			<i>Cervus elaphus</i>	23.75%	29.59%	35.19%
			<i>Cinara cupressi</i>	40.11%	37.60%	35.18%
			<i>Fallopia japónica</i>	18.47%	18.58%	0.97%
			<i>Felis catus</i>	4.38%	19.01%	24.06%
			<i>Lantana câmara</i>	0.00%	0.00%	15.04%
			<i>Linepithema humile</i>	0.00%	0.22%	5.56%
			<i>Lythrum salicara</i>	10.33%	4.63%	12.63%
			<i>Mus musculus</i>	25.70%	29.05%	20.31%

Center	16470534.32		<i>Oryctolagus cuniculus</i>	19.34%	17.84%	34.01%
			<i>Rattus rattus</i>	2.16%	9.53%	31.07%
			<i>Sus scrofa</i>	0.07%	3.32%	23.26%
			<i>Ulex europaeus</i>	31.44%	38.08%	40.43%
			<i>Vespula vulgaris</i>	9.09%	9.84%	34.90%
		Valparaiso	<i>Arundo donax</i>	7.55%	8.33%	8.25%
			<i>Capra hircus</i>	7.41%	8.10%	8.05%
			<i>Cervus elaphus</i>	6.77%	6.20%	5.28%
			<i>Cinara cupressi</i>	9.64%	9.70%	9.65%
			<i>Eichhornia crassipes</i>	5.54%	4.88%	4.71%
			<i>Felis catus</i>	0.00%	0.42%	0.22%
			<i>Lantana câmara</i>	1.23%	2.96%	2.73%
			<i>Linepithema humile</i>	7.17%	8.11%	8.10%
			<i>Lythrum salicara</i>	3.99%	1.22%	0.83%
			<i>Mus musculus</i>	1.04%	2.02%	2.12%
			<i>Oryctolagus cuniculus</i>	0.00%	0.00%	0.00%
			<i>Rattus rattus</i>	7.87%	8.30%	8.28%
			<i>Sus scrofa</i>	5.90%	8.23%	8.06%
			<i>Ulex europaeus</i>	7.58%	4.12%	3.44%
		RM	<i>Arundo donax</i>	6.30%	6.77%	6.85%
			<i>Capra hircus</i>	3.32%	5.56%	5.69%
			<i>Cervus elaphus</i>	7.57%	7.58%	7.28%
			<i>Cinara cupressi</i>	9.31%	9.34%	9.33%
			<i>Eichhornia crassipes</i>	5.68%	6.05%	6.17%
			<i>Felis catus</i>	0.00%	0.07%	0.44%
			<i>Lantana câmara</i>	0.45%	1.29%	1.60%
			<i>Linepithema humile</i>	5.87%	6.66%	6.72%
			<i>Lythrum salicara</i>	2.72%	1.66%	1.89%
			<i>Mus musculus</i>	1.21%	5.41%	5.41%
			<i>Rattus rattus</i>	6.66%	7.00%	7.11%
			<i>Sus scrofa</i>	6.68%	7.87%	8.01%
			<i>Ulex europaeus</i>	2.46%	1.29%	1.38%
		O'Higgins	<i>Arundo donax</i>	7.69%	7.83%	8.04%
			<i>Capra hircus</i>	4.51%	6.68%	6.81%
			<i>Cervus elaphus</i>	9.25%	8.09%	7.42%
			<i>Cinara cupressi</i>	9.90%	9.91%	9.91%
			<i>Eichhornia crassipes</i>	7.37%	7.97%	8.14%
			<i>Felis catus</i>	0.80%	2.72%	2.31%
			<i>Lantana câmara</i>	3.59%	4.97%	5.91%
			<i>Linepithema humile</i>	7.11%	7.92%	8.07%
			<i>Lythrum salicara</i>	6.67%	7.32%	6.74%

		<i>Mus musculus</i>	5.84%	9.00%	9.10%
		<i>Rattus rattus</i>	8.30%	8.52%	8.65%
		<i>Sus scrofa</i>	8.37%	9.35%	9.46%
		<i>Ulex europaeus</i>	3.40%	0.56%	29.15%
	Maule	<i>Arundo donax</i>	12.46%	12.82%	13.60%
		<i>Capra hircus</i>	12.46%	12.34%	12.47%
		<i>Cervus elaphus</i>	18.33%	18.38%	18.28%
		<i>Cinara cupressi</i>	18.35%	18.38%	18.36%
		<i>Eichhornia crassipes</i>	11.16%	14.04%	14.65%
		<i>Felis catus</i>	4.86%	11.16%	11.22%
		<i>Lantana cámara</i>	7.71%	9.88%	10.40%
		<i>Linepithema humile</i>	11.32%	13.33%	13.93%
		<i>Lythrum salicara</i>	17.48%	16.28%	17.09%
		<i>Mus musculus</i>	17.89%	18.32%	18.32%
		<i>Oryctolagus cuniculus</i>	1.84%	0.00%	0.00%
		<i>Rattus rattus</i>	15.58%	16.12%	16.61%
		<i>Sus scrofa</i>	16.20%	18.32%	18.33%
		<i>Ulex europaeus</i>	11.84%	2.74%	2.31%
	Biobio	<i>Arundo donax</i>	16.12%	10.19%	16.65%
		<i>Capra hircus</i>	17.86%	10.78%	17.59%
		<i>Cervus elaphus</i>	22.39%	14.54%	22.34%
		<i>Cinara cupressi</i>	22.40%	14.54%	22.42%
		<i>Eichhornia crassipes</i>	9.70%	11.62%	19.53%
		<i>Fallopia japónica</i>	3.58%	0.77%	0.67%
		<i>Felis catus</i>	11.52%	9.20%	15.37%
		<i>Lantana cámara</i>	10.83%	6.83%	12.20%
		<i>Linepithema humile</i>	14.03%	10.91%	17.91%
		<i>Lythrum salicara</i>	22.26%	14.12%	22.09%
		<i>Mus musculus</i>	22.26%	14.50%	22.38%
		<i>Oryctolagus cuniculus</i>	14.27%	1.03%	0.00%
<i>Rattus rattus</i>		21.51%	14.13%	21.96%	
<i>Sus scrofa</i>		20.82%	14.10%	22.02%	
<i>Ulex europaeus</i>		12.65%	7.96%	7.02%	
<i>Vespula vulgaris</i>		1.09%	0.00%	0.00%	
La Araucania	<i>Arundo donax</i>	12.30%	13.49%	14.43%	
	<i>Capra hircus</i>	13.62%	13.88%	14.57%	
	<i>Cervus elaphus</i>	19.27%	19.31%	19.28%	
	<i>Cinara cupressi</i>	19.27%	19.31%	19.28%	
	<i>Eichhornia crassipes</i>	6.33%	15.83%	17.09%	
	<i>Fallopia japónica</i>	13.22%	6.35%	6.08%	
	<i>Felis catus</i>	5.12%	8.69%	9.34%	

			<i>Lantana cámara</i>	5.60%	7.41%	8.37%
			<i>Linepithema humile</i>	7.73%	14.31%	15.21%
			<i>Lythrum salicara</i>	19.21%	18.99%	19.18%
			<i>Mus musculus</i>	19.13%	19.28%	19.26%
			<i>Oryctolagus cuniculus</i>	15.76%	10.96%	1.58%
			<i>Rattus rattus</i>	18.54%	18.84%	19.03%
			<i>Sus scrofa</i>	16.99%	18.83%	18.87%
			<i>Ulex europaeus</i>	17.23%	16.49%	14.37%
			<i>Vespula vulgaris</i>	9.17%	0.02%	0.03%
		Los Rios	<i>Arundo donax</i>	7.20%	18.11%	8.63%
			<i>Capra hircus</i>	9.21%	24.52%	9.92%
			<i>Cervus elaphus</i>	11.02%	29.00%	11.04%
			<i>Cinara cupressi</i>	11.02%	29.00%	11.04%
			<i>Eichhornia crassipes</i>	1.33%	10.95%	8.24%
			<i>Fallopia japónica</i>	10.95%	25.60%	7.98%
			<i>Felis catus</i>	1.28%	16.67%	5.22%
			<i>Lantana cámara</i>	2.74%	15.50%	6.15%
			<i>Linepithema humile</i>	3.50%	18.55%	8.56%
			<i>Lythrum salicara</i>	10.99%	28.18%	11.02%
			<i>Mus musculus</i>	10.99%	28.79%	11.04%
			<i>Oryctolagus cuniculus</i>	10.65%	26.99%	0.68%
			<i>Rattus rattus</i>	10.48%	26.25%	10.88%
			<i>Sus scrofa</i>	7.56%	26.57%	11.01%
			<i>Ulex europaeus</i>	11.01%	11.11%	11.01%
			<i>Vespula vulgaris</i>	10.55%	20.39%	1.91%