

Supplementary file

:Supplemental Table 1. Associations of sociodemographic and clinical factors with overall PCC score among cancer survivors

Article title

Cancer Survivors with Sub-Optimal Patient-Centered Communication Prior to and During the Early COVID Pandemic.

Journal name

Journal of Cancer Survivorship

Author names

Jiyeong Kim, MPH
Nathan P. Fairman, MD, MPH
Melanie S. Dove, MPH, PhD
Jeffrey S. Hoch, MA, PhD
Theresa H. Keegan, MS, PhD

Corresponding author

Jiyeong Kim, B.Pharm, MPH (jiykim@ucdavis.edu)
Department of Public Health Sciences, School of Medicine, University of California Davis, Davis, CA

Supplemental Table 1. Associations of sociodemographic and clinical factors with overall PCC score^a among cancer survivors

	Overall PCC	
	Beta (SE) ^b N=2,244 ^c	P value
Age (years)		
18-34	2.49 (8.64)	0.774
35-49	1.61 (3.00)	0.591
50-64	0.17 (1.77)	0.922
65-74	-2.84 (1.68)	0.094
≥75	Reference	
Gender		
Female	-3.96 (1.65)	0.017
Male	Reference	
Race/Ethnicity		
Non-Hispanic White	Reference	
Non-Hispanic Black/African American	1.26 (3.86)	0.744
Hispanic	1.23 (3.43)	0.720
Non-Hispanic Asian	1.87 (3.60)	0.604
Others	4.63 (5.35)	0.387
Education		
< High School	Reference	
High School Grad	-6.74 (5.81)	0.247
Some College	-5.44 (5.52)	0.326
College Grad or more	-2.94 (5.61)	0.600
Household income		
<\$20,000	Reference	
\$20,000 to <\$35,000	-3.73 (3.04)	0.222
\$35,000 to <\$50,000	-2.13 (3.61)	0.555
\$50,000 to <\$75,000	0.69 (2.99)	0.819
≥\$75,000	-4.82 (2.60)	0.065
Health status		
Excellent/good	-3.07 (2.14)	0.153
Fair/poor	Reference	
Time since diagnosis		
< 1 year	1.01 (2.73)	0.712
2-5 years	-1.95 (1.70)	0.253
6-10 years	1.69 (1.90)	0.374

≥11 years	Reference	
Cancer type		
Breast	-0.72 (2.48)	0.772
Cervical	-3.70 (3.95)	0.349
Prostate	-4.97 (3.08)	0.108
Colon	-5.12 (3.78)	0.177
Lung	-3.58 (4.43)	0.420
Skin	Reference	
Melanoma	-0.65 (3.19)	0.840
Multiple cancers	-6.31 (1.89)	0.001
Other cancers	-4.03 (2.12)	0.059
Usual source of care		
Yes	-8.61 (2.63)	0.001
No	Reference	
Psychological distress		
Nervousness	4.17 (1.67)	0.014
No nervousness	Reference	
Pre-COVID		
Little interest	3.42 (2.06)	0.098
No little interest	Reference	
COVID		
Little interest	13.22 (3.16)	<0.0001
No little interest	Reference	

a. Overall PCC score ranged from 0 (optimal) to 100 (suboptimal), the lower score means better PCC; b. Adjusted for all the variables in the table; c. Total cancer survivors, N=2,579