




	Peak	Intensity	Corr. Intensity	Base (H)	Base (L)	Area	Corr. Area
1	603.72	21.418	3.771	638.44	559.36	49.879	2.861
2	682.8	19.722	1.202	705.95	669.3	25.519	0.568
3	763.81	19.882	0.063	765.74	731.02	24.102	0.032
4	933.55	18.439	0.101	937.4	906.54	22.51	0.052
5	1045.42	18.965	0.125	1066.64	1037.7	20.834	0.043
6	1126.43	18.437	0.062	1128.36	1068.56	43.347	0.025
7	1192.01	17.685	0.059	1195.87	1159.22	27.44	0.068
8	2036.83	15.009	0.064	2040.69	2019.47	17.452	0.03
9	2112.05	14.855	0.013	2113.98	2090.84	19.143	0.015
10	2308.79	13.995	0.03	2310.72	2289.5	18.02	0.02
11	2351.23	13.456	1.219	2366.66	2345.44	18.078	0.39
12	2385.95	14.168	0.114	2389.8	2368.59	17.858	0.035
13	3062.96	13.782	0.105	3078.39	3057.17	18.221	0.036
14	3240.41	14.484	0.124	3251.98	3230.77	17.754	0.029

Comment;

F 577

Date/Time; 7/21/2022 10:06:18 AM

No. of Scans; 40

Resolution; 4 [1/cm]

Apodization; Happ-Genzel

User;

Lab Sentral UM