

Supplemental Figure 1: Confirmation of active COVID-19 infection and viral specifics for study. A)

Quantification of viral burden from nasal swab of severe and moderate infection groups. B) Quantification of blood spike protein in severely infected participants based on discharge from hospital vs death from infection. C) Level of spike protein in blood of severely infected participants based on variant infected with. D) Viral strain specifics in actively infected groups. E) Correlation between nasal viral burden and circulating spike protein during infection.

Supplemental Figure 2: Full gating strategy for whole blood flow cytometry. Concatenated healthy control sample used as in Figure 2.

Supplemental Figure 3. Flow plots of significantly altered immune cell types by study group. A-C) Flow plots of major immune cell populations analyzed for control(A), moderate infection (B), and severe infection (C) groups (all individual samples concatenated by group for shown plots).

Supplemental Figure 4: Correlation matrices of demographic, immune, and endothelial parameters in severe COVID-19 infection with fatal and non-fatal outcomes. A) Fatal outcome correlation matrix. B) Survival outcome correlation matrix.

Supplemental Figure 5. Significantly altered immune cell types and long COVID symptoms in Recovered group. A) Flow plots of major immune cell populations analyzed for moderate recovered group (all individual samples concatenated by group for shown plots). B) Correlation of self-reported COVID-19 symptoms associated with long COVID identified as significantly altered prior to multiple comparison corrections as assessed by YRS questionnaire (n=23); points are slightly jittered for visibility.

Figure S1




Figure S2




Figure S3





Figure S4

A



B





Figure S5

A



RECOVERED



B



Breathlessness (rest)

Cough/Throat Sensitivity



Pain

Daily Activity Problems



Cognition Problems

Anxiety

Depression

