

1. How severe was the lacrimation **before** surgery? (**right eye**)

- ☐ No lacrimation
- ☐ Epihora requiring dabbing less than twice a day
- ☐ Epihora requiring dabbing 2-4 times a day
- ☐ Epihora requiring dabbing 5-10 times a day
- ☐ Epihora requiring dabbing > 10 times a day or constant tearing

2. How severe was the lacrimation **before** surgery? (**left eye**)

- ☐ No lacrimation
- ☐ Epihora requiring dabbing less than twice a day
- ☐ Epihora requiring dabbing 2-4 times a day
- ☐ Epihora requiring dabbing 5-10 times a day
- ☐ Epihora requiring dabbing > 10 times a day or constant tearing

3. How severe was the lacrimation **one month after** surgery? (**right eye**)

- ☐ No lacrimation
- ☐ Epihora requiring dabbing less than twice a day
- ☐ Epihora requiring dabbing 2-4 times a day
- ☐ Epihora requiring dabbing 5-10 times a day
- ☐ Epihora requiring dabbing > 10 times a day or constant tearing

4. How severe was the lacrimation **one month after** surgery? (**left eye**)

- ☐ No lacrimation
- ☐ Epihora requiring dabbing less than twice a day
- ☐ Epihora requiring dabbing 2-4 times a day
- ☐ Epihora requiring dabbing 5-10 times a day
- ☐ Epihora requiring dabbing > 10 times a day or constant tearing

5. How severe was the lacrimation **six months after** surgery? **(right eye)**

- ☐ No lacrimation
- ☐ Epihora requiring dabbing less than twice a day
- ☐ Epihora requiring dabbing 2-4 times a day
- ☐ Epihora requiring dabbing 5-10 times a day
- ☐ Epihora requiring dabbing > 10 times a day or constant tearing

6. How severe was the lacrimation **six months after** surgery? **(left eye)**

- ☐ No lacrimation
- ☐ Epihora requiring dabbing less than twice a day
- ☐ Epihora requiring dabbing 2-4 times a day
- ☐ Epihora requiring dabbing 5-10 times a day
- ☐ Epihora requiring dabbing > 10 times a day or constant tearing

7. Have you ever experienced episodes of dacryocystitis (pus discharge or swelling of the eye) **before** surgery? **(right eye)**

- ☐ No
- ☐ Occasionally (less than once a month)
- ☐ Often (more than once a month)

8. Have you ever experienced episodes of dacryocystitis (pus discharge or swelling of the eye) **before** surgery? **(left eye)**

- ☐ No
- ☐ Occasionally (less than once a month)
- ☐ Often (more than once a month)

9. Have you ever experienced episodes of dacryocystitis (pus discharge or swelling of the eye) **one month after surgery? (right eye)**
- ☐ No
- ☐ Occasionally (less than once a month)
- ☐ Often (more than once a month)
10. Have you ever experienced episodes of dacryocystitis (pus discharge or swelling of the eye) **one month after surgery? (left eye)**
- ☐ No
- ☐ Occasionally (less than once a month)
- ☐ Often (more than once a month)
11. Have you ever experienced episodes of dacryocystitis (pus discharge or swelling of the eye) **6 months after surgery? (right eye)**
- ☐ No
- ☐ Occasionally (less than once a month)
- ☐ Often (more than once a month)
12. Have you ever experienced episodes of dacryocystitis (pus discharge or swelling of the eye) **6 months after surgery? (left eye)**
- ☐ No
- ☐ Occasionally (less than once a month)
- ☐ Often (more than once a month)