

checkCIF (basic structural check) running

Checking for embedded fcf data in CIF ...

Found embedded fcf data in CIF. Extracting fcf data from uploaded CIF, please wait ...

checkCIF/PLATON (basic structural check)

Structure factors have been supplied for datablock(s) mo_d8v19630_0m

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found.

Please wait while processing

[CIF dictionary](#)

[Interpreting this report](#)

[Structure factor report](#)

Datablock: mo_d8v19630_0m

Bond precision: C-C = 0.0027 Å Wavelength=0.71073

Cell: a=34.7317(9) b=7.7855(2) c=24.5964(6)
alpha=90 beta=98.669(1) gamma=90

Temperature: 293 K

	Calculated	Reported
Volume	6575.0(3)	6575.0(3)
Space group	C 2/c	C 2/c
Hall group	-C 2yc	-C 2yc
Moiety formula	C36 H32 B2 O2 [+ solvent]	?
Sum formula	C36 H32 B2 O2 [+ solvent]	C36 H32 B2 O2
Mr	518.24	518.23
Dx, g cm ⁻³	1.047	1.047
Z	8	8
Mu (mm ⁻¹)	0.062	0.062
F000	2192.0	2192.0
F000'	2192.87	
h, k, lmax	42, 9, 30	42, 9, 30
Nref	6453	6409
Tmin, Tmax	0.988, 0.992	0.686, 0.746
Tmin'	0.988	

Correction method= # Reported T Limits: Tmin=0.686 Tmax=0.746 AbsCorr = MULTI-SCAN

Data completeness= 0.993

Theta(max)= 25.996

R(reflections)= 0.0587(4670)

wR2(reflections)= 0.2003(6409)

S = 1.028

Npar= 368

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.

Alert level B

PLAT990_ALERT_1_B Deprecated .res/.hkl Input Style SQUEEZE Job ...

[! Note](#)

●Alert level C

PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of	C31 Check
PLAT906_ALERT_3_C	Large K Value in the Analysis of Variance	11.975 Check
PLAT906_ALERT_3_C	Large K Value in the Analysis of Variance	2.260 Check
PLAT910_ALERT_3_C	Missing # of FCF Reflection(s) Below Theta(Min).	7 Note
PLAT911_ALERT_3_C	Missing FCF Refl Between Thmin & STh/L= 0.600	38 Report
PLAT913_ALERT_3_C	Missing # of Very Strong Reflections in FCF	14 Note
PLAT918_ALERT_3_C	Reflection(s) with I(obs) much Smaller I(calc) .	4 Check

●Alert level G

PLAT072_ALERT_2_G	SHELXL First Parameter in WGHT Unusually Large	0.13 Report
PLAT199_ALERT_1_G	Reported _cell_measurement_temperature (K)	293 Check
PLAT200_ALERT_1_G	Reported _diffrn_ambient_temperature (K)	293 Check
PLAT605_ALERT_4_G	Largest Solvent Accessible VOID in the Structure	237 A**3
PLAT869_ALERT_4_G	ALERTS Related to the Use of SQUEEZE Suppressed	! Info
PLAT883_ALERT_1_G	No Info/Value for _atom_sites_solution_primary .	Please Do !
PLAT933_ALERT_2_G	Number of OMIT Records in Embedded .res File ...	12 Note
PLAT961_ALERT_5_G	Dataset Contains no Negative Intensities	Please Check
PLAT978_ALERT_2_G	Number C-C Bonds with Positive Residual Density.	2 Info

- 0 **ALERT level A** = Most likely a serious problem - resolve or explain
1 **ALERT level B** = A potentially serious problem, consider carefully
7 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
9 **ALERT level G** = General information/check it is not something unexpected

- 4 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
4 ALERT type 2 Indicator that the structure model may be wrong or deficient
6 ALERT type 3 Indicator that the structure quality may be low
2 ALERT type 4 Improvement, methodology, query or suggestion
1 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that **full publication checks** are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

PLATON version of 03/05/2019; check.def file version of 29/04/2019

Datablock mo_d8v19630_0m - ellipsoid plot



Download CIF editor (pubCIF) from the IUCr
Download CIF editor (enCIFer) from the CCDC
Test a new CIF entry