

Article Title: And E-Mail Address of The Corresponding Author

Journal Name: Social Psychiatry and Psychiatric Epidemiology

Author Names: Luke Sullivan (Corresponding Author), Eric Tirrell, Asi Polly Gobin, Linda L. Carpenter MD

Affiliation of the Corresponding Author: Brown University

E-Mail Address of The Corresponding Author: luke_sullivan@brown.edu

Online Resource 2. Demographics, clinical characteristics, and treatment outcomes of study population (n=74).

Age, years (mean $\pm$ SD)	42.82 $\pm$ 15.71
GENDER	
Female (n, %)	50 (67.6%)
Male (n, %)	24 (32.4%)
RACE	
White (n, %)	69 (93.2%)
Black (n, %)	1 (1.4%)
Other/Unavailable (n, %)	4 (5.4%)
ETHNICITY	
Hispanic, Latino, or Spanish	3 (4.1%)
All Other	71 (95.9%)
PRIMARY LANGUAGE	
English (n, %)	72 (97.3%)

French (n, %)	1 (1.4%)
Other (n, %)	1 (1.4%)
Language other than English spoken at home (n, %)	7 (9.5%)
MARITAL STATUS	
Married (n, %)	31 (41.9%)
Single (n, %)	35 (47.3%)
Divorced (n, %)	8 (10.8%)
INSURANCE	
Private Insurance (n, %)	35 (47.3%)
Medicare only (n,%)	17 (23.0%)
Medicaid only (n, %)	16 (21.6%)
Dual Eligible (n, %)	6 (8.1%)
EMPLOYMENT STATUS	
Employed (n, %)	26 (35.1 %)
Unemployed (n, %)	15 (20.3 %)
Disabled (no SSDI) (n, %)	1 (1.4 %)
SSDI recipient (n %)	20 (27%)
Student	2 (2.7 %)
Retired	4 (5.4 %)
Leave of Absence	6 (8.1 %)

EDUCATION	
High School (n, %)	9 (12.2 %)
Some College (n, %)	16 (21.6 %)
Technical College/Associate Degree (n, %)	4 (5.4 %)
Bachelor's (n, %)	30 (40.5 %)
Graduate School (n, %)	15 (20.3 %)
GEOGRAPHY	
Living in RI (n, %)	64 (86.5 %)
Living in MA (n, %)	10 (13.5 %)
Unique Census Tracts (n)	60
Prior Treatment in Psychiatric Day Hospital or Intensive Outpatient Program	23 (31.1 %)
Prior Psychiatric Hospitalization (n, %)	46 (62.2 %)
Prior Electroconvulsive Therapy (n, %)	18 (24.3%)
Baseline IDS-SR score (mean $\pm$ SD)	45.81 $\pm$ 9.38
Baseline PHQ-9 score (mean $\pm$ SD)	18.91 $\pm$ 4.75
Concurrent Use of Antidepressant Medications (n, %) ^a	64 (86.5%)
Any Comorbid Psychiatric Diagnosis (n, %)	32 (43.2%)
Number of Treatments (mean $\pm$ SD)	35.20 $\pm$ 7.63
IDS-SR Responder (N, %)	41 (55.4%)
PHQ-9 Responder (N, %)	50 (67.6%)

IDS-SR Remitter (N, %)	32 (43.2%)
PHQ-9 Remitter (N, %)	33 (44.6%)
%Change IDS-SR (mean $\pm$ SD)	53.1 $\pm$ 31.3
%Change PHQ-9 (mean $\pm$ SD)	59.6 $\pm$ 36.07

^a Defined as prescription use at any dose of any antidepressant medication in one of the following classes: Selective serotonin reuptake inhibitors, Serotonin and norepinephrine reuptake inhibitors, Norepinephrine-dopamine reuptake inhibitors, Tricyclic Antidepressants, Noradrenergic and specific serotonergic antidepressants, Serotonin Antagonist and Reuptake Inhibitor, Monoamine oxidase inhibitors.