

## checkCIF/PLATON report

You have not supplied any structure factors. As a result the full set of tests cannot be run.

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

### Datablock: as

---

Bond precision: C-C = 0.0093 Å Wavelength=0.71073

Cell: a=11.7051 (8) b=17.4858 (12) c=15.4870 (15)  
alpha=90 beta=96.521 (2) gamma=90

Temperature: 260 K

	Calculated	Reported
Volume	3149.3 (4)	3149.3 (4)
Space group	I 2/c	I2/c
Hall group	-I 2yc	-I2yc
Moiety formula	C24 H20 Cu F6 N8 Si [+ solvent]	?
Sum formula	C24 H20 Cu F6 N8 Si [+ solvent]	C24 H20 Cu F6 N8 Si
Mr	626.12	626.11
Dx, g cm <sup>-3</sup>	1.321	1.321
Z	4	4
Mu (mm <sup>-1</sup> )	0.793	0.793
F000	1268.0	1268.0
F000'	1270.21	
h, k, lmax	13,20,18	13,20,18
Nref	2794	2793
Tmin, Tmax	0.888, 0.909	
Tmin'	0.888	

Correction method= Not given

Data completeness= 1.000 Theta (max) = 25.094

R(reflections)= 0.0867 ( 2399)

wR2 (reflections)=  
0.2278 ( 2793)

S = 1.069

Npar= 184

---

The following ALERTS were generated. Each ALERT has the format

**test-name\_ALERT\_alert-type\_alert-level**.

Click on the hyperlinks for more details of the test.

---

 **Alert level B**

PLAT990\_ALERT\_1\_B Deprecated .res/.hkl Input Style SQUEEZE Job ... ! Note

---

 **Alert level C**

PLAT052_ALERT_1_C	Info on Absorption Correction Method	Not Given	Please Do !
PLAT241_ALERT_2_C	High 'MainMol' Ueq as Compared to Neighbors of		F1 Check
PLAT242_ALERT_2_C	Low 'MainMol' Ueq as Compared to Neighbors of		Si1 Check
PLAT341_ALERT_3_C	Low Bond Precision on C-C Bonds .....	0.00925 Ang.	

---

 **Alert level G**

PLAT003_ALERT_2_G	Number of Uiso or Uij Restrained non-H Atoms ...	22	Report
PLAT004_ALERT_5_G	Polymeric Structure Found with Maximum Dimension	3	Info
PLAT083_ALERT_2_G	SHELXL Second Parameter in WGHT Unusually Large	39.13	Why ?
PLAT177_ALERT_4_G	The CIF-Embedded .res File Contains DELU Records	1	Report
PLAT178_ALERT_4_G	The CIF-Embedded .res File Contains SIMU Records	1	Report
PLAT186_ALERT_4_G	The CIF-Embedded .res File Contains ISOR Records	1	Report
PLAT230_ALERT_2_G	Hirshfeld Test Diff for Si1 --F1 .	5.5	s.u.
PLAT230_ALERT_2_G	Hirshfeld Test Diff for Si1 --F4 .	6.2	s.u.
PLAT605_ALERT_4_G	Largest Solvent Accessible VOID in the Structure	447	A***3
PLAT794_ALERT_5_G	Tentative Bond Valency for Cu1 (II) .	2.20	Info
PLAT804_ALERT_5_G	Number of ARU-Code Packing Problem(s) in PLATON	1	Info
PLAT860_ALERT_3_G	Number of Least-Squares Restraints .....	309	Note
PLAT869_ALERT_4_G	ALERTS Related to the Use of SQUEEZE Suppressed		! Info
PLAT883_ALERT_1_G	No Info/Value for _atom_sites_solution_primary .	Please Do !	
PLAT965_ALERT_2_G	The SHELXL WEIGHT Optimisation has not Converged	Please Check	
PLAT967_ALERT_5_G	Note: Two-Theta Cutoff Value in Embedded .res ..	50.2	Degree

---

0 **ALERT level A** = Most likely a serious problem - resolve or explain

1 **ALERT level B** = A potentially serious problem, consider carefully

4 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight

16 **ALERT level G** = General information/check it is not something unexpected

3 ALERT type 1 CIF construction/syntax error, inconsistent or missing data

7 ALERT type 2 Indicator that the structure model may be wrong or deficient

2 ALERT type 3 Indicator that the structure quality may be low

5 ALERT type 4 Improvement, methodology, query or suggestion

4 ALERT type 5 Informative message, check

---

---

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special\_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

### **Publication of your CIF in IUCr journals**

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

### **Publication of your CIF in other journals**

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

---

**PLATON version of 12/09/2022; check.def file version of 09/08/2022**

Datablock as - ellipsoid plot

