

	All patients	Paracetamol 1000 mg Ibuprofen 400 mg	Paracetamol 1000 mg Codeine 60 mg	Paracetamol 1000 mg Ibuprofen 400 mg Codeine 60 mg	Placebo
	n=200	n=50	n=50	n=50	n=50
<i>Age (years)</i>					
Median	24	24	24	25	25
(Q1, Q3)	(22, 26)	(22, 26)	(22, 26)	(22, 26)	(22, 26)
Mean	24	24	24	24	25
(Range)	(19-30)	(19-30)	(19-30)	(19-30)	(19-30)
<i>BMI</i>					
Median	22.6	23.0	22.8	22.0	23.0
(Q1, Q3)	(21.3, 24.2)	(21.5, 24.3)	(21.3, 24.9)	(21.5, 23.1)	(21.2, 24.9)
Mean	22.8	22.9	23.0	22.3	23.0
(95% CI)	(22.5, 23.1)	(22.2, 23.5)	(22.3, 23.7)	(21.9, 22.8)	(22.2, 23.8)
<i>Females/Males (%)</i>	54/46	50/50	56/44	58/42	52/48
<i>Smokers (%)</i>	17	22	16	18	12
<i>Volume local anaesthesia (ml)</i>					
Median	3.6	4.1	3.6	3.8	3.6
(Q1, Q3)	(3.6, 4.5)	(3.6, 5.4)	(3.6, 4.5)	(3.6, 4.6)	(3.2, 4.5)
Mean	4.2	4.4	4.1	4.1	4.1
(95 % CI)	(4.0, 4.3)	(4.1, 4.7)	(3.8, 4.4)	(3.8, 4.4)	(3.8, 4.5)
<i>Duration of surgery (min)</i>					
Median	17	20	15	17	17
(Q1, Q3)	(14, 25)	(15, 30)	(15, 23)	(12, 22)	(12, 21)
Mean	20	22	19	19	19
(95 % CI)	(18, 21)	(20, 24)	(16, 22)	(17, 21)	(16, 22)