

Online Resource 3. General clinical data of 26 neonates with septic shock and acute kidney injury

patients	Sex	Age on admission (d)	gestational age (w)	birth weight (g)	5-minute Apgar score	NCIS	VIS	AKI stage	mechanical ventilation
1	Male	2	40 ⁺⁵	2850	10	68	120	2	Yes
2	Male	1	36 ⁺²	3050	10	80	4	1	Yes
3	Male	1	34 ⁺²	3000	8	64	71	2	Yes
4	Male	1	41	3980	9	74	230	3	Yes
5	Male	10	38 ⁺¹	2850	10	60	70	2	Yes
6	Male	1	31 ⁺¹	1800	9	70	440	2	Yes
7	Male	15	39 ⁺⁵	3250	10	78	50	2	Yes
8	Female	10	38	3200	10	72	430	2	Yes
9	Female	1	40 ⁺⁶	3150	9	78	120	3	Yes
10	Female	1	33 ⁺²	2000	4	64	320	3	Yes
11	Male	1	41 ⁺¹	3000	3	66	64	2	Yes
12	Male	1	32 ⁺⁴	3200	6	68	40	3	Yes
13	Male	7	38 ⁺³	3950	10	78	325	3	Yes
14	Male	3	40	3450	10	62	70	1	Yes
15	Female	1	39 ⁺⁴	3360	10	58	320	2	Yes
16	Male	23	33+2	1630	9	56	270	3	Yes
17	Female	6	39 ⁺¹	3100	10	58	110	2	Yes
18	Male	1	37	3200	10	66	190	2	Yes

19	Male	1	29 ⁺²	1250	8	76	6	3	Yes
20	Female	3	41 ⁺¹	3470	10	70	330	2	Yes
21	Female	6	35 ⁺²	2870	/	78	0	3	No
22	Male	6	39 ⁺¹	3900	/	86	10	3	Yes
23	Male	1	40 ⁺⁴	3360	10	58	75	3	Yes
24	Male	1	40 ⁺⁴	3750	9	/	35	1	Yes
25	Male	1	35 ⁺⁴	2870	9	72	40	3	No
26	Male	1	39 ⁺⁵	3850	8	/	30	2	Yes

Abbreviations: AKI, acute kidney injury; NCIS, Neonatal Critical Illness Score; VIS, vasoactive inotropic score.