

Supplementary Information for

Thrombospondin-1 promotes liver fibrosis by enhancing TGF- β action in hepatic stellate cells

Makoto Imamori^{1†}, Tetsuya Hosooka^{1,2*†}, Yukiko Imi², Yusei Hosokawa¹, Kanji Yamaguchi³, Yoshito Itoh³ & Wataru Ogawa¹

Corresponding author: Tetsuya Hosooka

Email: thosooka@u-shizuoka-ken.ac.jp

This PDF file includes:

Supplementary Table S1

Full length images of western blotting

Supplementary Table S1. Primer sequences for RT-qPCR analysis.

Mouse	Forward primer (5'→3')	Reverse primer (5'→3')
<i>Ccl2</i>	CCAACTCTCACTGAAGCCAGCTC	TTGGGATCATCTTGCTGGTGAA
<i>Col1a1</i>	CCTCAGGGTATTGCTGGACAAC	ACCACTTGATCCAGAAGGACCTT
<i>Col1a2</i>	GTA ACTTCGTGCCTAGCAACA	CCTTTGTCAGAATACTGAGCAGC
<i>Col3a1</i>	CTGTAACATGGAAACTGGGGAAA	CCATAGCTGAACTGAAAACCACC
<i>Emr1</i>	CTTTGGCTATGGGCTTCCAGTC	GCAAGGAGGACAGAGTTTATCGTG
<i>Fasn</i>	GCTGGCATTTCGTGATGGAGTCGT	AGGCCACCAGTGATGATGTA ACTCT
<i>Il6</i>	CTGCAAGAGACTTCCATCCAGTT	GAAGTAGGGAAGGCCGTGG
<i>Scd1</i>	TCTCAGAAACACACGCCGACC	AGGCCGGGCTTG TAGTACCTC
<i>Srebp1c</i>	GAGCCATGGATTGCACATTT	CACGGACGGGTACATCT
<i>Tgfb1</i>	CCTGAGTG GCTGTCTTTTGACG	AGTGAGCGCTGAATCGAAAGC
<i>Thbs-1</i>	GCAGCACACACAGAAGCATT	CAATCAGCTCTCACCAGCAG
<i>Timp1</i>	CATCACGGGGCCGCCTA	AAGCTGCAGGCACTGATGTG
<i>Tnfa</i>	GGTCCCCAAAGGGATGAG	TCCTCCACTTGGTGGTTTG
<i>Rn18s</i>	GTAACCCGTTGAACCCCAT	CCATCCAATCGGTAGTAGCG
<i>Rplp0</i>	GAGGAATCAGATGAGGATATGGGA	AAGCAGGCTGACTTG GTTGC

Human	Forward primer (5'→3')	Reverse primer (5'→3')
<i>COL1A1</i>	GAACGCGTGTCATCCCTTGT	GAACGAGGTAGTCTTTCAGCAAC
<i>COL1A2</i>	CAAGAAACACGTCTGGCTAGG	TCAA ACTGGCTGCCAGCAT
<i>TIMP1</i>	AGTGGCACTCATTGCTTGTG	GCAGGATTCAGGCTATCTGG
<i>RPLP0</i>	ATGCAGCAGATCCGCATGT	TTGCGCATCATGGTGT TCTT

Full length images of western blotting

Fig. 1c

Blot: TSP-1




Fig. 1d

Blot: TSP-1




Fig. 2c




Fig. 2f

