

Supplementary Table S3. Alteration of serum biochemical levels (n = 7) after PFOA exposure, data are mean±SE, significantly different from control group.

	Ctrl	1.25 mg/kg/d	5 mg/kg/d	20 mg/kg/d	F value	P value
TP	59.94±1.01	61.39±1.19	59.39±1.09	63.40±1.68	1.99	0.14
ALB	32.97±0.92	35.20±1.24	36.06±0.97*	34.27±0.90	1.69	0.2
GLB	26.97±0.73	26.19±1.80	26.33±0.75	27.70±1.71	2.02	0.14
A/G	1.23±0.05	1.40±0.13	1.56±0.07*	1.23±0.11	2.54	0.08
NT5	2.57±0.20	2.43±0.30	2.00±0.00*	2.14±0.14	1.82	0.17
LDH	1020.57±227.66	1151.86±186.70	1281.14±130.73	760.14±136.70	1.62	0.21
TBi1	0.60±0.09	0.73±0.06	0.44±0.08	0.64±0.42	1.32	0.29
DBi1	0.57±0.05	0.47±0.05	0.44±0.04	0.47±0.07	1.11	0.36
Cr	21.43±1.72	18.71±0.84	18.57±0.78	19.43±0.75	1.44	0.26
UA	52.71±6.42	58.86±7.78	52.43±3.62	56.71±7.75*	0.23	0.88
IBi1	0.03±0.09	0.26±0.08	0.00±0.09	0.17±0.13	1.48	0.25
AST	106.30±8.03	126.33±7.05	121.49±3.44	119.49±21.23	0.5	0.69
GGT	0.43±0.20	1.14±0.14	0.57±0.30	1.00±0.38	1.58	0.22
TBA	6.87±0.84	6.04±0.63	5.79±0.72	8.91±2.91	1.39	0.27
ADA	1.77±0.39	1.64±0.25	1.86±0.23	1.35±0.28	1.59	0.63

* $p < 0.05$, ** $p < 0.01$