

Sachet water consumption as a risk factor for cholera in urban settings: findings and implications from a case control study in Kinshasa, Democratic Republic of the Congo during the 2017-2018 outbreak

Placide Mbala-Kingebeni

Institut National de Recherche Biomedicale

Florian Vogt (✉ florianvogt@hotmail.com)

Institute of Tropical Medicine Antwerp

Berthe Miwanda

Institut National de Recherche Biomedicale

Tresor Sundika

Institut National de Recherche Biomedicale

Nancy Mbula

Institut National de Recherche Biomedicale

Isaac Pankwa

Institut National de Recherche Biomedicale

Leopold Lubula

Institut National de Recherche Biomedicale

Veerle Vanlerberghe

Institute of Tropical Medicine Antwerp

Alain Magazani

Institut National de Recherche Biomedicale

Mildred Afoumbom

Universiteit Hasselt

Jean-Jacques Muyembe-Tamfum

Institut National de Recherche Biomedicale

Research Article

Keywords: cholera; outbreak; risk factors; water; sachet; case control; urban; DRC; Africa

Posted Date: June 22nd, 2020

DOI: <https://doi.org/10.21203/rs.3.rs-36530/v1>

License:   This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Abstract

The authors have removed this preprint from Research Square.