

Additional file 1

Rotated factor matrix of principal axes factor analysis (PFA) for the items of counseling and treatment service preferences

Item	Factor loading			
	1	2	3	4
Factor 1: Professional and personal confidants				
03. Woman in the same situation	.480	.134	.042	-.006
02. Family member, friend, or colleague	.442	.000	.014	.096
14. Midwife	.369	.071	.369	.068
09. Family midwife	.300	.334	.060	.088
Factor 2: Communal and psychosocial services				
11. Social pedagogical family assistance	-.006	.685	.082	.214
08. Parent-child living or family accommodation	-.025	.622	.089	.133
10. Psychosocial crisis service	.061	.600	-.003	.311
07. Life and family counseling center	.044	.577	.064	.132
05. Supervised parent group	.197	.493	.027	.103
06. Telephone counseling	-.014	.479	.050	.047
01. Self-help group	.159	.402	.053	.080
04. Household help	.125	.368	.023	.135
Factor 3: Medical services				
13. Pediatrician	-.042	.088	.726	.012
15. Gynecologist	.122	.046	.588	.063
12. General practitioner	.025	.063	.564	.152
Factor 4: Psychotherapeutic services				
17. Day clinic for psychiatry or psychosomatic medicine	-.008	.262	.130	.783
18. Outpatient clinic/treatment for psychiatry, psychosomatic medicine, or psychotherapy	.178	.153	.044	.699
16. Inpatient clinic for psychiatry or psychosomatic medicine	-.036	.244	.175	.680
19. Specialized trauma outpatient clinic	.246	.287	.056	.560

Note. Extraction method: Principal Axes Factor Analysis using Varimax Rotation with fixed number of factors (4) and Kaiser Normalization, one item (religious institutions) was excluded from analysis.