

Complication Type	Number of cases (%)	Clavien Grade	Onset	Management
<b>Macrohematuria without anemia</b>	4 (3.6%)	I	Within 6 hours after intervention	Traction on bladder catheter and suspension of LMWH
<b>Hypotension</b>	1 (0.91%)	I	Within 24 hours after intervention	Intravenous hydration therapy
<b>Fever</b>	1 (0.91%)	I	Within 24 hours after intervention	Intravenous antibiotic therapy for 5 days after the intervention
<b>Infections</b>	1 (0.91%)	I	Within 24 hours after intervention	Intravenous antibiotic therapy for 5 days after the intervention
<b>Macrohematuria with anemia</b>	4 (3.6%)	II	Within 6 hours after intervention	Transfusions
<b>Acute Urinary Retention</b>	7 (6.4%)	II	Within 6 hours after catheter removal	Catheterization
<b>Urethral Meatus Stenosis</b>	2 (1.8%)	II	Within 30 days after the operation	Urethral meatus dilation
<b>Macrohematuria with anemia not responding to blood transfusions</b>	2 (1.8%)	III	Within 6 hours after intervention	Endoscopic fulguration

*Supplementary Table 1 - post-operative complications ( $\leq 30$  POD) and relative management strategies.*