

Effects of Complement 3 deficiency on its receptor downstream signaling pathway-mediated inflammatory response in knockout mice

Yun Ju Choi¹, Ji Eun Kim¹, Su Jin Lee¹, Jeong Eun Gong¹, Ho Lee² and Dae Youn Hwang^{1,3,*}


¹Department of Biomaterials Science, College of Natural Resources and Life Science/Life and Industry Convergence Research Institute, Pusan National University, Miryang 50463, Korea

²Graduate School of Cancer Science and Policy, Research Institute, National Cancer Center, Goyang 10408, Korea

³Laboratory Animals Resources Center, Pusan National University, Miryang 50463, Korea


*Corresponding author: Dae Youn Hwang, Professor and Director, dyhwang@pusan.ac.kr

Supplementary Figure S1B.




Original images of the gels in Figure 1B.

Supplementary Figure S1C.




Original images of the gels in Figure 1C.

Supplementary Figure S2A.




Original images of the gels in Figure 2A.

Supplementary Figure S2B.




Original images of the gels in Figure 2B.

Supplementary Figure S3A.




Original images of the gels in Figure 3A.

Supplementary Figure S4A.




Original images of the gels in Figure 4A.

Supplementary Figure S5A.




Original images of the gels in Figure 5A.

Supplementary Figure S6A.



Original images of the gels in Figure 6A.

Supplementary Figure S7B.



Original images of the gels in Figure 7B.